

# TOOLS & EQUIPMENT

Professional quality parts, service and solutions dedicated to your shop.

1st Quarter 2026 – Canada Only

IN THE SPOTLIGHT

## DIAGNOSTIC SCANNERS & CODE READERS

AUTEL LAUNCH

See p. 28-31 for details



### John Bean® System III Swing Arm Tire Changer with pneumatic bead assist

JohnBean

- Integrated pressure limiter stops air flow once pressure has reached 55 PSI
- Adjustable four-jaw clamps grip securely and protect the wheel
- Twin cylinder clamping provides uniform clamping pressure and increased power
- Extra wheel protection to minimize wheel scratching



Max Rim Diameter:  
10" – 24"  
Max Wheel Width: 15"  
Max Tire Diameter: 50"

JBN EEWH589AUA1

\* Contact your local store for pricing and availability

**FINANCE IT**

### Milwaukee® M18 FUEL™ High Torque 1/2" Impact Wrench with Friction Ring

Milwaukee

NEW

- Delivers 1200 ft/lbs of fastening torque, 1600 ft/lbs of nut-busting torque
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- LED light to illuminate the work area
- Includes: M18 1/2" High Torque Impact Wrench, (1) M18™ REDLITHIUM™ FORGE™ XC8.0 Battery Pack, M18/M12 rapid charger and contractor bag



MLK 2967-21F **\$774.99**

### John Bean® V4400 Wireless Drive-Through Wheel Alignment System

JohnBean

NEW

- Dual-tower design can accommodate larger-width vehicles by allowing the technician to position the towers apart at optimal distances
- Artificial Intelligence-driven Wheel Alignment Companion, AIKnow™, assists technicians by answering questions accurately within seconds
- D2 Max™ Technology achieves a more precise, real-world alignment reading by mapping and projecting the vehicle's drive direction as if on the road
- Alignment towers have adjustable camera posts with two cameras per side, providing a wider field of view



JBN EEWA580A

\* Contact your local store for pricing and availability

**FINANCE IT**

### Milwaukee® M18™ Transfer Pump

Milwaukee

NEW

- Self-priming; connect and go cordless portable water transfer pump
- Moves water at up to 480 Gal. per hour, generates up to 18 ft. of lift and produces up to 75 ft. of head height
- 3/4" brass inlet and outlet
- Automatically shuts itself off to avoid dry pumping



NOTE: Battery not included

MLK 2771-20 **\$359.99**

**SPECIAL OFFER**  
LEASE TO OWN SELECT EQUIPMENT AND  
**DO NOT PAY FOR 90 DAYS!**

THIS LIMITED TIME OFFER IS  
AVAILABLE FROM JANUARY 1, 2026 –  
MARCH 31, 2026.

See p. 60 for  
details.



### MR. HEATER® PROPANE AND KEROSENE SHOP HEATERS

Mr. Heater

See p. 60 for details



**Offers valid January 1, 2026 – March 31, 2026**

For more information, contact your local representative. Longer financing available up to 60 months.



**CARQUEST**

## INDEX

A/C & Cooling Service .....	7, 27
Air Compressors .....	24
Air Hose & Air Accessories .....	23, 24
Air Tools .....	23
Battery Chargers .....	2, 3, 4
Battery Service .....	2, 3, 4, 5, 6
Bench Vises .....	26
Brake Service .....	7, 8, 32
Chassis/Suspension Service .....	8, 9
Creepers/Shop Seats .....	26
Diagnostic Tools .....	9, 28, 29, 30, 31
Engine & Drivetrain .....	9
EV Chargers .....	6
Generators .....	6, 7
Grease Guns .....	45, 46
Hand Tools .....	12, 13, 14, 15, 16, 17, 18
Heavy-Duty Service .....	29, 31
Inventory Reduction .....	58, 59
Jack Stands .....	40
Jump Starters .....	4, 5, 6
Jobsite Safety .....	53
Lifting & Support .....	40, 41, 42, 43, 44
Lighting .....	24, 25, 26
Oil/Lube Service .....	10, 11, 45, 46, 47, 48
Power Tools .....	1, 19, 20, 21, 22
Pullers & Slide Hammers .....	9, 10
Service/Bottle Jacks .....	40, 41
Shop Heating .....	60
Shop Presses .....	26
Specialty Tools .....	7, 8, 9, 10, 11, 12
Tire Changers .....	1, 33, 34, 36, 37, 38
Tire Service .....	1, 11, 32, 33, 34, 35, 36, 37, 38, 39
TPMS Service .....	32
Tool Boxes/Storage .....	18
Trailer/Towing .....	48, 49, 50, 51, 52
Transfer Pumps .....	1, 47, 48
Warning Strobes & Signal Lights .....	49
Welding .....	54, 55, 56, 57
Welding Helmets & Gloves .....	56
Wheel Alignment Systems .....	1, 39
Wheel Balancers .....	33, 34, 35, 36

## SALES POLICY

Participation in this promotional program by a Carquest® Auto Parts store is voluntary. Every promotion is a bona fide offer. Occasionally, an advertised item may not be available because of sales that exceed anticipated demand or circumstances beyond our control. We reserve the right to substitute an item of equal or better value in the event that stock of an advertised product is depleted. Prices may vary in different styles and from market to market. Additional delivery and freight charges may be incurred. Errors in prices, descriptions and/or illustrations are not the responsibility of the Carquest® Auto Parts store.

### PRICES GOOD IN CANADA ONLY.

Additional freight charges may apply on drop ship orders.

PRO\_21805763-CAN-ENG

## BATTERY SERVICE

### DSR® WHEEL CHARGERS

- Charges standard, AGM and Gel, and deep-cycle batteries
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain
- Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge
- Reverse hook-up protection



#### 6/12/24V 330A Proseries Battery Charger/Engine Starter

- 300A (6V)/ 330A (12V)/250A (24V) engine start, 15A fast charge
- With flash re-programming

CBC DSR124 **\$1026<sup>99</sup>**

#### 12/24V 250A Proseries Battery Charger/Engine Starter

- 250A (12V)/150A (24V) engine start, 15A fast charge

CBC DSR123 **\$769<sup>99</sup>**

#### 12V 250A Proseries Battery Charger/Engine Starter

- 250A engine start, 15A fast charge

CBC DSR121 **\$641<sup>99</sup>**

#### 6/12V 250A/125A Proseries Automotive Battery Charger And Jump Starter

- 250A (12V) and 125A (6V) engine start

CBC DSR131 **\$349<sup>99</sup>**

#### DSR® 12V/24V 200A ProSeries Manual Battery Charger/Engine Starter

- Charges standard, AGM and Gel batteries
- Heavy-duty construction for strong starting power
- Solid State circuitry with silicon diodes for optimum performance
- 135 minute timer – for precision control over the charging process
- Easy-to-Read meter – shows charging levels

CBC DSR140 **\$339<sup>99</sup>**

#### DSR® 6/12V 275A Proseries Battery Charger/Engine Starter

- Max amp of 275, charge and start 6 volt and 12 volt batteries
- Works with standard, deep-cycle, AGM, and gel batteries
- Microprocessor provides fully automatic or timer-controlled charging
- Float-mode monitoring maintains optimum battery charge

CBC DSR122 **\$899<sup>99</sup>**

## FINANCING

### One CALL Does it ALL with Affiliated Financial Services

Affiliated Financial Services (AFS), an industry leading financial services company across Canada, provides innovative lease-to-own finance options for acquiring your NEW Tools & Equipment from CARQUEST® Auto Parts.

Financing your New Equipment is as easy as 1-2-3 with Affiliated Financial Services...

- 1 Call your Carquest rep to select your Tools & Equipment
- 2 Call AFS at 1-855-209-0999 to complete the credit process
- 3 Upon credit approval and documentation, order your new equipment

Lease terms of 24 through 60 months are available. All leases are subject to credit approval, 1st advance lease payment and a one time non-refundable documentation fee of \$100.00 will be charged on the 1st invoice upon completion of the executed agreement. Minimum financed amount is \$1,000.00 as noted by sample payment information provided by each item.

Please note that finance payments will vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All offers subject to change without notice.

**www.groupefsa.com**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# BATTERY SERVICE

## WHEEL CHARGERS

### Schumacher® 150A 6/12V Manual Timer-Controlled Charger/Engine Starter

- For use on all 12V Standard, AGM, Gel and Deep Cycle batteries
- 135-minute timer keeps you in control of the charging process
- 150A 12V Engine start is powerful enough to jumpstart SUVs, trucks and large engines
- 25A 12V Boost modes can quickly bring deeply discharged batteries back to life
- 6A 12V Charge mode for your basic charging needs

CBC SC137

**\$299<sup>99</sup>**



### Schumacher® 250A 6/12V Automatic Battery Charger/Engine Starter

- 250A Engine Start/40A Boost
- Charges standard, AGM, Gel and deep-cycle batteries
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for precision, safety and battery life
- Float mode monitoring maintains optimum battery charge

CBC SC1325

**\$429<sup>99</sup>**



### DieHard® Gold 200-Amp 12-Volt Manual Wheel Charger

- Delivers 200-amp 12-volt jump starts, powerful enough for larger engines
- A 40-amp boost mode quickly restores charge to depleted batteries
- Charger/maintainer is compatible with 12-volt standard, AGM, gel, and deep-cycle batteries
- Provides complete control of the charging process with a 135-minute timer and a charge rate selector switch.
- It also features a 6-amp charge rate
- Heavy-duty clamps and 8-gauge booster cables with a 12-foot total reach feature superior power transfer

CBC DH0168

**\$224<sup>99</sup>**

**DieHard**



### DieHard® 300 Amp/200 Amp 12-Volt/6-Volt Automatic Wheel Charger

- Delivers 300-amp (12-volt) and 200-amp (6-volt) jump starts, powerful enough for larger engines
- A 60-amp (12-volt) boost mode quickly restores charge to depleted batteries
- It features a 6 amp/2 amp charge/maintain rate
- Monitor battery health and diagnose electrical issues in your vehicle with the built-in battery and alternator tester
- Fully automatic operation with multi-stage charging, auto-voltage detection & float mode
- Compatible with 6-volt and 12-volt standard, AGM, gel, and lithium (LiFePO<sub>4</sub>) batteries

CBC DH0164

**\$470<sup>99</sup>**



## DSR® BATTERY CHARGING STATIONS



### DSR® 6V/12V 8-Bank Automatic Battery Charging Station

- Eight independent, fully automatic, microprocessor-controlled charging banks
- Automatically adjusts from 5A to 12A output per bank
- Charges 6V and 12V standard, AGM, gel, deep-cycle and LiFePO<sub>4</sub> batteries

CBC DSR127

**\$1199<sup>99</sup>**



### DSR® 6V/12V 4-Bank Automatic Battery Charging Station

- Four independent, fully automatic, microprocessor controlled charging banks
- Automatically adjusts the charge rate based on the battery condition up to 10 amp
- Charges 6V and 12V standard, AGM, Gel, deep-cycle and LiFePO<sub>4</sub> batteries

CBC DSR125

**\$513<sup>99</sup>**



## CTI TECH TIP

### Engine Performance At A Glance

You have a vehicle in your bay with a customer complaint of poor performance. There is a laundry list of possible root causes but who has time to test everything on the list? None of us, of course! What can we do to ensure we have good breathing, fuel delivery, no fuel trim shifts and no default/depower states? An Analytic Test Drive, that's what. Record the data and review it back at the shop with a nice hot cup of coffee in your hand.

#### Design your drive cycle:

There are six specific phases to this drive trace.

- Idle no-load: The test drive begins by recording data at idle with no additional load on the engine for approximately 5 seconds.
- Light acceleration: Next, accelerate lightly to 20-30 MPH while using only 15%-25% throttle.
- Wide-open throttle acceleration: When safe to do so, we apply the accelerator pedal to the floor for 2-3 seconds while maintaining a lawful speed.
- Hard deceleration: Release the accelerator pedal quickly and completely.
- Light acceleration to cruise speed: Accelerate lightly to 30-45 MPH while using approximately 25%-55% throttle. Maintain normal driving for 15-20 seconds.
- Idle no-load: The test drive ends by returning to a no-load idle condition for at least 5 seconds.

#### Using the Global side of your scan tool

- Select and record the following data PIDs to analyze back to the shop
- Engine RPM
- Engine Load and/or Absolute Load
- MAP or MAF
- TPS
- O2 voltage or AFR EQ Ratio
- STFT and LTFT

When you analyze the data, you need to make comparisons based on the load range of the engine during the test drive.

Here are just a couple of scenarios:

- Load is low at WOT while the TPS shows a completely open throttle. You have a breathing issue.
- Fuel trims are very positive but only at high loads. Stop looking for vacuum leaks, you have a fuel delivery issue.
- Fuel trims are very positive but only at very low loads. Put the fuel pressure tester away, you have a vacuum leak. For more in-depth information on PIDs and what they mean look at SAE Document J1979/ISO 15031-5, available online. CTI offers a 4-hour course on this time saving technique at CTIOnline.com.

Happy diagnosing!



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# BATTERY SERVICE

## BATTERY CHARGERS/MAINTAINERS

- Digital display provides step by step charging process, charging status and alerts
- Fully automatic with auto voltage detection, multi stage charging and float mode
- Compatible with 6V & 12V Standard, AGM, GEL & LiFePO<sub>4</sub> (lithium) batteries

### DieHard® Silver 10-Amp 6-Volt/12-Volt Automotive Battery Charger and Maintainer

- Features a 10amp charge and 3amp maintain rate

CBC DH0161

**\$81<sup>99</sup>** **DieHard**



### DieHard® Gold 15-Amp 6-Volt/12-Volt Automotive Battery Charger and Maintainer

- Features 15amp charge and 5amp maintain rate

CBC DH0162

**\$89<sup>99</sup>** **DieHard**

### DieHard® 3-Amp 6-Volt/12-Volt Automotive Battery Charger and Maintainer

- Features 3-amp 12-volt charge and 2-amp 6-volt charge rates
- The digital display takes you step-by-step through the charging process, shows charging status, and displays alerts
- It features fully automatic operation with multi-stage charging, auto-voltage detection, float mode monitoring
- Compatible with 6-volt and 12-volt standard, AGM, and lithium (LiFePO<sub>4</sub>) batteries
- Quick-connect clamps and ring adapters lets you connect the charger in seconds

CBC DH0160 **\$59<sup>99</sup>** **DieHard**



### DieHard® 2-Amp 6-Volt/12-Volt Automotive Battery Charger and Maintainer, Fully Automatic

- Features a 2 amp 6V/12V charge/maintain rate
- Can be used with ATVs, cars, boats, farm equipment, motorcycles and more
- Fully automatic with auto voltage detection and multi-stage charging
- Compatible with 6V & 12V Standard, AGM, GEL & LiFePO<sub>4</sub> (lithium) batteries

CBC DH0159 **\$44<sup>99</sup>** **DieHard**



### Schumacher® 10A 6V/12V Fully Automatic Battery Charger

- Supplies 10A to charge and 3A to maintain marine, power sport, lawn tractor and motorcycle
- Compatible with standard, AGM, and deep-cycle batteries
- Reverse hook-up protection prevents the charger from operating if clamps are reversed
- Microprocessor controlled helps charge and maintain batteries by automatically adjusting the amperage rate
- Float mode - maintains optimum battery charge

CBC SC1358 **\$99<sup>99</sup>**



### Schumacher® 1.5A 6/12V Fully Automatic Battery Maintainer

- Works with standard and AGM batteries
- Specifically designed for vehicles in storage and cold weather
- Includes double-sided adhesive and cable tie for mounting
- Approved for under-the-hood mounting
- Multi-stage charging and float mode monitoring

CBC SC1300 **\$85<sup>99</sup>** **Schumacher**



## BATTERY CHARGERS/ENGINE STARTERS

### DieHard® Gold 125-Amp 6-Volt/12-Volt Battery Charger and Engine Starter

- Delivers 125-amp jump start to 6V and 12V batteries
- 40-amp/15-amp boost mode quickly restores charge to depleted batteries
- Features a 6-amp (12V) and a 2-amp (6V) charge/maintain rate
- Built-in battery and alternator tester
- Compatible with 6V & 12V standard, AGM and LiFePO<sub>4</sub> (lithium) batteries
- Fully automatic with auto voltage detection, multi stage charging and float mode

CBC DH0163

**\$164<sup>99</sup>**



### Schumacher® 100A 6V/12V Fully Automatic Battery Charger/Engine Starter

- 100A Engine Start/30A Boost
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for added precision, safety and battery life
- Float mode monitoring maintains optimum battery charge
- Reverse hook-up protection

CBC SC1308

**\$169<sup>99</sup>**



### Schumacher® 80A 12V Battery Charger/Engine Starter

- 80A engine start/20A Boost
- Charges standard, AGM, Gel, and deep-cycle batteries
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for precision, safety and battery life

CBC SC1306

**\$199<sup>99</sup>**



## SOLAR® TRUCK PAC®

ES6000

3000 Peak Amps, 12V Jump Starter, 800 Cranking Amps

- Dual high performance ES Series batteries offer extended cranking power and superior performance
- Automatic charging keeps Truck PAC® in an "always-ready" state
- Includes 54" #4 AWG cables with Hot Jaw™ clamps
- 1-Year Limited Warranty

SLR ES6000

**\$449<sup>99</sup>**

ES1224

3000 Peak Amps, 12/24V Jump Starter, 750/400 Cranking Amps

- Switches from 12 to 24V with the turn of a knob
- Features automatic recharging, 60" cables and Industrial Grade Hot Jaw™ clamps
- AWS Advanced Warning System™ alerts the operator to unsafe jump starting conditions
- 1-Year Limited Warranty

SLR ES1224

**\$636<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# BATTERY SERVICE

## SOLAR® BOOSTER PAC® SOLAR

- ES Series battery designed for vehicle jump starting
- Battery status LEDs
- Automatic charging, heavy duty flexible cables
- "Hot Jaw" clamps

### ES2500 1100 Peak Amps

- 12V jump starter, 300 cranking amps
- Entry level professional jump starter

SLR ES2500 **\$203<sup>99</sup>**



### ES5000 1500 Peak Amps

- 12V jump starter, 400 cranking amps
- For the professional who needs serious starting power

SLR ES5000 **\$237<sup>99</sup>**

## JUMP STARTERS

### DSR® ProSeries 4400 Peak Amp 12V Jump Starter/Portable Power Station

- Compatible with 12V and 24V AGM, deep-cycle, gel, lead-acid, and wet cell batteries
- 2 AWG, 60-inch heavy-duty booster cables
- Reverse hook-up warning system to safeguard against reversed connections
- Rust- and corrosion-resistant case, featuring protective side caps for added durability
- Safe to use in vertical or horizontal position
- Red On/Off power switch, designed to prevent accidental sparking and ensure safety at all times
- Digital display provides clear and accurate information at a glance
- Designed and built for professionals

CBC DSR166

**\$627<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



### DieHard® Gold 6-in-1 Portable Power Station and Jump Starter

- Six functions – Portable power station, jump starter, inverter, air compressor, inflator/deflator, and LED light
- Easily starts up to 6.0L gas engines using the 1200 peak amp jump start feature
- It features fast 15-amp charging and 5-amp charge/maintain modes
- 200 continuous watt/400 peak watt power inverter provides stable household power to the two 120-volt AC outlets
- It also features two 12-volt DC accessory outlets, and two 2.1-amp (total) USB ports
- High-volume, low-pressure inflator and deflator ports allow you to quickly inflate/deflate mattresses, pool toys, and more

CBC DH0167 **\$239<sup>99</sup>** **DieHard**



### DieHard® Platinum Four-in-one 1500-Amp Jump Starter and Portable Power Station

- Advanced lithium battery is lightweight, provides longer battery life and more charge cycles
- A four-in-one device, including a jump starter, portable power station, air compressor, and LED light
- 1500 peak amp jump start feature easily starts up to 6.0L gas and 3.0L diesel engines
- 2.4-amp USB port charges your mobile devices two times faster
- 150-PSI air compressor quickly adds air to bike or car tires and comes with an air compressor gauge, nozzles, and a storage bag
- The smart cable/clamps provide protection against reverse polarity, short circuit, low voltage, high temperature, and reverse charging

CBC DH0166

**\$192<sup>99</sup>** **DieHard**



## JUMP STARTERS

### DSR® ProSeries 12V 2000 Peak Amp Lithium Ion Jump Starter with USB

- 2 Lithium Iron Phosphate (LiFePO<sub>4</sub>) batteries
- Dual 2.1A USB ports
- 12V DC output port
- Reverse connection alarm and warning
- 12V 3-pin socket for recharging
- 2A external automatic charger
- Professional clamps with ergonomic grips

CBC DSR128

**\$581<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



### DSR® 12V 1200 Peak Amp Ultracapacitor/Lithium Ion Hybrid Jump Starter

- 1200 Peak Amps, 900 Cold Cranking Amps
- Suitable for gasoline and diesel engines
- Quick and easy to charge from vehicle battery, DC port or backup lithium battery
- Heavy-duty clamps
- Reverse polarity protection. Override Mode to start engine without any battery mounted
- Glow Mode for cold start of diesel engine

CBC DSR132

**\$539<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



### DSR® ProSeries 12V 2250 Peak Amp Jump Starter With Inverter

- 2250 Peak Amps, 525 Cranking Amps, 350 Cold Cranking Amps
- 400 watt power inverter with dual 110V AC outlets
- Built-in 2.1A USB port and 12 volt DC power outlet
- Equipped with 4-gauge thickness and 60-inch cables

CBC DSR116

**\$342<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



### DSR® ProSeries 12V 2200 Peak Amp Jump Starter

- 525 Cranking Amps, 350 Cold Cranking Amps
- High Output AGM battery
- Reverse Connection Warning – audio warning will sound if clamps are connected in reverse
- 12V DC output port
- 2.1A USB port

CBC DSR114

**\$309<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



### DSR® ProSeries 2200 Peak Amp 12V Jump Starter/Portable Power Station

- Jump starts 8-cylinder gas and 6-cylinder diesel engines
- Powered by a high-output AGM battery tailored for 12V systems
- On/Off switch prevents accidental sparking of clamps for added safety
- 4-gauge, 60-inch cables with heavy-duty color-coded clamps ensure easy and secure connections
- Digital display indicates internal battery percentage and connected battery voltage
- Rust and corrosion-proof case with protective side caps for durability
- Can be used in both vertical and horizontal positions for convenience
- Reverse connection warning emits an alarm if clamps are connected incorrectly

CBC DSR165

**\$292<sup>99</sup>** DSR  
POWERED BY SCHUMACHER



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# BATTERY SERVICE/EV CHARGERS

## JUMP STARTERS

### SOLAR® Jump-N-Carry® SOLAR.

JNC660 12V 425 Cranking Amps, 1700 Peak Amps

- Built-in automatic charger, 46" cable reach and 12V outlet to power accessories
- Weighs just 18 lbs
- Features Clore PROFORMER battery
- 1-Year Limited Warranty

SLR JNC660

**\$237<sup>99</sup>**



### DSR® ProSeries 12V 1800 Peak Amp Jump Starter

- High-output AGM battery for 12V systems
- Rust and corrosion-proof case
- 12V DC power outlet to power 12V devices and recharge the unit while driving
- LED indicators for battery status
- 280 cranking amps and 225 cold cranking amps
- 4 AWG, 28-inch cables

CBC DSR119

**\$197<sup>99</sup>**



### DieHard® Platinum 2000 Peak Amp Lithium Jump Starter and Power Pack

- Advanced four-cell lithium-ion battery for longer battery life and more charge cycles
- Holds 75% of its charge level after two years
- The 2000 peak amp jump start feature easily starts up to 8.0L gas and 6.0L diesel engines up to 50 times on a single charge
- Provides reliable jump-starts in temperatures down to -20°C.
- Comes with 10W wireless charging pad to charge smart phones and other mobile devices

CBC DH0170

**\$186<sup>99</sup> DieHard**



### DieHard® Gold 1200 Peak Amp Lithium Jump Starter and Power Pack

- Delivers 1200 peak amp jump starting power which can easily start up to 6.0L gas engines
- Provides reliable jump-starts in temperatures down to -20°C
- Advanced four-cell lithium-ion battery ensures up to 35 jump starts on one charge, as well as a longer life than traditional AGM batteries
- The 2.4-amp USB port delivers 2x faster charging and the 3-amp USB port charges 4x faster
- The LED light is ideal for emergencies with three lighting modes

CBC DH0165

**\$166<sup>99</sup> DieHard**



### DieHard® 800 Peak Amp Lithium Jump Starter and Power Pack

- 800 peak amp jump start feature easily starts up to 4.0L gas engines up to 20 times on a single charge
- 2.4-amp USB ports delivers two times faster charging and the 3-amp USB port charges four times faster
- The LED light is ideal for emergencies with three lighting modes: steady glow, flash SOS, and strobe
- Smart cable/clamps provide spark-free protection against short circuit, temperature, low voltage, and reverse polarity
- The unit's LCD display shows battery percentage of charge and charging status

CBC DH0169

**\$115<sup>99</sup> DieHard**



## BATTERY TESTERS

### Schumacher® Digital 12V Battery Tester

- Hand-held tester checks the battery, starting and charging systems with digital accuracy
- For 12V SLI, VRLA, AGM and Gel batteries
- Accepts rating types CCA, CA, EN, IEC, DIN and SAE
- Operating range: 100-1200 CCA (SAE)
- Testing voltage: 7-15V

CBC BT175

**\$81<sup>99</sup>**



### Schumacher® Battery Load Tester

- Test load, battery condition, starter motor draw and complete charging system diagnosis
- 50 amp load test for 6 volt batteries
- 100 amp load test for 12 volt batteries
- Tests 6 and 12 volt batteries — up to 1000 CCA

CBC BT-100

**\$59<sup>99</sup>**



## EV CHARGING STATIONS

### Autel® MaxiCharger Level 2 40A EV Charging Station

with Side Holster NEMA 14-50



- Compatible with all EV and Hybrid Plug-in Vehicles
- Specially designed for Indoor or Outdoor use
- Adjustable charging up to 40 Amps
- For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling

AIT MC40AP14S

**\$999<sup>99</sup>**

Installation by a qualified electrician required



## FIRMAN® GENERATOR COVERS

- Pull Cord Drawstring
- Double Insulated Fabric Liner
- Easy To Install
- Weather Resistant



Type	Size	Line Code	Part Number	Price
Small Generator Cover	17.5" X 14.1" X 15.1"	FRM	1006	<b>\$29.99</b>
Inverter Generator Cover	22.8" X 17.3" X 17.9"	FRM	1007	<b>\$29.99</b>
Small Inverter Generator Cover	18.9" X 11.8" X 15.4"	FRM	1008	<b>\$29.99</b>
Medium Generator Cover	25.4" X 18.3" X 19.5"	FRM	1002	<b>\$29.99</b>
Large Generator Cover	29.5" X 21.7" X 24"	FRM	1009	<b>\$33.99</b>

## FIRMAN® Dual Fuel 10,000W Portable Generator with CO Alert

- 439cc dual-fuel engine
- Recoil start
- CO Alert sensor against Carbon Monoxide poisoning
- Electric start
- Low oil shut off
- Runs on either Gasoline or Propane
- 8-gallon tank
- Running watts 8000W (GAS), 7250W (LPG)
- Starting watts 10,000W (GAS), 9050W (LPG)
- 120/240 volts

FRM H08052

**FINANCE IT**

\* Contact your local store for pricing and availability





# GENERATORS

## FIRMAN® PERFORMANCE SERIES GENERATORS

### FIRMAN® 7125/5700 Watt Performance Series Generator

- 8 Gallon Tank with 13 hour Run Time
- Max Pro Series 389cc FIRMAN Engine
- 4-in-1 Data Minder Measures Volts, Hertz, Hours, and Low Oil Indicator
- Outlets – (2) 5-20R 20A-120V, (1) L14-30R 30A-120V/240V Twistlock, (1) L5-30R 30A-120V Twistlock
- With remote start

FRM P05703

**\$1269<sup>99</sup>**



### FIRMAN® 4450/3550 Watt Generator

- Max Pro Series 208cc FIRMAN Engine
- 5 gallon tank with fuel gauge provides up to 14 hours of run time
- Outlets – (1) TT-30R (RV Ready) 120V – 30A, (1) L5-30R 120V – 30A Twistlock, (1) 5-20R Duplex 120V – 20A
- 3550 running watts/ 4450 starting watts

FRM P03501

**\$666<sup>99</sup>**



### FIRMAN® Generator Power Cord 25' FIRMAN®

- 10 Gauge 30A wiring
- Fully insulated, rated for outdoor use
- Individual circuit breakers for each (3) outlet

FRM 1101

**\$99<sup>99</sup>**



## SCHUMACHER® GENERATORS

### Schumacher® 880 Wh Portable Power Generator

- Rechargeable lithium ion battery power is quiet and safe for indoor use
- 1000W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- Four USB Ports: 3A/2.4A – for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- Provides all day power and fully recharges in only 10.5 hours

CBC SL1467

**\$1699<sup>99</sup>**



### Schumacher® 535 Wh Portable Power Generator

- Powered by a rechargeable lithium ion battery
- No fumes or fuel – quiet and safe for indoor use
- Built-in 500W Pure Sine Wave Inverter for running sophisticated electronic appliances
- Two 110V AC Household Outlets provide back-up power for home appliances
- Four USB Ports: 3A/2.4A – for charging USB devices, including smartphones, mp3 players and tablets
- Two 12 Volt DC Output Ports
- One 12V DC Accessory Port
- Runs for up to 22 hours
- Recharges in only 12 hours

CBC SL1466

**\$899<sup>99</sup>**



## FIRMAN® Whisper Series 2100/1700 Watt Recoil Start Gas Portable Generator

- Max Pro Series 80cc FIRMAN Engine
- .9 gallon tank provides up to 9 hours of runtime
- Outlets – (1) 5-20R Duplex 120V – 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- 1700 running watts/ 2100 starting watts

FRM W01782

**\$919<sup>99</sup>**



## A/C SERVICE

### Lisle® Master Disconnect Set

- A complete set of (8) popular disconnect tools
- Can be stored in a handy blow-moulded case

LST 39900

**\$85<sup>99</sup>**



### Lisle® 6-Piece Disconnect Tool Set

- Set of six tools which disconnect the spring lock couplings on Ford and Chrysler A/C line
- Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler
- The 5/16" size fits on push lock connectors found on Ford radiators and transmission lines
- Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

LST 37000

**\$11<sup>99</sup>**



### Lisle® 6-Piece Angled Disconnect Tool Set

- Disconnects spring lock couplings on Ford and Chrysler A/C lines
- Works on fuel lines and other quick disconnect couplings on domestic and import vehicles
- Six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

LST 39400

**\$22<sup>99</sup>**

*Lisle*



## BRAKE SERVICE

### Lisle® Dual Piston Brake Caliper Compressor

- Compresses Dual Brake Pistons Simultaneously
- Squeeze the tool handle until the plunger contacts the inboard brake pad, continue squeezing to compress both pistons
- Makes dual piston pad replacement a simpler job

LST 25750

**\$85<sup>99</sup>**

*Lisle*



### Lisle® Speedy Brake Pad Spreader

- Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds
- Makes brake pad replacement an easier job

LST 24300

**\$66<sup>99</sup>**

*Lisle*



### Lisle® Disc Brake Pad Spreader

- Makes changing pads an easier job
- Tool compresses disc brake piston for easy pad installation

LST 24400

**\$13<sup>99</sup>**

*Lisle*



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# SPECIALTY & HAND TOOLS

## BRAKE SERVICE

### OTC® Bubble (I.S.O.) Flaring Tool Kit

- Designed for crack-free bubble flares on soft steel tubing used in automotive brake systems
- Includes forged steel yoke, flaring bar, and all the adapters needed for ISO bubble flaring
- Includes four dies: 4.75, 6, 8 and 10mm adapters and moulded case

OTC 4504 **\$71<sup>99</sup>** 



### OTC® Double Flaring Tool Kit

- Designed for double or single flare in copper, aluminum soft steel brake line, and brass tubing (to 45 degrees)
- Includes five adapters 3/16" through 1/2" (4.8mm through 12.7mm)
- Chrome swivel, made of alloy steel reduces friction
- Forged yoke made of heat treated steel
- Includes moulded case

OTC 4503 **\$62<sup>99</sup>** 



### Lisle® Double Flaring Tool Kit

- Makes both single and double SAE flares
- Includes everything to flare thin wall steel, aluminum or .040 wall soft copper tubing
- Includes 5 thread dies and adapters for forming double flares on the following tubing sizes: 3/16", 1/4", 5/16", 3/8" and 1/2"

LST 31310 **\$71<sup>99</sup>**



### Lisle® Brake Piston Tool

- Rotates piston back into the caliper when replacing pads
- Fits most domestic and some import applications
- Use with 3/8" drive ratchet and extension


LST 28600 **\$12<sup>99</sup>**



### Lisle® 9-Piece Combination Brake Lining Thickness Gauge Set

- Designed to check both straight on or at a 90° angle to the rotor with offset tips so the gauges can be used without removing the wheel or caliper assembly
- Colour coded to match SAE or Metric recommendations for brake pad replacement.

LST 81850 **\$24<sup>99</sup>**



### Lisle® 3/4" Heater Hose Disconnect for GM

- Designed to separate quick-connect fittings on 3/4" heater lines on GM vehicles
- Hinged design allows the tool to slip over the heater hose, even in tight spaces
- Slide the tool into the connector to release the line

LST 39190 **\$18<sup>99</sup>**



## BATTERY SERVICE

### Lisle® Battery Carrier

- Spring-action handle turns lifting power into battery gripping pressure
- Form-fitting handle provides a solid gripping surface for your hand
- Opens up to 10"
- Saw-tooth jaw tips provide a no-slip battery gripping power and grips the battery just below the top lip for good balance

LST 57850 **\$26<sup>99</sup>** 



## CHASSIS SERVICE

### Branick® 7600 Strut Spring Compressor

- Handles the heaviest coil-over-shocks, on light trucks and SUV's, without needing additional adapters
- Longer handles for extra torque
- Multi-position upper spring hooks can be arranged for ultimate flexibility to fit "factory" coil spring configurations
- Heavy duty acme thread
- Wall, bench or mobile cart mounting options

Max Spring Compression Capacity: 3,000 lbs  
Minimum Spring Diameter: 3-1/2"  
Maximum Spring Diameter: 11-1/2"

BRN 7600 **\$1299<sup>99</sup>**

 Since 1917



### OTC® Strut Tamer II Extreme With Stand

- Forged locking jaws includes larger pads and offset to clamp onto and compress springs
- Extra thick 5/8" compression arms
- Locking turning for optimal stability during spring compression
- Arm-locking rings eliminate the need for tools to adjust
- Includes stand with wheels for easy mobility

OTC 6637-ST

\* Contact your local store for pricing and availability

**FINANCE IT**





### POWERBUILT® 23 Piece Ball Joint & U-Joint Service Kit

- Designed for safe, efficient removal, and installation of "Press Type" Ball Joints
- Adapter set allows ball joint and driveshaft service on multiple makes and models including 2 wheel drive, 4 wheel drive, SUV's, trucks, and many more

TLS 648617

**\$259<sup>99</sup>** 



### Lisle® Inner Tie Rod Tool

- The rounded socket ends prevent access to the wrench flats
- This tool utilizes six crows feet, to engage the wrench flats
- Long socket slips over tie rod end and connects to the crows foot
- The inner tie rod can be removed and installed without removing the rack

LST 45750

**\$135<sup>99</sup>** 



### Lisle® Pickle Fork Kit

- Kit consists of 1-1/8", 15/16" and 11/16" forks and two handles; one for hammering, the other for use with an air hammer (.401" shank)
- All forks are threaded to interchange with either handle

LST 41500

**\$78<sup>99</sup>** 



### Lisle® Ball Joint Separator 15/16"

- Stepped design for better gripping, and helps keep tool from bouncing back

LST 18530 **\$30<sup>99</sup>** 



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# SPECIALTY & HAND TOOLS

## CHASSIS SERVICE

### OTC® Ball Joint Service Kit

- Removes and installs press-fit parts such as ball joints, universal joints, and truck brake anchor pins
- Contains: 3 receiver tubes (2-3/4" I.D. x 3" O.D., 2-1/4" I.D. x 2-1/2" O.D., and 1-3/4" I.D. x 2" O.D.)

OTC 7249 **\$323<sup>99</sup>** 



### Lisle® Strut Tool

- Safe, inexpensive strut spring compressor
- Fits all strut spring sizes, import and domestic
- Heavy-duty clamps bolt securely and hold spring during operation

LST 62300 **\$120<sup>99</sup>** 



## ENGINE AND DRIVETRAIN

### Lisle® Stone Type Glaze Breaker

- Controlled pressure assures positive, adjustable contact through full range
- Operates with any electric drill
- Furnished with 3" long 220 grit stones
- Adjustable stop collar permits quick selection of two range settings, from 2" to 4" and from 4" to 7"
- Stone arms are easily compressed to eliminate cylinder scratches

LST 23500 **\$44<sup>99</sup>** 



### Lisle® Valve Spring Compressor

- Adjustable cam action
- No need to readjust the tool after each spring

LST 16750 **\$63<sup>99</sup>**



### Lisle® Oxygen Sensor Socket

- Special 22mm socket with cut away slot to provide clearance for wire harness
- Provides adequate depth to fit over sensor
- Use with 3/8" square drive or 1" wrench

LST 12100 **\$22<sup>99</sup>** 



### POWERBUILT® Tubing Bender



- Bends automotive line tubing from 3/16" to 3/8" diameter

TLS 648484 **\$14<sup>99</sup>**



## DIAGNOSTIC TOOLS

### OTC® Cylinder Leakage Kit

- Diagnose internal engine problems such as bad rings, valves and leaking head gaskets
- Dual 2-1/2" gauges and rugged protective outer boot
- Scales read 0-100 psi and 0-700 kPa
- Pressure regulated manifold with quick couplers
- Long flex 24" 14 mm hose
- 10 mm, 12 mm and 18 mm thread adapters

OTC 5609 **\$170<sup>99</sup>** 



## DIAGNOSTIC TOOLS

### OTC® Fuel Pressure Tester Kit

- Quickly and easily locate any malfunctioning fuel system component, without removing it from the vehicle
- Large, easy-to-read 0-100 PSI scale, 0-700 kPa
- Pressure relief valve for safe, clean testing

OTC 5630 **\$80<sup>99</sup>** 



### Lisle® Compression Tester

- Gauge registers 0-300 PSI and 0-2100 kPa
- Fits 14mm and 18mm thread sizes

LST 20250 **\$57<sup>99</sup>** 



### Lisle® Computer Safe Circuit Tester



- Draws less than 21 mA at 12V DC
- Operating range 3-28V
- The red light indicates positive polarity, green indicates negative polarity

LST 24550 **\$18<sup>99</sup>**



### Lisle® Heavy Duty Circuit Tester



- Quickly test low voltage up to 12V
- Probe, handle, cord and clamp are reinforced for extra durability
- 49" cord with strain relief spring

LST 28400 **\$18<sup>99</sup>**



### Lisle® Inline Spark Tester



- Quickly diagnose problems with all ignition systems
- Double-ended to offer a straight boot and a 90° boot on one tool
- With engine running, tool flashes a mirror image of ignition spark

LST 20610 **\$18<sup>99</sup>**



## PULLERS/SLIDE HAMMERS

### OTC® 9-Way Slide Hammer Puller Set

- Pulls flange-type rear axles and most front-wheel drive hubs
- Internal and external jaws provide a variety of combinations to pull bearings, gears and seals

OTC 4579 **\$298<sup>99</sup>** 



### Lisle® Battery Terminal & Wiper Arm Puller



- Dual-purpose puller
- Easily removes stuck battery terminals
- Also removes bolted on windshield wiper arms that fit over a tapered spline

LST 54150 **\$35<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# SPECIALTY & HAND TOOLS

## PULLERS/SLIDE HAMMERS

### Lisle® No Slip Pulley Puller

- Removes and installs pressed on power steering, alternator and air pump pulleys
- Fits most domestic models including GM 3.1 and Quad 4 engines
- Works on traditional V shaped pulleys and serpentine belt system pulleys

LST 39000 **\$107<sup>99</sup>** *Lisle*



### Lisle® Harmonic Balancer Puller

- Designed to ease the operation of pulling the balancer pulley
- It reduces damage to both the pulley and the shaft

LST 45500 **\$59<sup>99</sup>**



### Lisle® Pitman Arm Puller

- Designed to work on even the most stubborn Pitman arm pulling jobs
- Puller body is drop-forged and heat-treated for strength

LST 41900 **\$46<sup>99</sup>** *Lisle*



## OIL/LUBE SERVICE

### Lisle® Truck & Tractor Oil Filter Pliers

- Fits most truck and tractor oil filters including: Case, Caterpillar, Cummins, Detroit Diesel, John Deere, Mack and other applications
- Range: 3-5/8" to 6"

LST 50950 **\$63<sup>99</sup>** *Lisle*



### Lisle® Oil Filter Pliers

- Two-position, slip-joint handle produces the range of three separate conventional filter wrenches
- Jaws are bent at a 20° angle to fit more applications
- Sure grip teeth prevent slipping when removing filter
- Range: 2-1/4" to 4"

LST 50750 **\$44<sup>99</sup>** *Lisle*



### Lisle® Import Car Filter Wrench

- Range: 2-1/2" to 3-1/8"
- Fits most import car filters and many domestic filters
- Use with 3/8" drive socket to remove filters

LST 63600 **\$18<sup>99</sup>**



### Lisle® Transmission Oil Cooler Line Scissors 3/8" x 1/2"

- Two sizes to work on Ford and Cadillacs
- 3/8" size for use on 2003 - 2010 Ford V8 Explorer, 2004 and later Ford F150 and Cadillac CTS
- 1/2" size for use on Ford Super Duty Trucks F250, F350 and F450

LST 39660 **\$14<sup>99</sup>** *Lisle*




## OIL/LUBE SERVICE

### Lisle® Big Range Filter Wrench

- Range: Up to 6"
- Use with 1/2" drive or 3/4" socket wrench

LST 63500 **\$18<sup>99</sup>** *Lisle*



### Swivel Grip Oil Filter Wrenches

- Features the swivel handle, gripper "teeth" and 1" wide stainless steel band
- Swivel handle makes it easy to remove filters in hard to reach locations
- Vinyl covered handle

Standard  
3-1/2" - 3-7/8"  
LST 53500

**\$16<sup>99</sup>** *Lisle*



### Lisle® Oil/Fuel Filter Wrenches

- "Swivel Grip" handle makes it easy to turn in tight spots
- Tough, stainless steel bands with special "teeth" for extra gripping power won't slip when removing filters
- Handles made of tubular steel for increased strength

Standard  
2-7/8" - 3-1/4"  
LST 53700

**\$16<sup>99</sup>**

Small  
2-3/8" - 2-5/8"  
LST 54400

**\$16<sup>99</sup>** *Lisle*



### Lisle® End Cap Filter Wrenches

Type	Line Code	Part Number	Price
65mm - 14 flutes	LST	61600	<b>\$6.99</b>
74/76mm - 15 flutes	LST	61560	<b>\$10.99</b>
65/67mm - 14 flutes	LST	61540	<b>\$10.99</b>
76mm - 14 flutes	LST	61570	<b>\$10.99</b>
76mm - 30 flutes	LST	61650	<b>\$10.99</b>



### Lisle® Spill-Free Funnel, 18 pc.

- Includes new Ford cap along with GM/VW Cap.
- Clear funnel allows a quick visual check of the coolant from across the shop.
- Comes with a lid to keep contaminants out as well as store the caps and adapters.
- Eliminates trapped air pockets which usually cause erratic cooling system and heater performance.
- It controls the proper amount of coolant entering system and enables unattended filling of the cooling system.
- The funnel eliminates squeaky belts caused by coolant overflow and protects the environment.

LST 24780 **\$57<sup>99</sup>** *Lisle*



### Lisle® 8 Qt. Dispenser with Lid and Cap

- Includes spout cap and lid to keep out contaminants
- Marked in quarts and litres
- Flexible 8" pouring spout

LST 19702 **\$38<sup>99</sup>**



### Lisle® 6 Qt. Oil Dispenser

- Marked in quarts and litres
- Flexible 8" pouring spout

LST 19732 **\$31<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# SPECIALTY & HAND TOOLS

## OIL/LUBE SERVICE

### Lisle® Transmission Drain Funnel *Lisle*

- Heavy-duty plastic lift drain funnels extend the catch area of any lift drain
- Flexible, if run over it will return to its original shape
- Dimensions 22" x 23"

LST 17892

**\$35<sup>99</sup>**

### Hopkins® 16-Quart Super Duty Drain Container

- Stores upright or flat without leaking

CPM 42003MI

**\$25<sup>99</sup>**



### Plews® Galvanized Steel Filler Funnel

- Includes screen and 12" flexible extension with tapered tip
- 1 quart capacity, 5-3/4" funnel diameter, 17-1/2" overall length

CPM 75-007

**\$11<sup>99</sup>**



### Lisle® Right Angle Funnel

- 10" Tall translucent funnel with a 6-3/4" offset from center of mouth to center of spout for hard-to-reach applications
- Useful for adding brake fluid to master cylinders on mini-vans, adding gear lube to differentials, filling the DEF reservoir on GM Duramax diesels, and much more
- Funnel mouth: 3.5" Spout: 0.7" (outer diameter)

LST 17232

**\$13<sup>99</sup>** *Lisle*

## TIRE/WHEEL SERVICE

### Lisle® Ratcheting Lock Nut Tool

- Small end fits Ford 1986 to 1994 light trucks with Dana 44 front axle. Large end fits 1985 & newer Ford F150 - F350 trucks with the Dana 80 full floating rear axle
- Press tool into lock nut and rotate to release the ratchet inside the lock nut
- Use 1/2" Square Drive Torque wrench when installing

LST 28000

**\$85<sup>99</sup>** *Lisle*

## SPECIALTY PLIERS

### Lisle® CV Boot Clamp Pliers

- For all ear-type clamps including GM FWD outboard CV joints
- Designed for use with a torque wrench, as required for stainless steel bands

LST 30800

**\$47<sup>99</sup>** *Lisle*

### Lisle® Electrical Disconnect Pliers

- Easily removes locking push tab style electrical connectors found on mass air flow sensors, fuel injectors, ignition coils and other applications.
- Use the hook on the end of the pliers to pull out tab to unlock and then use the point to engage the tab.
- Squeeze the tabs together and lift to separate the connector from sensor without damage.
- Allows the technician to use the tool with one hand, and to work on sensors in tight spots.
- The tool is 8" long and has dual durometer grips for comfort.

LST 37960

**\$30<sup>99</sup>** *Lisle*

## SPECIALTY HAND TOOLS

### Lisle® Radiator Genie Water/Air Cleaning Wand

- Patented fan head design increases cleaning efficiency
- Adjustable pressure for tailored cleaning
- Air and water wands included for maximum cleaning
- Reaches and cleans parts that other tools can't
- Overall length of 22-3/4" for extended reach

LST 88500

**\$43<sup>99</sup>** *Lisle*

### Lisle® Razor Blade Scraper

- Comes with five stainless steel blades and a plastic blade
- Spring-release allows easy interchange of blades

LST 52000

**\$16<sup>99</sup>** *Lisle*

### Lisle® Door Upholstery Remover *Lisle*

- For Plastic Fasteners

LST 35400

**\$13<sup>99</sup>**

### Lisle® Deluxe Feeler Gauge .0015" - .035"

- 31 blades
- One brass blade

LST 68100

**\$12<sup>99</sup>** *Lisle*

### Lisle® 1/4" Pry Bar with Strike Cap

- Pocket Sized Pry Bar with Many Vehicle Applications and Features a Strike Cap.
- For use when removing seals, electrical connectors, O-rings, plastic clips, plastic caps, interior trim pieces, metal, and plastic retainers.
- The strike cap in the top of the handle can be tapped with a hammer.
- The 1/4" square shaft pry bar has a pocket clip and measures 5" in length.

LST 35100

**\$8<sup>99</sup>** *Lisle*

### Lisle® Pocket Pry Bars, 2 PC. *Lisle*

- Pocket Sized Pry Bars with Many Vehicle Applications.
- For use when removing seals, electrical connectors, plastic clips, o-rings, plastic caps, interior trim pieces, metal and plastic retainers.
- The 1/8" and 3/16" square shaft pry bars each have a pocket clip and are 4.5" long.
- The 1/8" pry bar has a magnet in the top of the handle that will lift 1lb.

LST 35170

**\$12<sup>99</sup>**

### Lisle® Strap Wrench *Lisle*

- Loosen or tighten cylindrical or rectangular objects
- Range from 1" to 6-5/8" round
- Tensile strength of strap is 1350 PSI

LST 28500

**\$31<sup>99</sup>**

### Lisle® Technician's Stethoscope *Lisle*

- Quickly pinpoints the source of noises in engines, transmissions, differentials and bearings

LST 52500

**\$30<sup>99</sup>**

### Lisle® Mini Tubing Cutter *Lisle*

- For all types of metal tubing
- Handles smallest tubing to 5/8" O.D.
- Completely non-corrosive

LST 50000

**\$10<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# SPECIALTY & HAND TOOLS

## SPECIALTY HAND TOOLS

### Lisle® Tailpipe Expander

- Removes clamp grooves and rounds out pipes
- 1-5/8" to 2-7/16" (41.3mm - 61.9mm)

LST 32500 **\$80<sup>99</sup>**



### Lisle® Wheel Weight Tool

- Removes, trims and installs clip-on wheel weights. Also includes lever and offset flat tip for removing wheel covers

LST 68130 **\$53<sup>99</sup>**



### Grote® Heavy Duty Wire Stripper, Cutter & Crimping Tool

- Built-in cutter, cushion grip for comfort
- Adjustable stopper for a clean strip every time
- Self-adjusting wire stripper for 26-10 Gauge wire
- Crimps insulated and non-insulated terminals 22-10 gauge
- Makes a clean cut and crimp without damaging the conductor
- High quality tool
- Ergonomic design

LTG 83-6512

**\$31<sup>99</sup>** Grote



### Lisle® Wheel Stud Installer

- Use with a ratchet or impact wrench to pull the new stud securely in place
- Position the tool over the stud shaft
- Tighten the lug nut against the tool to pull the stud in place
- Works on most all automotive and light-duty truck wheel studs, import and domestic

NOTE: The bearing will wear with use and is not warranted.

LST 22800 **\$37<sup>99</sup>**



### Lisle® Magnetic Telescopic Pick-Up Tool

- Magnet shielded to concentrate magnetic field at end of tool
- Super strong neodymium magnet
- Extends from 14-1/2" to 23-1/4"

LST 31000 **\$23<sup>99</sup>**



### Lisle® Flexible 23-1/2" Magnetic Pick-up Tool

- Super strong neodymium magnet picks up all ferrous metal objects up to 2.5 lbs
- Adjustable telescoping action extends from 5-3/8" to 23-1/2" with a 3-1/2" flexible segment, that holds its shape, to get into tight spots

LST 66580 **\$14<sup>99</sup>**



### Lisle® Mini Flexible Telescoping Magnetic Pickup

- Super Strong Neodymium Magnet Picks Up All Ferrous Metal Objects Up to 2 lbs.
- Adjustable telescoping action extends from 4-1/2" to 13" with a 2-1/2" flexible segment to get into tight spots

LST 66540 **\$10<sup>99</sup>**



### Lisle® Magnetic Telescoping Pick-up Tool

- Has a super strong neodymium magnet
- Telescopes from 4 1/2" - 16 1/4"

LST 66500 **\$8<sup>49</sup>**



### Lisle® Telescoping Mirror

- 2-1/4" diameter mirror swivels to any position
- Length extends from 10" to 14"
- Has an insulated vinyl grip

LST 32050 **\$13<sup>99</sup>**



## LOCKING PLIERS

### POWERBUILT® Locking Pliers

- With ergonomic cushioned grips

10" TLS 646540 **\$17<sup>99</sup>**

7" TLS 646539 **\$16<sup>99</sup>**



### POWERBUILT® Long Nose

6" TLS 645015 **\$14<sup>99</sup>**



### IRWIN® Vise Grips®

5" PET 902L3

**\$22<sup>99</sup>**

7" PET 702L3

**\$23<sup>99</sup>**

10" PET 0502L3

**\$22<sup>99</sup>**



### IRWIN® Vise Grips®

10" PET 0102L3

**\$23<sup>99</sup>**



### IRWIN® Vise Grips® Long Nose

9" PET 1502L3

**\$29<sup>99</sup>**

6" PET 1402L3

**\$24<sup>99</sup>**



## POWERBUILT® PLIERS



### Diagonal

6" TLS 640386

**\$10<sup>99</sup>**

### Diagonal

7" TLS 640387

**\$15<sup>99</sup>**

### Groove Joint

10" TLS 640389

**\$17<sup>99</sup>**



### Long Nose

6" TLS 640392

**\$10<sup>99</sup>**

8" TLS 640393

**\$11<sup>99</sup>**



### Linesman

7" TLS 640391

**\$14<sup>99</sup>**



### Long Reach Long Nose

11" TLS 640860

**\$18<sup>99</sup>**

### Long Nose Hose Jaw

11" TLS 640863

**\$19<sup>99</sup>**



### 90-Degree Long Nose

11" TLS 640862

**\$20<sup>99</sup>**



## SNAP RING PLIERS

### Lisle® Convertible Internal & External Snap Ring Pliers

- Compresses internal rings in one position
- Move the quick change reversing lever to expand external rings
- Comes with four sets of tips in a plastic box

LST 46000

**\$22<sup>99</sup>**



### POWERBUILT® Combination Snap Ring Plier Set

- For removing and installing internal and external snap rings

TLS 648598

**\$14<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# SPECIALTY & HAND TOOLS

## SNAP RING PLIERS

### OTC® Snap Ring Pliers Set Internal & External

- For internal or external snap rings; thumbscrew permits quick conversion
- Made of heavy-gauge tempered steel
- Also includes two stainless steel picks with handles

OTC 4512

**\$179<sup>99</sup>**



### Lisle® Heavy-Duty Snap Ring Pliers

- Reversible action for internal and external applications
- Conical tip ends prevent the snap ring from slipping off the tips

LST 49200

**\$46<sup>99</sup>**



## WRENCHES

### POWERBUILT® Metric & SAE Combination Wrenches

- Crafted from premium chrome vanadium steel
- 15° offset and chamfered openings for easy mating to fasteners
- Z-Drive box end contacts the flat walls of fasteners

Type	Line Code	Part Number	Price
8MM	TLS	644112	<b>\$3.99</b>
10MM	TLS	644114	<b>\$3.99</b>
11MM	TLS	644115	<b>\$3.99</b>
12MM	TLS	644116	<b>\$4.99</b>
13MM	TLS	644117	<b>\$4.99</b>
14MM	TLS	644118	<b>\$5.99</b>
15MM	TLS	644119	<b>\$6.99</b>
16MM	TLS	644120	<b>\$6.99</b>
17MM	TLS	644121	<b>\$7.99</b>
18MM	TLS	644122	<b>\$7.99</b>
19MM	TLS	644123	<b>\$7.99</b>
21MM	TLS	644125	<b>\$9.99</b>
22MM	TLS	644126	<b>\$11.99</b>
24MM	TLS	644128	<b>\$14.99</b>
30MM	TLS	644134	<b>\$24.99</b>
7/16"	TLS	644143	<b>\$3.99</b>
1/2"	TLS	644144	<b>\$4.99</b>
9/16"	TLS	644145	<b>\$5.99</b>
5/8"	TLS	644146	<b>\$6.99</b>
3/4"	TLS	644147	<b>\$7.99</b>
13/16"	TLS	644148	<b>\$9.99</b>
7/8"	TLS	644149	<b>\$11.99</b>
15/16"	TLS	644150	<b>\$14.99</b>
1"	TLS	644152	<b>\$16.99</b>
1-1/16"	TLS	644153	<b>\$18.99</b>
1-1/8"	TLS	644154	<b>\$22.99</b>
1-1/4"	TLS	644155	<b>\$26.99</b>



## ADJUSTABLE WRENCHES

### Powerbuilt® Adjustable Wrenches

- Extra thick 1" I-beam design

6" TLS 644040

**\$11<sup>99</sup>**

10" TLS 644042

**\$20<sup>99</sup>**

12" TLS 644043

**\$26<sup>99</sup>**



## WRENCH SETS

### Milwaukee® 15pc Combination Wrench Set

- Max bite open-end grip - 25% more torque

SAE Set

MLK 48-22-9415

**\$182<sup>99</sup>**

Metric Set

MLK 48-22-9515

**\$179<sup>99</sup>**



### POWERBUILT® Ratcheting Combo Set 7-Piece Set

- Crafted from high quality Chrome Vanadium Steel
- Meets or exceeds ANSI standards

Metric Set

• 8MM to 19MM

**\$99<sup>99</sup>**



TLS 642762



### POWERBUILT® 3/8 in. Dr. SAE & Metric Crowfoot Wrench Set, 10 Piece

- SPACE SAVING WRENCH SET: Convert any 3/8 inch ratchet or bar into 10 different open-end wrenches with this crowfoot wrench set; sizes include SAE and Metric wrenches
- DURABLE WITH A LONG LIFE: Constructed from premium Chrome Vanadium steel; chrome plated mirror finish for durability

**\$32<sup>99</sup>**

TLS 640830



### Powerbuilt® 4 Piece Flare Nut Wrench Set

- Constructed from drop forged, heat treated Carbon steel with a chrome-plated mirror-polished finish
- The 6 Point Z-Drive broaching allows for a stronger grip, more torque and less damage
- Automotive line fittings and plumbing applications

SAE Set

• 3/8x7/16Inch, 1/2x9/16Inch,  
5/8x11/16Inch, 3/4x7/8Inch

**\$24<sup>99</sup>**

TLS 640185

Metric Set

• 9 x 10 MM, 11 x 12 MM,  
13 x 14 MM, 15 x 17 MM

**\$20<sup>99</sup>**

TLS 640186



## TORQUE WRENCHES

### Powerbuilt® Micrometer Torque Wrench

- Locking handle prevents accidental setting changes

3/4" Drive Reversible Ratcheting

100-600 ft.-lbs.

TLS 641434

**\$599<sup>99</sup>**

1/2" Drive Click Torque Wrench

10-150 ft.-lbs.

TLS 644999

**\$49<sup>99</sup>**

3/8" Drive Click Torque Wrench

10-80 ft.-lbs.

TLS 644998

**\$49<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# SPECIALTY & HAND TOOLS

## POWERBUILT® 1/4" RATCHETS



Powerbuilt® 1/4" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet

TLS 640508 **\$20<sup>99</sup>**



Powerbuilt® 1/4" Drive 24-Tooth Spin Disc Ratchet

TLS 640502 **\$8<sup>99</sup>**



## POWERBUILT® 3/8" RATCHETS



3/8" Drive Flex Head Spin Disc Ratchet

TLS 641506 **\$17<sup>99</sup>**



3/8" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet

TLS 641520 **\$25<sup>99</sup>**



3/8" Drive Stubby Spin Disc Ratchet

TLS 641514 **\$11<sup>99</sup>**



3/8" Drive Spin Disc Ratchet

TLS 641505 **\$11<sup>99</sup>**



3/8" Drive Flex Handle

10" TLS 641504

**\$11<sup>99</sup>**



## POWERBUILT® 1/2" RATCHETS



1/2" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet

TLS 642509 **\$33<sup>99</sup>**



1/2" Drive 45-Tooth Spin Disc Ratchet

TLS 642505 **\$17<sup>99</sup>**



1/2" Drive Flex Handle

5" TLS 642502

**\$5<sup>99</sup>**

10" TLS 642503

**\$9<sup>99</sup>**

24" TLS 640854

**\$37<sup>99</sup>**

18" TLS 640853

**\$21<sup>99</sup>**



## POWERBUILT® SOCKET EXTENSION SETS



3-Piece 1/4" Drive Socket Extension Set

- Knurled centre and dual grease rings for superior user grip
- Includes 2", 3" and 6" chrome vanadium extension bars

TLS 640842

**\$8<sup>99</sup>**



3-Piece Wobble Socket Extension Set

- Includes 3", 5" and 10" chrome vanadium extension bars
- Operates at angles up to 25° from vertical

3/8" Drive

TLS 640857

**\$17<sup>99</sup>**

1/2" Drive

TLS 640856

**\$19<sup>99</sup>**



## SOCKET ADAPTERS

POWERBUILT® Impact Adapter



1" (F) x 3/4" (M)

TLS 940587 **\$25<sup>99</sup>**

3/4" (F) x 1/2" (M)

TLS 940586 **\$14<sup>99</sup>**



1/2" (F) x 3/8" (M)

TLS 647097 **\$7<sup>99</sup>**

1/2" (F) x 3/4" (M)

TLS 647137 **\$11<sup>99</sup>**



POWERBUILT® 1/2" Drive Impact Universal Joint

TLS 647138

**\$15<sup>99</sup>**



POWERBUILT® 1/2" Drive Universal Adapter Set 7-Piece Set

- Includes 1/4", 3/8" & 1/2" universal joints, 1/4" x 3/8" M, 3/8" x 1/4" M, 3/8" x 1/2" M and 1/2" x 3/8" M adapters

TLS 640859

**\$25<sup>99</sup>**



POWERBUILT® Socket Adapter Set

4-Piece Set

TLS 640848

**\$7<sup>99</sup>**



POWERBUILT® Universal Joint Set 3-Piece Set

- 3 piece universal joint set includes 1/4-in. , 3/8-in. , and 1/2-in drive sizes.

TLS 640858

**\$17<sup>99</sup>**



POWERBUILT® 3/8 Drive Universal Joint



TLS 641507

**\$5<sup>99</sup>**



POWERBUILT® Socket Adapter Set



3/8" (F) x 1/4" (M)

TLS 640505 **\$1<sup>99</sup>**



## POWERBUILT® SOCKET RAIL

3/8" SOCKET Rail

- Holds 16 — 3/8" sockets

TLS 641509

**\$3<sup>99</sup>**



## SOCKETS

POWERBUILT® 1/2" Drive Axle Nut Socket



Type	Line Code	Part Number	Price
1/2" Axle Nut - 31MM	TLS	647077	<b>\$18.99</b>
1/2" Axle Nut - 35MM	TLS	647079	<b>\$19.99</b>
1/2" Axle Nut - 38MM	TLS	647080	<b>\$22.99</b>



POWERBUILT® 3/8" Drive Spark Plug Sockets



Type	Line Code	Part Number	Price
3/8" Spark Plug - 5/8"	TLS	643000	<b>\$3.99</b>
3/8" Spark Plug - 13/16"	TLS	643001	<b>\$4.49</b>
3/8" Spark Plug - 18MM	TLS	643009	<b>\$4.99</b>



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# SPECIALTY & HAND TOOLS

## SOCKETS

### POWERBUILT® Shallow Sockets

Type	Line Code	Part Number	Price
1/2" Shallow - 1/2"	TLS	642000	<b>\$2.49</b>
1/2" Shallow - 9/16"	TLS	642001	<b>\$2.49</b>
1/2" Shallow - 5/8"	TLS	642002	<b>\$2.49</b>
1/2" Shallow - 3/4"	TLS	642003	<b>\$3.29</b>
1/2" Shallow - 13/16"	TLS	642004	<b>\$3.79</b>
1/2" Shallow - 7/8"	TLS	642005	<b>\$3.29</b>
1/2" Shallow - 15/16"	TLS	642006	<b>\$3.79</b>
1/2" Shallow - 1"	TLS	642007	<b>\$4.29</b>
1/2" Shallow - 1-1/16"	TLS	642008	<b>\$4.29</b>
1/2" Shallow - 1-1/8"	TLS	642009	<b>\$5.99</b>
1/2" Shallow - 1-3/16"	TLS	642010	<b>\$6.49</b>
1/2" Shallow - 1-1/4"	TLS	642011	<b>\$6.79</b>
1/2" Shallow - 11MM	TLS	642030	<b>\$3.79</b>
1/2" Shallow - 12MM	TLS	642031	<b>\$2.99</b>
1/2" Shallow - 13MM	TLS	642032	<b>\$2.99</b>
1/2" Shallow - 14MM	TLS	642012	<b>\$2.99</b>
1/2" Shallow - 15MM	TLS	642013	<b>\$2.99</b>
1/2" Shallow - 16MM	TLS	642014	<b>\$2.99</b>
1/2" Shallow - 17MM	TLS	642015	<b>\$2.99</b>
1/2" Shallow - 18MM	TLS	642016	<b>\$3.49</b>
1/2" Shallow - 19MM	TLS	642017	<b>\$3.49</b>
1/2" Shallow - 20MM	TLS	642018	<b>\$3.79</b>
1/2" Shallow - 21MM	TLS	642019	<b>\$3.79</b>
1/2" Shallow - 23MM	TLS	642021	<b>\$4.29</b>
1/2" Shallow - 24MM	TLS	642022	<b>\$4.29</b>
1/2" Shallow - 27MM	TLS	642034	<b>\$4.29</b>
1/2" Shallow - 30MM	TLS	642024	<b>\$4.99</b>
1/2" Shallow - 32MM	TLS	642025	<b>\$6.79</b>
1/2" Shallow - 35MM	TLS	642027	<b>\$10.29</b>
1/2" Shallow - 36MM	TLS	642028	<b>\$11.99</b>



### POWERBUILT® Deep Sockets

Type	Line Code	Part Number	Price
1/2" Deep - 9/16"	TLS	642200	<b>\$3.99</b>
1/2" Deep - 5/8"	TLS	642201	<b>\$3.99</b>
1/2" Deep - 11/16"	TLS	642202	<b>\$4.49</b>
1/2" Deep - 3/4"	TLS	642203	<b>\$4.99</b>
1/2" Deep - 13/16"	TLS	642204	<b>\$5.99</b>
1/2" Deep - 7/8"	TLS	642205	<b>\$5.99</b>
1/2" Deep - 15/16"	TLS	642206	<b>\$6.99</b>
1/2" Deep - 1"	TLS	642207	<b>\$7.99</b>
1/2" Deep - 1-1/8"	TLS	642215	<b>\$10.49</b>
1/2" Deep - 1-1/4"	TLS	642216	<b>\$11.99</b>
1/2" Deep - 12MM	TLS	642219	<b>\$4.49</b>
1/2" Deep - 13MM	TLS	642220	<b>\$4.49</b>
1/2" Deep - 14MM	TLS	642208	<b>\$3.99</b>
1/2" Deep - 15MM	TLS	642209	<b>\$4.49</b>
1/2" Deep - 16MM	TLS	642210	<b>\$4.49</b>
1/2" Deep - 17MM	TLS	642211	<b>\$4.49</b>
1/2" Deep - 18MM	TLS	642212	<b>\$4.99</b>
1/2" Deep - 19MM	TLS	642213	<b>\$4.99</b>
1/2" Deep - 20MM	TLS	642214	<b>\$5.99</b>
1/2" Deep - 21MM	TLS	640836	<b>\$5.99</b>
1/2" Deep - 22MM	TLS	640837	<b>\$5.99</b>
1/2" Deep - 23MM	TLS	640838	<b>\$5.99</b>
1/2" Deep - 24MM	TLS	640840	<b>\$6.49</b>
1/2" Deep - 27MM	TLS	640841	<b>\$8.99</b>



## SOCKETS

### POWERBUILT® 1/2" Drive Sockets

Type	Line Code	Part Number	Price
1/2" Axle Nut - 30MM	TLS	648469	<b>\$12.99</b>
1/2" Axle Nut - 32MM	TLS	648470	<b>\$13.99</b>
1/2" Axle Nut - 34MM	TLS	648471	<b>\$15.99</b>
1/2" Axle Nut - 36MM	TLS	648472	<b>\$15.99</b>



### POWERBUILT® 1/2" Drive Deep Impact Sockets

Type	Line Code	Part Number	Price
1/2" DR - 9/16" Deep Impact	TLS	647171	<b>\$7.99</b>
1/2" DR - 3/4" Deep Impact	TLS	647174	<b>\$8.99</b>
1/2" DR - 13/16" Deep Impact	TLS	647175	<b>\$9.99</b>
1/2" DR - 7/8" Deep Impact	TLS	647176	<b>\$10.99</b>
1/2" DR - 15/16" Deep Impact	TLS	647177	<b>\$11.99</b>
1/2" DR - 1" Deep Impact	TLS	647178	<b>\$11.99</b>
1/2" DR - 1-1/8" Deep Impact	TLS	647179	<b>\$13.99</b>
1/2" DR - 1-1/4" Deep Impact	TLS	647180	<b>\$15.99</b>
1/2" DR - 15MM Deep Impact	TLS	647184	<b>\$7.99</b>
1/2" DR - 17MM Deep Impact	TLS	647186	<b>\$7.99</b>
1/2" DR - 18MM Deep Impact	TLS	647187	<b>\$8.99</b>
1/2" DR - 19MM Deep Impact	TLS	647188	<b>\$7.99</b>
1/2" DR - 20MM Deep Impact	TLS	647192	<b>\$9.49</b>
1/2" DR - 21MM Deep Impact	TLS	647189	<b>\$9.99</b>
1/2" DR - 22MM Deep Impact	TLS	647190	<b>\$10.99</b>
1/2" DR - 24MM Deep Impact	TLS	647191	<b>\$11.99</b>



## SOCKET SETS

### POWERBUILT® 3/8" Drive Metric Deep Socket Set 12-Piece 6 pt. Set

- Contents 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

TLS 645009 **\$34.99**



### POWERBUILT® 8-Piece 1/2" SAE & Metric Deep Socket Sets

Metric 12mm - 23mm | SAE 1/2" - 15/16"  
 TLS 640055 | TLS 640056

YOUR CHOICE

**\$34.99** EACH



### POWERBUILT® 7 Piece 3/8 Inch Drive Universal Socket Set with Tray

- GREAT ADDITION TO ANY TOOLBOX: Universal socket set includes 7 SAE spline sockets
- VERSATILE: This 7 piece universal socket set fits 45 different size fasteners; works on a variety of bolts, including SAE and metric 6, 8, and 12 point hex, E-Torx, square, splined, and damaged heads
- DURABLE CONSTRUCTION: Sockets made from premium Chrome Vanadium steel with black and chrome finish

TLS 642054  
**\$15.99**



### POWERBUILT® 1/4" Drive Metric & SAE Socket Sets 11-Piece 6 pt. Set

- Mirror polished chrome vanadium steel with dual grease rings and punched centre holes for added work depth

SAE Set

- Includes 5/32" to 9/16" sockets

TLS 640497

Metric Set

- Includes 4mm to 14mm sockets

TLS 640498

YOUR CHOICE

**\$11.99** EACH



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# SPECIALTY & HAND TOOLS

## IMPACT SOCKET SETS

**Powerbuilt® 1/2" Drive Impact Socket Sets**  
18-Piece 6 point Set  
Metric Set

- Includes 10 - 19mm, 21mm - 24mm, 27mm, 30mm, 32mm impact sockets, 5" impact extension, storage case

TLS 940838

**\$105<sup>99</sup>**

SAE Set

- Includes 5/16" - 1-5/16" impact sockets, 5" impact extension, storage case

TLS 940837

**\$111<sup>99</sup>**



**Powerbuilt® 1/2" Drive Deep Well Impact Socket Sets** 11-Piece 6 point Set  
Metric Set

- Includes 10mm - 14mm, 16mm, 17mm, 19mm, 21mm - 24mm, deep well impact sockets

TLS 647048

**\$76<sup>99</sup>**

SAE Set

- Includes 3/8" - 1", deep well impact sockets

TLS 647049

**\$79<sup>99</sup>**



## EXTRACTOR SETS

**POWERBUILT® 7 Piece Mini Impact Driver and Extractor Set**

- IMPACT RATED: With a single strike of a hammer, this impact driver loosens frozen or rusted screws and extracts broken fasteners with the included interchangeable Phillips or slotted head and extractor bits; add additional 1/4 drive impact steel bits to release other fastener types
- SET INCLUDES: A 1/4 inch impact driver; 1 slotted steel bits; 2 Phillips head steel bits #2 and #3; 3 screw extractors #1, #2, #3; plastic bit holder

TLS 647767

**\$19<sup>99</sup>**



**Powerbuilt® 6 Piece Screw Extractor Set**

- Removes broken studs, screws, bolts, etc
- Left-hand spiral blade design grips screw when turned into hole drilled to specified size

TLS 648511

**\$12<sup>99</sup>**



**IRWIN® 5-Pc BOLT-GRIP™ Expansion Set**

- Set includes bolt extractors to remove bolt sizes: 8mm, 10mm, 13mm, 19mm, 5/16", 11/16", and 3/4"
- 3/8" square drive for use with hand ratchets, impact wrenches and air ratchets; hexagonal flats for use with flat wrench, pliers, adjustable wrench, sockets or VISE-GRIP™ locking pliers

PET 394002

**\$26<sup>99</sup>**



**Lisle® Tap Socket Set** *Lisle*

- Fits all number and fractional M.C.T.I. standard taps through 1/2"
- Also fits 1/8" NPT taps and metric taps through 12mm

LST 70500

**\$49<sup>99</sup>**



**Lisle® Master Triple Square Bit Set**

- For head bolts, brake caliper bolts, door handle screws, axle bolts and other applications
- 5/16" Hex Drive sizes 4mm, 5mm
- 1/2" Hex Drive sizes 6mm, 8mm, 10mm, 12mm
- 5/8" Hex Drive sizes 14mm, 16mm
- 3/4" Hex Drive size 18mm

LST 60850

**\$57<sup>99</sup>**



## TORX®/HEX BIT & SOCKET SETS

**Powerbuilt® 8 Piece Zeon Metric Hex Bit Socket Set for Damaged Bolts**



- 4 Pc - 1/4 Inch Drive Metric Hex Bit Sockets in Sizes 3, 4, 5, 6 mm
- 4 Pc - 3/8 Inch Drive Metric Hex Bit Sockets in Sizes 7, 8, 9, 10 mm
- Industrial-Grade S-2 Steel Bits, Premium Mirror-Polish Chrome Vanadium Steel Socket Bodies and 2-Piece Press Fit Socket Design for Strength and Durability
- Prevents bolts from stripping while at the same time functions as a damage bolt removal tool. The unique design uses a spiral hex design that bites more the harder you push and turn.

TLS 642575

**\$32<sup>99</sup>**



**Powerbuilt® 13 Piece Star Bit Socket Set**

- Includes 1/4"; T-10 to T-30, 3/8"; T-40 to T-55 & 1/2"; T-60 & T-70 bit sockets

TLS 940146

**\$33<sup>99</sup>**



**Powerbuilt® 10 Piece E-TORX Socket Set**

- Contains 1/4" Drive E-4 through E-8 and 3/8" Drive E-10, E-12, E-14, E-16, E-18

TLS 648667

**\$23<sup>99</sup>**



**Powerbuilt® 8 Piece Ball End Hex Bit Socket Set** *Powerbuilt*

- Oscillating design allows use at angles up to 25 degrees
- Includes 1/4-inch (about 1.8 cm) drive sockets: 1/8, 9/64, 5/32, 3/16-inch (about 1.5 cm); 3/8-inch (about 1.5 cm) drive sockets: 7/32, 1/4, 5/16, 3/8-inch (about 1.6 cm).
- Premium S2 alloy steel drill bits and chrome vanadium sockets

TLS 642402

**\$23<sup>99</sup>**



**Powerbuilt® 7 Piece 3/8" Drive Metric Hex Bit Socket Set**

- Includes 3mm-8mm and 10mm chrome vanadium bit sockets in reusable plastic holder

TLS 648663

**\$20<sup>99</sup>**



**Powerbuilt® 7-Piece SAE Hex Bit Set**

- Includes 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" & 3/8" bits

TLS 648661

**\$16<sup>99</sup>**



**Lisle® 12-Piece TORX® Bit Set** *Lisle*

- Includes the T-10 through T-50; and T-47, T-55 and T-60 bits
- T-10 through T-30 are 1/4" drive, T-40 through T-55 are 3/8" drive, T-60 is 1/2" drive
- Convenient vinyl holder included

LST 27200

**\$57<sup>99</sup>**



**Lisle® 7-Piece TORX® Socket Set** *Lisle*

- Seven sizes E-6 thru E-16
- The three smaller sizes are 1/4" drive; the four larger sizes are 3/8" drive
- Made of heat-treated alloy steel
- Sockets are kept in a convenient vinyl holder

LST 26750

**\$31<sup>99</sup>**



**Lisle® 7-Piece Tamper Resistant TORX® Bit Set** *Lisle*

- Bit sizes T-10 through T-40
- Fits tamper-resistant TORX® fasteners

LST 26000

**\$26<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# SPECIALTY & HAND TOOLS

## MILWAUKEE® TOOL SETS

### Milwaukee® Ratchet and Socket Sets

- FOUR-FLAT™ socket sides for wrench-ready design that deter rolling
- 90-Tooth ratchet offers 4° arc swing
- Slim profile ratchet head with flush direction lever
- Steel storage case with removable inner tray

### 50-Piece; 1/4" Drive; SAE & Metric

- Includes (1) 90-Tooth ratchet, (1) 3" extension, (1) 6" extension and (1) universal socket
- SAE sockets: (11) standard from 5/32" - 9/16"; (11) deep from 5/32" - 9/16"
- Metric sockets: (12) standard from 5mm - 15mm; (12) deep from 5mm - 15mm



MLK 48-22-9004

**\$169<sup>99</sup>**



## POWERBUILT® TOOL SETS

### Powerbuilt® 152 Piece Master Mechanic's Service Tool Set

- 1/4", 3/8" & 1/2" Drive 72 Tooth Quick Release Sealed Head Ratchets
- 19 Pc. SAE sockets: 3/16" - 13/16"
- 9 Pc. deep well SAE sockets: 7/32" - 11/16"
- 19 Pc. metric Sockets: 4 thru 19mm
- 8 Pc. deep well metric sockets: 7 thru 15mm
- 1/4" Drive 3" Extension Bar
- 1/4" Drive Spinner Handle
- 1/4" Drive Bit Coupler
- 3/8" Drive Spark Plug Sockets: 5/8", 13/16"
- 3/8" Drive Hex Bit Sockets: 1/4", 5/16", 3/8", 8mm, 10mm
- 3/8" Drive Torx Bit Sockets: T-40, T-45, T-50, T-55
- 3/8" Drive Extension Bars: 3", 6"
- 3/8" F Drive x 1/4" M Drive Adapter
- 3/8" Drive Universal Joint
- 1/2" Drive 5" Extension Bar
- 1/2" F Drive x 3/8" M Drive Adapter
- 6 Pc. SAE long handle combination wrenches: 5/16" - 5/8"
- 6 Pc. metric long handle combination wrenches: 8 thru 15mm
- 11 pc. SAE hex key wrenches: 0.05" - 1/4"
- 11 Pc. metric hex key wrenches: 1.27 thru 6mm
- Screwdriver bits: Torx: T-10, T-15, T-20, T-25, T-27, T-30, T-40; Phillips: #0 (2 ea.), #1 (2 ea.), #2 (2 ea.), #3 (2 ea.); Flat: 1/8", 5/32", 3/16" (2 ea.), 1/4" (2 ea.), 5/16", Hex: 3/32", 1/8", 5/32", 3/16", 1/4", 3mm, 4mm, 5mm, 6mm, 7mm; Square: S-1, S-2, S-3
- Durable Storage Case



TLS 642453

**\$179<sup>99</sup>**

### Powerbuilt® 80 Piece Auto Mechanic's Service Tool Set

- 15 Pc. SAE sockets: 5/32" - 3/4"
- 10 Pc. deep well SAE sockets: 7/32" - 3/4"
- 18 Pc. metric sockets: 4 thru 19mm
- 13 Pc. deep well metric sockets: 4 thru 19mm
- 72 Tooth quick release sealed head ratchets
- 3" Extension bars
- Spinner handle & bit coupler
- 18 Pc. specialty tools including: star, hex, Phillips, & slotted bits
- Durable Storage Case



TLS 642452

**\$105<sup>99</sup>**



## POWERBUILT® TOOL SETS

### Powerbuilt® 47 Piece 3/8" Drive Mechanic's Tool Set

- 12 Pt. SAE sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 6 Pt. deep well SAE sockets: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 12 Pt. metric sockets: 6 thru 19mm
- 6 Pt. deep well metric sockets: 6 thru 19mm
- 72 Tooth quick release sealed head ratchet
- 3" Extension bar
- Durable storage case



TLS 642451

**\$83<sup>99</sup>**



### Powerbuilt® 38 Piece 1/4" Drive Mechanic's Tool Set

- 6 Pt. SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Deep Well SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 6 Pt. Deep Well Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 72 Tooth Quick Release Sealed Head Ratchet
- 2" Extension Bar
- Durable Storage Case



TLS 642450

**\$49<sup>99</sup>**



### Powerbuilt® 33-Piece Socket Set

#### 1/4" & 3/8" Drive SAE/Metric Socket Set

- Includes 1/4" Drive SAE: 5/32" - 1/2" and Metric: 6mm - 8mm 6 pt. sockets & 3/8" Drive SAE: 3/8" - 5/8", and Metric: 9mm - 18mm 12 pt. sockets, 3/8" Drive Spin Ratchet, 3" extension, 3/8"(F) x 1/4"(M) adapter, 5/8" spark plug socket



TLS 640071

**\$45<sup>99</sup>**



## VDE INSULATED EV HAND TOOLS

### POWERBUILT® EV Hand Tool Sets

- VDE tools are certified to IEC60900 standard for service and repair applications. Rated up to 1000V AC / 1500V DC
- Ergonomic double injection handles provide safety, comfort and dependability
- For use when servicing or repairing hybrid and electric vehicles

### 33-Piece; VDE Tool Set with Pouch

- Includes: roll pouch storage bag, screwdrivers, ratchet, sockets, extensions, pliers and more for quick and easy access to a wide variety of fastener types and sizes




TLS 642938

**\$349<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TOOL STORAGE



PRO II

## HEX KEY SETS

**Powerbuilt® 9-Piece Ball End Long Arm Hex Key Sets**

**POWERBUILT®**

SAE Set  
• Includes 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"  
& 3/8" hex keys  
TLS 640081

**Metric Set**

• Includes 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm,  
& 10mm hex keys.  
TLS 640082



YOUR CHOICE

**\$16<sup>99</sup>** EACH

## HOMAK® PRO II SERIES

**HOMAK**

- Full length aluminum drawer pulls with black plastic end caps
- 100 lb. capacity drawers with removable ball-bearing glides
- EVA Foam drawer liners included
- Lift latch drawer pulls
- 5"x2" Casters with 520 lb. weight capacity each

### 27" 12-Drawer 2-Section Combo

**A** 27" 5 Drawer Top Chest  
26-1/2" W x 24-1/4" D x 21-3/8" H,  
Storage Capacity: 7,200 cu. in.

Colour	Line Code	Part Number
■ Black	HMK	BK02027052
■ Red	HMK	RD02027052

YOUR CHOICE

**\$849<sup>99</sup>** **FINANCE IT**

**B** 27" 7 Drawer Roller Cabinet  
27" W x 24-1/2" D x 39" H,  
Storage Capacity: 9,115 cu. in.

Colour	Line Code	Part Number
■ Black	HMK	BK04027702
■ Red	HMK	RD04027702

YOUR CHOICE

**\$1359<sup>99</sup>** **FINANCE IT**

## HOMAK® RS PRO SERIES

**HOMAK**

- Full length aluminum drawer pulls with black plastic end caps
- 100 lb. capacity drawers with removable ball-bearing glides
- PVC Foam Drawer Liners Included
- Lift latch drawer pulls
- 5"x2" Casters with 520 lb. weight capacity each

### 54" 18-Drawer 2-Section Combo

**C** 54" 8 Drawer Top Chest  
54" W x 23-1/2" D x 21-3/8" H,  
Storage Capacity: 14,300 cu. in.

Colour	Line Code	Part Number
■ Black	HMK	BK02065800
■ Red	HMK	RD02065800

YOUR CHOICE

\*Contact your local store for pricing,  
delivery cost, and availability

**FINANCE IT**

**D** 54" 10 Drawer Roller Cabinet  
54" W x 23-1/2" D x 30-3/8" H,  
Storage Capacity: 19,800 cu. in.

Colour	Line Code	Part Number
■ Black	HMK	BK04054010
■ Red	HMK	RD04054010

YOUR CHOICE

\*Contact your local store for pricing,  
delivery cost, and availability

**FINANCE IT**

## HOMAK® SERVICE CARTS

**E** Homak® 35" Black 4-Drawer Slide Top Service Cart  
31-1/4" W x 20-5/8" D x 42" H

**HOMAK**

- Bottom Shelf for Additional Storage Space
- HMC High-Security Tubular Locking System with Keys
- EVA Foam Drawer Liners Included
- 77 lb. capacity drawers
- Four Chromed 5"x2" Swivel Casters: Two with Wheel Brakes

HMK BK06043500 **\$1099<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# POWER TOOLS

## 3/8" POWER IMPACTS

### Milwaukee® M12 FUEL™ 3/8" Right Angle Impact Wrench with Friction Ring Kit

- Up to 220 ft.-lbs. of Nut-busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power
- Compact design offers more access in tight spaces
- Includes: 2564-20 M12 FUEL™ 3/8" Right Angle Impact Wrench, (2) M12™ REDLITHIUM™ CP2.0 Battery Pack (48-11-2420), (1) M12™ Charger (48-59-2401), Contractor Bag

MLK 2564-22 **\$457<sup>99</sup>**



### Milwaukee® M18 FUEL™ 3/8" Compact Impact Wrench with Friction Ring - Bare Tool

- Delivers up to 250 ft.-lbs. of nut-busting torque
- 4-Mode DRIVE CONTROL™ includes auto shut-off and bolt-removal modes
- Only 4.8" in length for access in tight spaces
- Tri-LEDs to increase workspace visibility
- REDLINK PLUS™ to prevent overloading or overheating

NOTE: Battery not included

MLK 2854-20 **\$349<sup>99</sup>**



## 1/2" POWER IMPACTS

### Milwaukee® M18 FUEL™ w/ ONE-KEY™ High Torque 1/2" Impact Wrench with Friction Ring - Kit

- Delivers 1000 ft./lbs of fastening torque, 1400 ft./lbs of nut-busting torque
- Most repeatable torque
- Most compact cordless high torque impact wrench in its class at 8.39" in length
- Includes: M18 1/2" high torque impact wrench, (2) REDLITHIUM™ batteries, M18/M12 dual voltage charger and molded case

Kit with Battery and Charger  
MLK 2863-22R

**\$819<sup>99</sup>**

Bare Tool  
NOTE: Battery not included  
MLK 2863-20

**\$419<sup>99</sup>**



### Milwaukee® M18 FUEL™ 1/2" Compact Impact Wrench w/ Pin Detent Kit

- Premium quality construction
- Multi-purpose functionality
- Cordless and battery-powered
- Ergonomic design for comfort
- Precision cutting and handling

MLK 2855P-22R

**\$601<sup>99</sup>**



### Milwaukee® M18™ Brushless 1/2" High Torque Impact Wrench with Friction Ring - Bare Tool

- REDLINK™ Intelligence: Provides optimized performance and overload protection using total system communication between tool, battery and charger
- Up to 800 ft.-lbs of fastening torque & 1,200 ft.-lbs of nut busting torque
- The 1/2" friction ring anvil allows quick one handed socket changes
- Brushless Motor delivers maximum power and long motor life
- The Variable Speed Trigger allows for 0 - 1,750 RPM & 0 - 2,000 IPM for maximum control

NOTE: Battery not included

MLK 2666-20

**\$409<sup>99</sup>**



## 1/2" POWER IMPACTS

### Milwaukee® M18 FUEL™ High Torque 1/2" Impact Wrench with Pin Detent

- Delivers 750 ft./lbs of fastening torque, 1100 ft./lbs of nut-busting torque
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- Features a pin detent design for maximum socket retention
- LED light to illuminate the work area
- Includes: M18 1/2" High Torque Impact Wrench, (2) REDLITHIUM™ batteries, M18/M12 dual voltage charger and molded case

MLK 2862-22R

**\$819<sup>99</sup>**



### Milwaukee® M12 FUEL™ 1/2" Stubby Impact Wrench with Friction Ring - Kit

- Delivers 250 ft.-lbs. of Nut-Busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- Compact design offers more access in tight spaces
- Includes: 2550-20, (1) M12 REDLITHIUM™ 2.0 Battery, (1) M12 REDLITHIUM™ Extended Capacity 4.0 Battery M12 Charger and Carrying Case

Kit with Battery and Charger  
MLK 2555-22

**\$375<sup>99</sup>**

Bare Tool  
NOTE: Battery not included  
MLK 2555-20

**\$234<sup>99</sup>**



## 3/4" POWER IMPACTS

### Milwaukee® M18 FUEL™ High Torque 3/4" Impact Wrench with Friction Ring - Kit

- Delivers 1200 ft./lbs of fastening torque, 1500 ft./lbs of nut-busting torque
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- LED light to illuminate the work area
- Includes 2864-20, (2) REDLITHIUM™ batteries, M18/M12 Multi-Voltage Charger and Molded Case

Kit with Battery and Charger  
MLK 2864-22R

**\$849<sup>99</sup>**

Bare Tool  
NOTE: Battery not included  
MLK 2864-20

**\$519<sup>99</sup>**



### Milwaukee® M12 FUEL™ Stubby Impact Wrenches

- Up to 550 ft.-lbs of Nut-Busting Torque
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power. Includes auto shut-off and bolt-removal mode
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows
- Compatible with all M12™ REDLITHIUM™ batteries and chargers

NOTE: Battery not included

3/8"  
MLK 2562-20

**\$293<sup>99</sup>**

1/2"  
MLK 2563-20

**\$293<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# POWER TOOLS

## 1" POWER IMPACTS

### Milwaukee® M18 FUEL™ 1" D-Handle Ext. Anvil High Torque Impact Wrench w/ ONE-KEY™ Kit

- Delivers up to 2000 ft-lbs of nut busting torque
- AUTO SHUT OFF™ enabled through ONE-KEY™ prevents over-torquing
- Unmatched Performance with the runtime to service up to 120 lug nuts on a single HIGH OUTPUT™ HD12.0Ah battery
- (1) M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ (2869-20), (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs (48-11-1812), (1) M18™ & M12™ Rapid Charger (48-59-1808), (1) Tool-Free Adjustable Side Handle, (1) Lanyard Loop, (1) Contractor Bag



MLK 2869-22HD

\*Contact your local store for pricing and availability

**FINANCE IT**

### Milwaukee® M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ Kit

- POWERSTATE™ Brushless Motor delivers up to 2,000 ft-lbs. Nut-Busting Torque, Making it the World's Most Powerful Cordless Impact Wrench
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power
- Unmatched Performance with the runtime to install Up To 200 1-1/4" Bolts on a single HIGH OUTPUT™ HD12.0Ah battery
- (1) M18 FUEL™ 1" D-Handle High Torque Impact Wrench w/ ONE-KEY™ (2868-20), (2) M18 REDLITHIUM™ HIGH OUTPUT™ HD12.0 Battery Packs (48-11-1812), (1) M18™ & M12™ Rapid Charger (48-59-1808), (1) Tool-Free Adjustable Side Handle, (1) Lanyard Loop, (1) Contractor Bag



MLK 2868-22HD

\*Contact your local store for pricing and availability

**FINANCE IT**

### Milwaukee® M18 FUEL™ ONE-KEY™ 1" High Torque Impact Wrench Kit

- Includes M18 FUEL™ ONE-KEY™ High Torque 1" Impact Wrench, (2) M18™ HIGH OUTPUT™ XC8.0 batteries, a M18™ & M12™ Rapid Charger, a Tool Free Adjustable Handle, Lanyard Loop, and Contractor Bag
- Delivers up to 1500 ft/lbs of fastening torque, 1800 ft/lbs of nut-busting torque
- ONE-KEY™ technology allows users to customize, track and manage tool's performance and location



MLK 2867-22

**\$1653<sup>99</sup>**

### Milwaukee® M12™ Rivet Tool Bare Tool

- 450 1/8" steel rivets on 1 charge
- Pull force: 2,000 lbs
- Stroke length: 0.8"
- Nose pieces: 3/32", 1/8", 5/32", and 3/16"



NOTE: Battery not included

MLK 2550-20

**\$351<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

## MULTI-TOOL KITS

### Milwaukee® M18 FUEL™ 1/2" HTIW & 3/8" MTIW Automotive Combo Kit

- POWERSTATE™ brushless motor delivers up to 1,100 ft-lbs of fastening torque & 1,500 ft-lbs of Nut-Busting torque w/ M18™ REDLITHIUM™ XC5.0 battery
- Up to 2" shorter length. 7.6" in length provides most access in tight spaces
- Fastest removal speeds. Maximize productivity on the jobsite and in the shop
- Patented battery isolation system ensures a secure battery connection and controls vibration transmitted to the pack
- POWERSTATE™ brushless motor delivers up to 550 ft-lbs of fastening torque & 600 ft-lbs of Nut-Busting torque on the mid-torque
- 6.0" in length provides most access in tight spaces on the mid-torque
- (2) M18 REDLITHIUM XC5.0 resistant batteries included. Provides increased protection against oils, greases, and solvents



MLK 3010-22

**\$1372<sup>99</sup>**

### Milwaukee® M18™ FUEL Hammer Drill/Impact Kit

- M18 FUEL™ 1/2" Drill Driver delivers 1,400 in-lbs of torque and 2,100 RPMs
- M18 FUEL™ 1/4" Hex Impact Driver delivers 2000 in-lbs of torque
- Includes (1) M18 FUEL™ 1/2" Hammer Drill/Driver, (1) M18 FUEL™ 1/4" Hex Impact Driver, (2) M18™ REDLITHIUM™ XC5.0 Batteries, (1) M18™ & M12™ Multi-Voltage Charger, Carrying Case, Side Handle and (2) Belt Clips



MLK 3697-22

**\$695<sup>99</sup>**

### Milwaukee® M18 FUEL™ 2-Tool Combo Kit

- Kit Includes: 1/2" hammer drill, 1/4" hex impact driver, (2) M18™ REDLITHIUM™ XC 5.0Ah battery pack, charger and carrying case.
- Brushless motor delivers unmatched power for full range of capability to complete the widest variety of applications
- Increase productivity on the jobsite with the fastest driving speed of any impact driver without sacrificing power or control
- Fastest drilling and driving applications under load
- Mechanical clutch for consistency in driving a wide range of fasteners



MLK 3697-22CXC

**\$637<sup>99</sup>**

### Milwaukee® M12™ Cordless LITHIUM-ION 3-Tool Combo Kit

- Includes M12™ 3/8" Drill/Driver, M12™ 1/4" Hex Impact Driver, M12™ HACKZALL™ Recip Saw, (2) M12™ RED LITHIUM CP1.5 Batteries, M12™ Battery Charger, and Tool Bag
- Lightweight, hex impact driver delivers 1000 in/lbs of torque and 0-2000 RPM
- Drill/driver delivers up to 275 in/lbs of torque and 0-400/0-1500 RPM
- Hackzall delivers 0-3,000 strokes per min and 1/2" stroke allows fast cutting



MLK 2498-23

**\$319<sup>99</sup>**



# POWER TOOLS

## Milwaukee® 1-5/8" Electromagnetic Drill Kit

- Includes 1-5/8" Electromagnetic Drill Kit, Safety Strap, Lubrication Spray Bottle, Chuck Key, 3/4" Weldon to 1/2" Chuck adapter, (2) 1" retractable pilot pins and Hard Carrying Case
- 13A motor delivers fast drilling with annular cutters or twist drill bits
- 2-speed gear box: 475/730 RPM

MLK 4272-21

**\$1909<sup>99</sup>** Milwaukee



## POWER RATCHETS

### Milwaukee® M12 FUEL™ 3/8" Extended Reach Ratchet Kit

- Up to 55 Ft-Lbs Max Torque
- Slim head profile and extended neck provide users with the longest reach in tight spaces
- Includes: 2560-20, (1) M12 REDLITHIUM™ 2.0 Battery, M12 Charger, Carrying Case, (2) Wrench

MLK 2560-21

**\$429<sup>99</sup>** Milwaukee



### Milwaukee® M12 FUEL™ 3/8" High Speed Ratchet Kit

- Includes: M12 FUEL™ 3/8" High Speed Ratchet(2567-20), (2) M12™ REDLITHIUM™ CP2.0 Battery Pack (48-11-2420), (1) M12™ Charger (48-59-2401), Contractor Bag

MLK 2567-22

**\$403<sup>99</sup>** Milwaukee



### Milwaukee® M12 FUEL™ 3/8" Cordless Ratchet - Bare Tool

- Up to 55 ft/lbs max. torque
- Delivers 200 RPM for increased productivity
- Recessed head profile for access in tight spaces

NOTE: Battery not included

MLK 2557-20

**\$294<sup>99</sup>**



### Milwaukee® M12 FUEL™ 3/8" Cordless Ratchet

- Delivers 35 ft.-lbs. torque
- Compact and lightweight design at 1.9 lbs. and 10-3/4" in length
- 3/4" low-profile head for work in tight spaces
- Variable speed trigger for maximum control
- Onboard LED to illuminate work area
- On-board battery fuel gauge
- REDLINK PLUS™ to prevent overloading or overheating

NOTE: Battery not included

MLK 2457-20

**\$189<sup>99</sup>**



### Milwaukee® M12 FUEL™ 1/4" Right Angle Die Grinder

- 0.3 HP motor output, Max RPM 24,500
- 4-speed RPM control for safer operation
- 20% more power than pneumatic
- Includes: M12™ 1/4" right angle die grinder, (2) M12 REDLITHIUM™ 2.0 batteries, M12 charger, Carrying case, (2) Wrench

**\$289<sup>99</sup>** Milwaukee

MLK 2485-22



## POWER GRINDERS

### Milwaukee® M18 FUEL™ 4-1/2"-6" Braking Grinder, Paddle Switch - Bare Tool

- POWERSTATE™ brushless motor: Delivers 9,000 RPM to provide the power to complete the toughest grinding and cutting applications
- M18™ REDLITHIUM™ FORGE™ XC8.0 Battery Pack delivers you HIGH OUTPUT™ HD12.0 power in a smaller size and the longest life vs. REDLITHIUM™ batteries
- REDLINK PLUS™ Intelligence: Most advanced system of electronics in the industry, enabling communication between batteries and tools, allowing for unmatched levels of performance, protection, and compatibility

NOTE: Battery not included

MLK 3670-20 **\$379<sup>99</sup>** Milwaukee



### Milwaukee® M18 FUEL™ 4-1/2"/5" Grinder With Slide Switch Lock-On - Bare Tool

- Delivers up to 135 cuts per charge
- Slide switch reduces user fatigue
- Compatible with all M18 batteries

NOTE: Battery not included

MLK 2881-20 **\$299<sup>99</sup>** Milwaukee



### Milwaukee® 4-1/2" Small Angle Grinder

- Compact and lightweight at 10.2" long and 3.5 lbs
- 7.0 Amp, 750 MWO motor
- Built in advanced airflow system, including debris baffles and Multi-Port exhaust

MLK 6130-33 **\$119<sup>99</sup>**



### JET® Heavy Duty Bench Grinder

- Steel wheel covers with rear dust exhaust ports
- Eye shields and spark guards for operator safety
- Includes coarse and medium grinding wheels

6" 1/3 HP  
JET 240153

**\$318<sup>99</sup>**

8" 1/2 HP  
JET 240154

**\$377<sup>99</sup>** JET



## POWER BANDFILES

### Milwaukee® M12 FUEL™ 1/2" X 18" Bandfile Bare Tool

- POWERSTATE™ Brushless Motor delivers the power to remove spot welds with the best-in-class material removal rate
- Two-Speed Settings (High 3,600 SFM/Low 1,800 SFM), Forward & Reverse Functionality
- Lock-On Button, Variable Speed Trigger
- Tool-free 360° arm rotation

NOTE: Battery not included

MLK 2482-20

**\$365<sup>99</sup>**



### Milwaukee® M12 FUEL™ 3/8" X 13" Bandfile Bare Tool

- POWERSTATE™ brushless motor delivers the power to remove spot welds with the best-in-class material removal rate
- Two-Speed settings (High 3,600 SFM/Low 1,800 SFM), Forward & reverse functionality
- Lock-On button, variable speed trigger
- Tool-free 360° arm rotation

NOTE: Battery not included

MLK 2483-20

**\$365<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# POWER TOOLS

## POWER POLISHERS

### Milwaukee® M18 FUEL™ 15mm Random Orbital Polisher Kit

- Power to correct heavy defects
- 8-speed dial with RPM's ranging from 2,650-5,100 RPM
- Variable speed trigger
- (1) M18 FUEL™ 15mm Random Orbital Polisher,
- (1) 5" Backing Plate (49-36-0401),
- (2) M18 REDLITHIUM™ HIGH OUTPUT™ XC6.0 Battery Packs (48-11-1865),
- (1) M18™ & M12™ Rapid Charger (48-59-1808),
- (1) Contractor Bag

MLK 2684-22HD **\$828<sup>99</sup>**



Same features as 2684-22HD in 21mm size.

### Milwaukee® M18 FUEL™ 21mm Random Orbital Polisher Kit

MLK 2685-22HD **\$849<sup>99</sup>**

### Carquest® 7" Variable Speed Electric Polisher

- Spindle size: 5/8" - 11, Variable speed: 1,000 - 3,000 RPM

EQP 7452 **\$229<sup>99</sup>**



### Milwaukee® M12™ Variable Speed Polisher/Sander

Bare Tool

- Dual mode control and variable speed trigger for increased user control
- Includes: 3" polishing backing pad (1), wool pad (1), white foam pad (1), 2" sanding backing pad (1), yellow foam pad (1)

NOTE: Battery not included

MLK 2438-20

**\$236<sup>99</sup>**



### Milwaukee® M12 FUEL™ Low Speed Tire Buffer

Bare Tool

- Power to complete passenger, light truck and commercial flat tire repair
- 2 modes for consistent flat repair - Drilling mode (1,200 RPM) & Buffing mode (2,500 RPM)
- Perform up to 30 flat tire repairs on a single XC4.0Ah battery charge

NOTE: Battery not included

MLK 2409-20 **\$256<sup>99</sup>**



### Milwaukee® M18™ 18V Cordless Tire Inflator - Bare Tool

- Ability to inflate tires over 100PSI, rated for 150 PSI Max
- PSI memory preset function
- Optimized for passenger, light truck and other medium duty tires
- Includes all brass schrader chuck, inflation needle, inflator nozzle, & presta chuck
- Fits all M18™ batteries

NOTE: Battery not included

MLK 2848-20 **\$269<sup>99</sup>**



### Milwaukee® M18 FUEL™ Blower - Bare Tool

- POWERSTATE™ Brushless Motor delivers a constant 500 CFM, 120 MPH, and 12.2 N of blow force
- Fully compatible with the M18™ System, featuring over 250+ tools
- REDLINK PLUS™ Intelligence offers total system communication between tool and battery for unmatched levels of performance, protection, and productivity

NOTE: Battery not included

MLK 3017-20 **\$299<sup>99</sup>**



### Milwaukee® M18 FUEL™ Deep Cut Band Saw Kit

- POWERSTATE™ brushless motor increased cutting speed and power through the toughest applications
- CPT Constant Power Technology™ maintains cut speed in the toughest applications for optimal performance
- Jobsite Armor Technology™ proprietary composite material and crush zone barriers provide long-lasting rugged protection
- Tool-free locking adjustable shoe, button actuated tool-free design allows user to quickly adjust from an extended shoe to no shoe in seconds
- LED light illuminates work surface for increased accuracy and productivity
- M18 FUEL™ Deep Cut Band Saw (Tool Only)(2729-20),
- (2) M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery Pack(48-11-1850),
- (1) M18™ & M12™ Multi-Voltage Charger (48-59-1812)

MLK 2729-22

**\$856<sup>99</sup>**



### Milwaukee® M18 FUEL™ SAWZALL® Recip Saw

- SAWZALL™ is designed to perform in the most demanding applications and is our most durable cordless reciprocating saw yet
- A Wear-Resistant blade change, anti-corrosion blade clamp, and metal reinforced battery rails provide longer component life and stand up to the toughest jobsite conditions

NOTE: Battery not included

MLK 2821-20 **\$321<sup>99</sup>**



### Milwaukee® M18™ 2-Gallon Wet/Dry Vacuum

Bare Tool

- Powerful suction for wet & dry applications
- 45 CFM & 32" of Suction
- Includes 6' flexible hose, crevice tool, utility nozzle, and certified HEPA filter

NOTE: Battery not included

MLK 0880-20 **\$208<sup>99</sup>**



## BATTERIES & CHARGING

### Milwaukee® M18™ RED LITHIUM™ XC5.0 Extended Capacity Battery Pack

MLK 48-11-1850

**\$269<sup>99</sup>**



### M18™ High Output XC6.0 Battery Single Pack

MLK 48-11-1865

**\$309<sup>99</sup>**



### Milwaukee® M18™ RED LITHIUM™ XC5.0 Starter Kit

- Includes M18™ REDLITHIUM™ XC5.0 Extended Capacity Battery and Multi-Voltage Charger

MLK 48-59-1850 **\$329<sup>99</sup>**



### Milwaukee® M12™ REDLITHIUM™ HIGH OUTPUT™ XC5.0 Battery

MLK 48-11-2450 **\$199<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# AIR TOOLS/AIR HOSES

## JET 6-Piece Air Hammer Kit – Super Heavy Duty

- Super Duty .401" shank, long barrel air hammer
- Shock Vibration Reduction" technology ensures operator comfort, safety and prevents potential physical damage
- Hits harder with less effort
- Designed with an ergonomic "T" handle grip for balance and comfort
- Developed for demanding use such as: exhaust systems, front end work, bushing driving, cutting, general repairs and heavy production work
- Equipped with heavy duty quick coupler retainer for quick bit changes
- Complete with 5 bits in a blow mould case

JET 404136

**\$438<sup>99</sup>** JET



## AIR GRINDERS

### JET® 2-in-1 Air Die Grinder

- Ball bearing construction for maximum tool life and durability
- Lever throttle for positive speed control

JET 402148

**\$152<sup>99</sup>** JET



### JET® .3 HP 1/4" Mini Die Grinder

- Lightweight and ergonomic design reduces user fatigue
- Compact design for use in confined areas
- Powerful .3HP motor delivers exceptional power and performance
- Self-locking throttle lever for added safety

JET 402109

**\$139<sup>99</sup>**



## ProValue™ 6" Dual Action Quiet Air Sander

- All steel balance minimizes vibration while blending and smoothing
- Bolt style hub mounting
- Orbital motion

EQP 2310-PV

**\$109<sup>99</sup>** ProValue



## Tru-Flate Plastic Pistol Grip Blowgun

- Lightweight plastic with ergonomic design
- Brass valving and bushing ensure long life

CPM 18-325

**\$5<sup>99</sup>**

TRU-FLATE



## Milton® 1/4" FNPT Dual Head Air Chuck

MIL 5690 **\$13<sup>99</sup>**



## FITTINGS, PLUGS, AND COUPLERS

### Tru-Flate Air Hose Fittings, Plugs and Couplers

TRU-FLATE

Type	Size	Quantity	Line Code	Part Number	Price
1/4" FNPT Combo Coupler	1/4"	1	CPM	13-515	<b>\$6.99</b>
3/8" ID Hose Splicer	3/8"	1	CPM	21-467	<b>\$4.49</b>
MNPT 1/4" ARO Plugs	1/4"	2	CPM	12-325-2	<b>\$3.99</b>
1/4" I/M Coupler/Plug Set	1/4"	1	CPM	13-201	<b>\$8.99</b>
MNPT 1/4" I/M Plug	1/4"	2	CPM	12-225-2	<b>\$2.99</b>

## FITTINGS, PLUGS, AND COUPLERS

### Tru-Match™ Couplers & Plugs Kit

TRU-FLATE

- Contains one (1) 1/4" Male Coupler, one (1) Female Coupler and two (2) Female Plugs and three (3) Male Plugs

I/M style  
CPM 13-209R

**\$33<sup>99</sup>**

A style  
CPM 13-309G

**\$33<sup>99</sup>**



### Tru-Flate Hi-Flo Couplers & Plugs Kit

TRU-FLATE

Ten Piece Kit

- Contains one (1) 1/4" Male Coupler, two (2) Female Couplers, three (3) Female Plugs, and four (4) Male Plugs

CPM 13-907

**\$57<sup>99</sup>**



## AIR HOSES

### Flexzilla® Pro Air Hoses

FLEXZILLA PRO

- Extreme all-weather flexibility (-40° to 140°F)
- Field repairable – Reusable anodized aircraft aluminum fittings

Size	NPT	Line Code	Part Number	Price
3/8" x 25'	1/4"	LEG	HFZ3825YW2	<b>\$39.99</b>
3/8" x 50'	1/4"	LEG	HFZ3850YW2-CA	<b>\$71.99</b>
1/2" x 50'	3/8"	LEG	HFZ1250YW3-CA	<b>\$84.99</b>
3/8" x 25'	1/4"	LEG	HFZP3825YW2	<b>\$39.99</b>
3/8" x 50'	1/4"	LEG	HFZP3850YW2	<b>\$71.99</b>



### Rubber Air Hose

- Ideal for rugged applications where hoses come in contact with concrete or other rough surfaces

Size	MNPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	552-50AE	<b>\$47.99</b>



### Ultra Air Hybrid Air Hose

- Ideal for general purpose applications
- Lighter in weight than rubber and more flexible than PVC

Size	NPT	Line Code	Part Number	Price
3/8" x 50'	1/4"	CPM	575-50A	<b>\$50.99</b>
1/2" x 50'	3/8"	CPM	573-50A	<b>\$69.99</b>



### Nylon Recoil Air Hose

- Retains its self-coiling properties and stores itself when finished
- Can be used with all air-powered equipment on the job site and in garages, plants and service stations
- Swivel end fittings reduce hose twist

Size	NPT	Line Code	Part Number	Price
1/4" x 25'	1/4"	CPM	4-25E-TF	<b>\$14.99</b>



### Milton® EPDM 3/8" ID rubber air hose

MILTON

- Maximum working pressure is 250 pounds per square inch
- Burst pressure ratings up to 1,000 pounds per square inch
- solid structure

3/8" x 25'  
MIL 1634

**\$78<sup>99</sup>**

3/8" x 50'  
MIL 1635

**\$136<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# AIR COMPRESSORS

## AIR HOSES REELS

**Flexzilla® Enclosed Plastic Retractable Air Hose Reel with Hose**

- Auto Retract/Latch Hose Mechanism - Simplifies every job by keeping excess hose out of the work space

3/8" x 50', 1/4" NPT  
LEG L8250FZ

**\$231<sup>99</sup>**

**FLEXZILLA**



**LINCOLN® All-Steel Hose Reels**

**LINCOLN**

- All steel construction, spring-powered automatic recoil, 5-position adjustable outlet arm
- 8-position ratchet gearing locks the reel at the desired hose length
- Ball stop included

50' x 3/8"


LIN 83753

**\$469<sup>99</sup>**

50' x 1/2"

LIN 83754

**\$529<sup>99</sup>**



## SDI - STANDARD DUTY INDUSTRIAL AIR COMPRESSORS



**2-Year Warranty**

Line Code	Part Number	SCFM @ Max. Pressure	HP	Voltage/Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVR	IS5-10080V-03	18 SCFM @ 150 PSI	5 HP	230/60/1	80G V
DVR	IS5-4060-03	11.4 SCFM @ 125 PSI	5 HP	230/60/1	60G V
DVR	IS5-5580-03	15.4 SCFM @ 150 PSI	5 HP	230/60/1	80G V
DVR	IS7-10080-03	22.7 SCFM @ 150 PSI	7.5 HP	230/60/1	80G V

\* Contact your local store for pricing, delivery cost, and availability

**FINANCE IT**

ASME Approved Air Receivers, Cast Iron Compressor Pump, Totally Enclosed OSHA Belt Guard, Unloaded Starting, Ball Valve Air Outlet, Splash Lubrication

## HDI - HEAVY-DUTY INDUSTRIAL PISTON AIR COMPRESSORS



**7-Year Warranty**

Line Code	Part Number	CFM @ 150 PSI	HP	Voltage/Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVR	TAPV-5052-03MS	19.8 CFM	5 HP	230/60/1	80G V
DVR	TASV-5052-03MS	25.9 CFM	7.5 HP	230/60/1	80G V

\* Contact your local store for pricing, delivery cost, and availability

**FINANCE IT**

Available with or without mounted and wired magnetic starter. Optional constant RUN-STOP-START controls. Duplex and other custom products available.



## STANDARD DUTY INDUSTRIAL AIR COMPRESSOR MAINTENANCE KITS

**MK-55 For DEV-55 Pump**

- Includes 4L of premium mineral oil, 2 air filters

DVR MK55 **\$149<sup>99</sup>**

**MK-100 For DEV-100 Pump**

DVR MK100

**\$149<sup>99</sup>**



## COMPRESSOR OILS

**DV Lube System Premium Mineral Compressor Oil**

SAE 20 4 Liters

**\$99<sup>99</sup>**

DVR PR-20-4

SAE 30 4 Liters

**\$99<sup>99</sup>**

DVR PR-31-4

**Milton® ISO 100 Air Compressor Oil 32 Ounces**

- Maintains viscosity in the temperature range of 20° Fahrenheit to 440° Fahrenheit
- High oxidation resistance

MIL 1002-32 **\$24<sup>99</sup>**

**MILTON**



## Performance Tool® Portable Air Tanks

- Includes industrial grade hose with tire chuck, pressure gauge and on/off air adjustment dial

5-Gallon  
PFT W10005

**\$44<sup>99</sup>**

**PT**  
Performance Tool®



## INCANDESCENT WORKLIGHT

Use With Rough Service Incandescent Light Bulbs Only! (Not Included)

**Bayco® Incandescent Work Light with Metal Guard**

25' with single outlet  
BAY SL-425A

**\$41<sup>99</sup>**

**BAYCO**

**Cliplight Work Incandescent Lamp with Metal Shield 23'**

- Power outlet included in handle with circuit breaker

SWL 101307

**\$59<sup>99</sup>**

**CLIGHT**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# LIGHTING

## LED WORKLIGHTS

### Grote® BriteZone™ LED Work Lamps

- Rugged, durable construction for use in all kinds of tough conditions
- Sizes and brightness to meet your needs

Round - 1600 Lumens  
LTG BZ101-5

**\$49<sup>99</sup>**

Slim - 1400 Lumens  
LTG BZ301-5

**\$49<sup>99</sup>**

Square - 1100 Lumens  
LTG BZ201-5

**\$49<sup>99</sup>**

Small Round - 1240 Lumens  
LTG BZ111-5

**\$49<sup>99</sup>**

Rectangular - 1200 Lumens  
LTG BZ551-5

**\$49<sup>99</sup>**

### Cliplight Clipstrip™ Array LED Pocket Light

- Includes pivoting magnetic clip and 3 AAA batteries

Yellow  
SWL 111112

**\$14<sup>99</sup>**

**CLIGHT**

### Bayco® 60 LED Work Light on Retractable reel

50', 18/2 SVT cord

BAY SL-864

**\$199<sup>99</sup>**

**BAYCO**

### Bayco® 1,200 Lumen LED Worklight

- Dual-brightness 1,200/600 lumens
- 2 integrated magnets at the tip and mid body
- Removable magnetic hook

BAY SL-2135

**\$164<sup>99</sup>**

**BAYCO**

### Bayco® 60 LED Worklight with Magnetic Hook

- Includes (2) magnets and detachable magnetic hooks

25', 18/2  
BAY SL-2125

**\$96<sup>99</sup>**

**BAYCO**

### Bayco® 2-in-1 Rechargeable LED Worklight with Spotlight in Handle

- Includes (2) built-in magnets and detachable magnetic hooks
- Flat bottom design allows the light to stand up

34 LED  
BAY SLR2134


**\$21<sup>99</sup>**

66 LED  
BAY SLR-2166

**\$89<sup>99</sup>**

**BAYCO**

**Grote**



## LED WORKLIGHTS

### Bayco® Nightstick Rechargeable Work Light

- Dual-brightness 600/225 lumens floodlight
- 3 integrated magnets and detachable magnetic hook
- Lithium-ion rechargeable battery
- Includes both AC and DC power supply / charger

BAY NSR2168R

**\$104<sup>99</sup>**

**BAYCO NIGHTSTICK**



### Milwaukee® M12™ Underbody Light Kit

- 1200 lumens of TRUEVIEW™ high definition output
- 3 power modes for up to 15 hours of run-time
- IP54: dust and water resistance
- Light head swivels 300° horizontally & 180° vertically
- 12" extended arm swivels 300° horizontally & 130° vertically
- Includes M12™ Underbody Light Kit, (1) M12™ REDLITHIUM™ XC 4.0 Extended Capacity Battery Pack, (1) M12™ Lithium-ion Battery Charger

MLK 2126-21XC

**\$396<sup>99</sup>**

**Milwaukee**



### Milwaukee® M18 Stick Light

- 300 lumens of TRUEVIEW high definition output
- Pivot allows for 180° of coverage
- Removable Lens Plate allows user the ability to replace lens plates when damaged

NOTE: Tool only. Battery not included

MLK 2352-20

**\$89<sup>99</sup>**

**Milwaukee**



### Milwaukee® M12™ ROVER™ Service and Repair Flood Light w/ USB Charging

- 700 lumens of TRUEVIEW™ high definition output
- Up to 24 hours of runtime with 4.0XC battery
- IP54: dust and water resistance
- 120° Pivoting Head & Magnetic Base

NOTE: Tool only. Battery not included

MLK 2367-20

**\$99<sup>99</sup>**

**Milwaukee**



### Cliplight HEMI Series **CLIGHT**

- Unique hemispherical lens design provides a super-wide 70° clean, powerful beam with no hot spots or halos
- Sliding hooks and magnet (optional) allow highly flexible positioning in engine compartment or work area
- Easy to replace lens shield protects lens and LEDs, replaces in minutes
- Built Shop Tough with a no-slip grip and recessed on/off switch
- 10 plus years of reliable performance

### Cliplight LED Rechargeable HEMImini™

- Super bright and compact light runs for 4 hours at 1000 lumens or for a full 8 hours at 500 lumens
- Powered by a single advanced LED and a smart lithium ion battery. Includes mini-USB charger

SWL 114301

**\$119<sup>99</sup>**



### HEMIPLUS™ 2 Rechargeable Worklight

- Rechargeable LED worklight that runs 8+ continuous hours at 600 lumens and 4+ hours with a full 1200 lumens of brightness
- Powered by two high-powered LEDs and a lithium ion battery charged by mini USB

SWL 114302

**\$174<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# LIGHTING/SHOP EQUIPMENT

## EXTENSION CORDS

### Bayco® Retractable Metal Cord Reel with 3 Outlets

- 3 separate grounded outlets
- 13 amp rating
- Built-in LED status light
- Includes mounting brackets

30', 14/3 SJT Cord

BAY SL-801 **\$119<sup>99</sup>** **BAYCO**



### Bayco® Retractable Polymer Cord Reel with 3 Outlets

- 3 separate grounded outlets
- 13 amp resettable circuit breaker

50', 14/3 SJT cable

BAY SL-8903 **\$179<sup>99</sup>** **BAYCO**



### Bayco® Cold Weather Extension Cord w/ Single Lighted Outlet

50', 14/3 BAY SL-994 | 25', 14/3 BAY SL-993

**\$99<sup>99</sup>** **\$55<sup>99</sup>** **BAYCO**



### Bayco® Cold Weather Single-Tap Extension Cord

50', 16/3 BAY SL-750 | 25', 16/3 BAY SL-725

**\$55<sup>99</sup>** **\$30<sup>99</sup>**



Don't see the Extension Cords or Lighting your shop needs? Contact your local store for an even wider selection.

## SHOP PRESSES

### STRONGARM® Shop Press Super Heavy Duty

- For metal bending, straightening, flattening and compression
- Aids in installing or removing gears, bushings and bearings
- Welded frame for added strength
- Includes: Protective guard, combination V block and pressing adapter set
- Press head moves from side to side for added pressing flexibility
- Liquid filled gauge accurately shows operator pressing force applied
- 20 ton and 30 ton capacity units available



20 Ton JET 032181

\* Contact your local store for pricing and availability

**FINANCE IT**

30 Ton JET 032182

\* Contact your local store for pricing and availability

**FINANCE IT**

**STRONGARM**

## SHOP SEATS AND CREEPERS

### DieHard® Toolbox Roller Seat **DieHard**

- Maximum weight capacity: 350lbs
- 3 drawers system with side racks for tools storage.
- Vinyl padded seat cushion for maximum comfort and support
- Steel frame construction
- Four 2.5" polyurethane swivel casters for easy movement

EQP DH20002 **\$122<sup>99</sup>**



### DieHard® Pneumatic Shop Seat **DieHard**

- 17"-22" height adjustment
- Maximum weight capacity: 250 lbs.
- Ball bearing swivel casters
- Tool tray under seat
- Steel construction
- Full padded seat

EQP DH20017 **\$74<sup>99</sup>**



### DieHard® Creeper Seat **DieHard**

- Maximum weight capacity 300 lbs.
- All steel construction
- Heavy-duty supports
- Thick vinyl seat
- Large tool tray

EQP DH20018 **\$44<sup>99</sup>**



### DieHard® 36" 6-Caster Steel Car Creeper

- Padded head rest for added comfort
- Maximum weight capacity 250 lbs

EQP DH20010 **\$59<sup>99</sup>** **DieHard**



### DieHard® 40" Plastic Creeper

- Six swivel casters for easy maneuverability
- Molded storage trays on each side of creeper
- Maximum weight capacity 250 lbs

PFT DH20016

**\$49<sup>99</sup>** **DieHard**



## BENCH VISES

### JET® Tools Heavy Duty Bench Vises



- Exclusive integrated anvil provides extra work area for added versatility
- Heavy duty 30,000 PSI ductile iron casting provides excellent strength and high clamping pressures
- CNC machined mating surfaces provide smooth, reliable action
- Replaceable machinist jaws provide safe, secure grip on a variety of materials
- Safety stop prevents jaw from separating from body
- Unbreakable SG Iron vise nut is easily replaced when worn
- Limited Lifetime Warranty

5" Swivel Base Vise - HD  
JET 320152

**\$286<sup>99</sup>**

8" Heavy Duty British Pattern Bench Vise  
JET 320335

**\$595<sup>99</sup>**

4" JBPV Series  
JET 320332

**\$168<sup>99</sup>**

5" JBPV Series  
JET 320333

**\$285<sup>99</sup>**

6" Bench Vise - HD

JET 320334 **\$359<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# A/C SERVICE SYSTEMS



## A CPS® Maxxair MSX1234 R-1234yf Refrigerant Management System

- Fully Automatic R1234yf RRR unit. Choose between SAE mode or international mode which provides faster service times
- 7" colour touchscreen with quick access to all functions from the main screen and step by step guidance for all processes
- Integrated refrigerant identifier detects foreign refrigerants and prevents contamination of on-board recovery tank
- Automatic oil drain indicates how much oil was removed from the system during recovery
- Hybrid/EV certified, automated hose flush process to prevent cross contamination of A/C oils
- A/C refrigerant capacity database allows users to lookup vehicle charge capacity and oil type directly on the machine

CPS MSX1234

\* Contact your local store for pricing and availability

**FINANCE IT**

**cps**

## B CPS® Maxxair MSX3030 R134a/R1234yf A/C Service System

- Fully Automatic R134a & R1234yf RRR unit. Choose between SAE mode or international mode which provides faster service times
- Quickly switch between refrigerants in 10 minutes. Requires on-board tank & service hoses to be changed
- 7" colour touchscreen with quick access to all functions from the main screen and step by step guidance for all processes
- Integrated refrigerant identifier detects foreign refrigerants and prevents contamination of on-board recovery tank
- Automatic oil drain indicates how much oil was removed from the system during recovery
- Hybrid/EV certified, automated hose flush process to prevent cross contamination of A/C oils
- A/C refrigerant capacity database allows users to lookup vehicle charge capacity and oil type directly on the machine

CPS MSX3030

\* Contact your local store for pricing and availability

**FINANCE IT**

**cps**

## C CPS® MAXXAIR R-134a A/C Service System

- 7" Color touch-screen control panel
- Refrigerant Management System monitors filter life and refrigerant usage
- Quickly access all functions from the main screen
- Home Screen features 5 Selectable Functions along with touch keys and information icons
- Refrigerant Charging Screen with interactive touch pad and port selection, database, and change UOM touch keys
- Supports multiple languages/UOM
- Hose management built into the handle assembly
- 12.67cc Oil-less Compressor: designed and built by CPS for high capacity commercial applications, eliminates failure issues due to improper oil filling of traditional compressors
- Motor-controlled ball valves: opens wider for greater flow, resistant to clogging of debris or sealants, faster recovery and tank fill
- 30 lbs Tank

CPS MSX134

\* Contact your local store for pricing and availability

**FINANCE IT**

**cps**

## D Robinair® AC1234-4 Premier R-1234yf Recover, Recycle and Recharge Machine

- Fully automatic operation
- 98.5% recovery efficiency
- Charge accuracy within +/- 1/2 oz
- Automatic internal tank refill
- Automatic oil drain shows how much oil was removed from system during service
- Automatic air purge removes the potential of air accumulating in the internal tank
- Integrated refrigerant identifier (meets SAE J2927)
- Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly
- System leak test to identify gross leaks in a system
- Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals
- Meets and exceeds SAE J2843 requirement for R-1234YF Recover, Recycle and Recharge equipment

RAR AC1234-4

\* Contact your local store for pricing and availability

**FINANCE IT**

**ROBINAIR**

## E Robinair AC1234-9 Connected R-1234YF ACS Machine

- Meets or exceeds SAE J2843 standards for R-1234yf recovery
- Integrated refrigerant analyzer protects machine and vehicle system
- Industry-leading 10.5" hi-res touch screen with easy-to-use controls
- Wi-Fi® and Bluetooth® connectivity for wireless accessories and performance enhancements
- Legendary Robinair quality, field and service support
- Built-in training videos and speaker with web access for more training and A/C service info
- MOPRIA ready, with a report export option for customers or insurance companies
- Includes wireless software updates and refrigerant capacity database access

RAR AC1234-9

\* Contact your local store for pricing and availability

**FINANCE IT**

**ROBINAIR**

## UView Spotgun Oil Injection Kit

- One step application - Pull the trigger to inject a precise amount of oil into the A/C system.
- Allows for compliance with J2788 or J2843 SAE standards (separate oil injection)
- Excellent for use with SAE certified A/C equipment

### R-1234yf Compliant with J2843

- Kit includes Spotgun™ injector
- R-1234yf adapters
- PAG 46 HFO oil cartridge 240 mL

UVW 481500YF

**\$123<sup>99</sup>**

**UVIEW**



## A/C OILS & DYES

### A/C ExtenDye™ Cartridge

- 240 mL services up to 64 Vehicles

UVW 499108A

**\$69<sup>99</sup>**

**UVIEW**



### PAG 46 HFO Oil Cartridge for R1234yf Systems

- For use in R-1234yf systems and is backward compatible for use in R-134a and R-12 systems

8 oz UVW 488046YF

**\$28<sup>99</sup>**

**UVIEW**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# DIAGNOSTIC TOOLS

## UV Phazer™ BLACK Leak Detection Light

- Powerful, true UV LED illuminates up to 11X brighter
- 400nm wavelength fluoresces dyes brighter
- Provides more contrast than blue light, making leaks easier to identify
- Adjustable lens allows quick scan for larger leaks, or a concentrate of light for hard to find smaller leaks.
- A compact housing allows for access into tight spaces
- Includes: Set of AAA Batteries and Yellow Inspection Glasses

UVW 413075

**\$93<sup>99</sup>**



## MITYVAC® COOLANT TEST AND REFILL KITS

### Mityvac® Cooling System Pressure Test Kit

- Run complete cooling system test. Includes easy-to-grip adapters to test most US and Asian vehicles
- Large capacity hand pump requires fewer strokes to pressurize system
- Thumb operated relief valve for quick pressure release

LIN MV4530

**\$419<sup>99</sup>**



### Mityvac® Universal Cooling System Test Kit

- Replaces more than 20 individual adapters for cars, vans, light- and heavy-duty trucks
- Built to ensure an air-tight seal with a radiator or coolant bottle neck
- The high-volume, hand-operated pump builds pressure quickly to locate leaks
- The tester features a large, easy-to-read 2.5" diameter gauge with clearly indicated pressure test zones
- Convenient push-button valve safely relieves pressure when testing is complete

LIN MV4534

**\$296<sup>99</sup>**



## Autel® MaxiBAS BTMS

- Preserves vehicle codes and electronic presets when replacing battery
- Enables vehicle computer to be powered and maintain data when connected to backup battery
- Connects to vehicle via OBDII and 12 V battery with alligator clips
- Features surge protection and LED status lights

AIT BTMS

**\$69<sup>99</sup>** **AUTEL**



## Autel® MaxiBAS BT608 Battery and Electrical System Tester

- Tests the battery, starter, alternator and parasitic draw
- Read and erase codes and view live data
- 5.5" Android-based touchscreen with user friendly graphic interface
- Wirelessly connects with VCI via Bluetooth
- Auto registration after battery replacement for 53 vehicle makes
- Step-by-step electrical reset instructions
- AutoVIN & VINScan to automatically identify battery parameters by VIN
- Illustrated instructions for battery positioning and testing
- Create customized customer repair reports and share with built-in thermal printer, WiFi printing via PC or email

AIT BT608

**\$799<sup>99</sup>** **AUTEL**



## COMBUSTION LEAK TESTER

### UView Combustion Leak Tester

Works On Gasoline and Diesel Engines

- A fast, economical and highly accurate method to test for combustion gas leaks in Head Gaskets, Cylinder Heads and Engine Blocks
- Features a dual-chamber design for higher accuracy to eliminate false readings
- First chamber will filter out any alkaline particles that could result in a false indication of a combustion leak
- Test results in the second chamber will provide a true indication of a combustion leak
- Colour change provides positive proof of a leak

- Gasoline Engines - Tester fluid changes from blue to yellow
- Diesel Engines - Tester fluid changes from blue to green

UVW 560000

**\$109<sup>99</sup>**



### Lisle® Combustion Leak Detector

- Checks for combustion leaks caused by bad head gaskets, cracked blocks, and cracked or warped heads
- Fluid changes from blue to yellow when exposed to combustion gases from the radiator
- With the engine running, the vehicle vacuum or the vacuum pump draws vapors through the indicating fluid for testing

LST 75500

**\$51<sup>99</sup>**



## Autel® MaxiVideo MV480 Digital Videoscope

- Dual front & side 2 MP cameras take high resolution images & video (1920 x 1080)
- Dual front & side 10,000 lux 10-level adjustable LED lights
- 8.5 mm camera head with wider 70° field of view
- 4.1" Full color LCD display
- Record and playback still images and video clips
- On-screen horizontal/vertical reverse
- 7X digital zoom for increased viewing
- 1 meter semi-rigid watertight cable
- Magnet and hook included

AIT MV480

**\$479<sup>99</sup>**

**AUTEL**



## Launch X-431 Throttle III LAUNCH

- OE-level U.S. vehicle coverage as well as Asian, European coverage from 1996 and newer
- Optional ADAS calibration application to calibrate LDW, RCW, AVM, NV, BSD and ACC system accurately.
- OE-Level bi-directional functionality
- Support communication protocols CAN/CAFD/DoIP and automotive communication standards J/D-PDU/RP1210
- TECH 2 TECH remote diagnosis and technician collaboration
- Auto Detect VIN to access to vehicle info within seconds
- OE vehicle approved Security Gateway access by FCA certified
- Code Assist by Identifix, access most common fixes and repair solutions with corresponding DTC
- Topology module mapping overview virtually the all-systems communication status

LCH 301180833

\* Contact your local store for pricing and availability

**FINANCE IT**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# DIAGNOSTIC TOOLS

## Autel® AutoLink® AL529HD

- 320 x 240 LED display
- OBDII 16-Pin Cable
- Updates through USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for engine
- Read enhanced powertrain codes on GM, Ford and Chrysler
- One-click I/M Readiness and LED Indicator
- Graph, record and playback live data and display freeze frame data
- Support all 10 OBDII test modes
- Enhanced Mode 6 Diagnostics
- Tests O<sub>2</sub> monitor, on-board monitor, component and O<sub>2</sub> sensor
- **FREE** Lifetime Software and 1-Year Warranty
- Deutsch-9 & Deutsch-6 adapters
- Supports J1939 & J1708 HD protocols vehicle manufacturers 1996 to Present



AIT AL529HD

**\$199<sup>99</sup>** **AUTEL**

## CODE READERS

### Autel® AutoLink® AL629 Code Reader

- 320 x 240 LED display
- OBDII 16-Pin Cable
- Updates through USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for ABS, SRS, engine and transmission
- Graph, record and playback live data and display freeze frame data
- I/M emissions readiness
- Support all 10 OBDII test modes
- Enhanced Mode 6 Diagnostics
- Tests O<sub>2</sub> monitor, on-board monitor, component and oxygen sensor
- **FREE** Lifetime Software and 1-Year Warranty



AIT AL629

**\$279<sup>99</sup>** **AUTEL**

### Autel® AutoLink® AL329 Engine Code Reader

- 320 x 240 LED display
- OBDII 16-pin cable
- Updates through USB cable, print via PC
- Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- Auto VIN for quick DTC definitions
- Read and erase DTCs for engine
- One-click I/M Readiness and LED Indicator
- Display live and freeze frame data
- Support all 10 OBDII test modes
- **FREE** Lifetime Software and 1-Year Warranty



AIT AL329

**\$64<sup>99</sup>** **AUTEL**

### Launch CReader VII with Full Colour LCD Screen

- Read & clear OBD-II trouble codes, view and graph live data in full colour, perform oil service light resets and more
- Special tests include: I/M Readiness, MIL Status, O<sub>2</sub> Sensor, EVAP System, Vehicle Info, Code Look-Up and On-Board Monitor Test



LCH 301050139

**\$84<sup>99</sup>** **LAUNCH**

## AUTEL® MAXISYS SCANNERS

### Autel® MaxiSYS MS919

- 9.7" Touchscreen (1536px x 2048) / Android 7.0
- 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAh - 8hrs Continuous Operation / 16MP Rear Camera & 5MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes Advanced VCI Converged VCI and Oscilloscope
- **FREE** 1-Year Software and 1-Year Warranty



AIT MS919

\* Contact your local store for pricing and availability

**FINANCE IT**

### Autel® MaxiSYS MS909

- 9.7" Touchscreen (1536px x 2048px)
- Android 7.0
- 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAh - 8hrs Continuous Operation / 16MP Rear Camera & 5MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes MaxiFlash VCI with J2534, RP1210, ISO 22900, D-PDU, DoIP/CAN FD & Mega CAN Protocols
- **FREE** 1-Year Software and 1-Year Warranty



AIT MS909

\* Contact your local store for pricing and availability

**FINANCE IT**

### Autel® MaxiSYS MS906PRO-TS Diagnostic Tablet

- Advanced diagnostic tablet for U.S., Asian and European vehicles, 1996 and newer
- Complete TPMS servicing: Activate/read all known sensors, diagnose system, program 1-Sensor, relearn sensors
- 8-inch Wireless Touchscreen tablet with embedded antenna
- Bluetooth-enabled MaxiSYS VCI200 Octa-Core Processor/128 GB memory/4 GB RAM
- Read/Erase Codes, View Freeze Frame and Live Data
- Performs all system scan with ADAS identification/Customizable Pre & Post scans
- Bi-directional control capability including Active test/Performs coding and adaptations



AIT MS906PRO-TS

\* Contact your local store for pricing and availability

**FINANCE IT**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

For more information, contact your local CarQuest representative.

# DIAGNOSTIC TA

## AUTEL® MAXISYS SCANNERS

### Autel® MaxiSYS MS906MAX

- 10.1-inch touchscreen wireless professional diagnostics and service tablet
- Extensive vehicle coverage of U.S., Asian and European vehicles, 1996 and newer
- Perform all-systems diagnostics including read and erase codes, view and graph Live Data
- Perform bi-directional Active Tests and Special Functions
- Extensive service and maintenance task menu
- Perform coding and adaptations
- Includes Bluetooth-enabled MaxiVCI V200 for support of standard and advanced communication protocols
- 128GB storage and extended battery life
- Supports direct battery, starter and charging system testing and videoscope use with additional product purchases
- Includes one-year free software updates and is covered by one-year Limited warranty

AIT MS906MAX

\* Contact your local store for pricing and availability

**FINANCE IT**



### Autel® MaxiSys Ultra S2

- MaxiSYS Ultra S2 is a 13.7-inch touchscreen Android-based tablet featuring 512 gigabytes of storage and a 6-in-1 vehicle communication and measurement device
- Comprehensive coverage of U.S., Asian, and European vehicles, 1996 and newer, with advanced diagnostics, including active tests, special functions, and coding and adaptations
- Topology 3.0: OE-Style System Analysis of Multi-Speed Communication Protocol Networks, Active Module and Network Analysis: Locate and Directly Ping ECUs to Test Signal Quality and Network Integrity
- Enhanced Oscilloscope: Launch Scope directly from Live Data; EV Tests, including AC/DC Charging, HV Component, Interlock Loop Signal, Power-On Ctrl, Resolver Sensor, and Thermal Management Sys; Added Parasitic Current Draw, Swing Tests
- Multi-point Digital Vehicle Inspection: AI-powered image analysis for auto-detection of dents and scratches; Pair with Autel TBE200 Tire Tread Examiner and ITS600 TPMS tool to produce detailed tire analysis

AIT MSULTRAS2

\* Contact your local store for pricing and availability

**FINANCE IT**



### Autel® MaxiCheck MX900

- 8" corded Wi-Fi-enabled touchscreen tablet
- Compatible with U.S., Asian, and European vehicles, 1996 and newer
- Read and erase codes, view and graph live data, view freeze frame data
- Perform bi-directional Active Tests and Special Functions
- Extensive, 40-plus service menu including brake bleed, oil and service lights resets, battery registration, DPF regen, and electronic parking brake and steering angle resets
- Android 11OS, 1.8 Ghz processor, and 7 hours of continuous battery life
- Update firmware and coverage software wirelessly
- One Year Limited Warranty

AIT MX900

**\$849.99**



## LAUNCH Gear Scan Plus

- Extensive vehicle coverage for over 95% US, Asian, and European vehicle makers
- Powerful OE-Level coverage for all vehicle systems
- Smart auto ID vehicle (VIN, CIN, & CVN)
- Support all 10 OBDII test modes
- One-click I/M Readiness
- DTC library with definitions & tips
- Graphing, record and replay data
- Health reports sharing

- Support resets functions: Oil Light, EPB, BMS, IMMO, DPF, ABS Bleeding, TPMS, SAS, Sun-roof Initialization, Throttle matching, Injector Relearn
- 7-inch IPS touch screen
- Built-in 6000 mAh rechargeable battery, long standby time

LCH 301050458

**\$609.99**



## AUTEL® MAXISYS EV SCANNER ACCESSORIES

### Autel® EV Diagnostics Upgrade Kit

- Includes EVDiag Box, testing software, and adapters for specific vehicles to enable testing of electric vehicle battery packs
- EVDiag Box is compatible with the MaxiSys Ultra, MaxiSys Ultra ADAS, MaxiSys MS919, and MaxiSys MS909

AIT EVDIAGKIT

**\$1499.99**



## AUTEL® TABLET ACCESSORIES

### \*\*Autel® Total Care 1-Year Software Updates

- Extends software subscription for additional 12 months
- Ensures tablet has latest vehicle coverage, Make, Models and Years
- No-Cost Battery and/or Tablet Replacement (excludes misuse and loss/theft)

Compatible Tablets	Line Code	Part Number	Price
MS906BT	AIT	MS906BT1YRUPDAT	<b>\$1169.99</b>
MS906TS	AIT	MS906TS1YRUPDAT	<b>\$1169.99</b>
MS908S	AIT	MS9081YRUPDATE	<b>\$1269.99</b>
MSELITE	AIT	MSELITE1YRUPDAT	<b>Call for pricing</b>
MSULTRA	AIT	MSULTRA1YRUP	<b>Call for pricing</b>
MS908P, MS908SP	AIT	MS908P1YRUPDATE	<b>Call for pricing</b>
MS909	AIT	MS9091YRUPDATE	<b>Call for pricing</b>
MS919	AIT	MS9191YRUPDATE	<b>Call for pricing</b>
MS908CV	AIT	MS908CV1YRUPDAT	<b>Call for pricing</b>
MS906Pro	AIT	MS906P1YR	<b>\$879.99</b>
MS906TS, MS906 Pro-TS	AIT	MS906T1YR	<b>\$1119.99</b>



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TABLETS & TOOLS

## AUTEL® MAXISYS EV SCANNERS

### Autel® MaxiSYS Ultra EV

- Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data
- Comprehensive diagrams of high-voltage system block, components and sockets; Step-by-step system disassembly instructions
- 12.9" Touchscreen (2732px x 2048px)
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: all system module status screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once
- Includes Advanced VCI Converged VCI, Oscilloscope, and EVDiag Box
- **FREE** 1-Year Software and 1-Year Warranty



AIT MSULTRA EV

\* Contact your local store for pricing and availability

**FINANCE IT**

### Autel® MaxiSYS MS909EV

- Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data
- Comprehensive diagrams of high-voltage system block, components and sockets; Step-by-step system disassembly instructions
- 9.7" Touchscreen (1536px x 2048px)
- 2.2GHz + 1.8GHz Octa-core Processor / 128GB Memory
- 15000mAh - 8hrs Continuous Operation / 16MP Rear Camera & 16MP Front Camera
- Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- Includes MaxiFlash VCI, and EVDiag Box
- **FREE** 1-Year Software and 1-Year Warranty



AIT MS909EV

\* Contact your local store for pricing and availability

**FINANCE IT**

## Launch Millennium HD Pro

**LAUNCH**

- For gasoline vehicles (I/M Readiness, O2 sensor test and EVAP test), Reads and Clears DTCs, Reads Vehicle Information, and Graphic Display
- For heavy duty vehicles (J1708 AND J1939) Reads and Clears DTCs, and Data Stream
- Supports Caterpillar Coverage
- Supports regen command for most makes and models
- Includes 6 pin, Type II 9 PIN, and 16 pin adapters
- Free lifetime updates

LCH 301050372 **\$619<sup>99</sup>**



## AUTEL® MAXISYS HEAVY DUTY SCANNERS

**AUTEL® MaxiSys CV**

### Autel® MaxiSYS MS909CV Commercial Vehicle Diagnostics Tablet

- 9.7" Touchscreen (1536px x 2048px) / Android 7.0 OS
- 2.3GHz+1.7GHz Quad-core Processor / 128GB Memory
- 15000 mAh battery / 16MP Rear Camera & 16MP Front Camera
- Intelligent Diagnostics with Module Topology on Select Vehicles and Enhanced AutoSCAN / VINScan and DTC Analysis / Repair Guided Assist
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- ADAS Calibration with new Class 6-8 Dynamic Calibration, Supporting Class 3-5 Complete ADAS Coverage
- Includes MaxiFlash VCI with J2534 & MaxiBAS B200 Device
- **FREE** 1-Year Software and 1-Year Warranty



AIT MS909CV

\* Contact your local store for pricing and availability

**FINANCE IT**

### Autel® MAXISYS MS908CVII Commercial Vehicle Diagnostics & Service Tablet

- 9.7" wireless touchscreen
- Performs advanced diagnostics on Class 1 - Class 9 Heavy duty vehicles
- Read and Erase codes, view live data, perform bi-directional active tests
- Expert Mode for direct access to OE-specific system components, including engine, transmission, and braking systems
- Extensive service and maintenance functions menu including forced DPF regen, EPB, and OIL
- Perform injector cutout tests, injector coding
- Equipped with MaxiFlash wireless bluetooth VCI/J2534
- AutoScan of all available modules
- Supports newest communication protocols on light duty vehicles with purchase of MaxiVCI200



AIT MS908CVII

\* Contact your local store for pricing and availability

**FINANCE IT**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

For more information, contact your local CarQuest representative.

# BRAKE SERVICE/TPMS & TIRE SERVICE

## BRAKE BLEEDING

### Mityvac® Pressure Bleed System

- Includes seven (7) master cylinder adapters to connect to most domestic, import and Euro cars and light trucks
- Large 5 litre fluid capacity
- Fluid is dispensed under pressure for smooth continual flow
- Utilizes push-to-connect, quick-change style accessory connections

LIN MV6840

**\$799<sup>99</sup>** 



### Mityvac® Vacuum Brake Bleeder and Fluid Evacuator

- Bleeds up to (2) quarts (1.9 litres) per minute
- Variable thumb throttle holds desired flow rate
- Includes quick-disconnect couplers and auto shut-off valve to prevent overflow

LIN MV6830 **\$379<sup>99</sup>** 



### Mityvac® Automotive Test & Brake Bleed Kit

- Includes a comfortable ergonomic handle design, one-finger lever vacuum release, includes durable, accurate gearless diaphragm style vacuum gauge with pinned connection for 360° rotation, field serviceable – service parts and kits available

LIN MV8000 **\$99<sup>99</sup>** 



## TPMS SERVICE

### Autel® MaxiTPMS TS508WF Advanced TPMS Service Tool

- 2.3" color display 320 x 240
- Read/Activate/Relearn all known sensors
- Detect & display TPMS system faults
- Display vehicle-specific relearn procedures; perform OBDII relearns
- Key fob signal test
- Quick mode & advanced mode options

AIT 700010 **\$349<sup>99</sup>**





### Autel® MaxiTPMS ITS600Pro TPMS Tablet

- 5.5-inch, wireless touchscreen Android tablet
- Complete TPMS service tool
- All system diagnostics and service functions
- Activates, Reads and Relearns All Known Sensors
- Rapid VIN Acquisition Via Optical VINscan Function

AIT 700150 **\$949<sup>99</sup>** 



## TIRE GAUGES

### Milton® Dual Head Chuck Service Gauges

- Plated brass tube and 4-sided nylon indicator bar
- Max pressure of 160 PSI

MIL S976 **\$33<sup>99</sup>** | MIL S986 **\$40<sup>99</sup>**



### Single Head Pencil Tire Pressure Gauge 5 – 50 PSI

MIL S921 **\$9<sup>99</sup>**

### Pencil Tire Pressure Gauge 20-120 PSI

MIL S925 **\$10<sup>99</sup>**

### Dual Head Truck Tire Pressure Gauge 20-120 PSI

MIL S927 **\$15<sup>49</sup>**

## TIRE GAUGES

### Milton® Heavy-Duty Digital Tire Inflator and Air Pressure Gauge, Euro Chuck, 1/4" NPT, 15" Rubber Hose

- Highly accurate digital tire pressure gauge meets ANSI/ASME B40.1 standard. Extensive range of measurement capability: 0-255 PSI – resolution of 0.1 PSI, kPa (0-1800), kg/cm² (0-18), and Bar (0-18)
- Digital backlight display perfect for low light applications; auto-on when tire pressure is detected; auto-off after 15 seconds of inactivity to save battery life (2 AAA batteries included)
- Equipped with an easy lock-on brass inflator air chuck, which allows for one-handed inflation
- Max 300 PSI

MIL S-568

**\$131<sup>99</sup>** 




### Milton® EXELAIR™ Analogue Pistol Grip Tire Inflator/Deflator Gauge - 13" Air Hose and Easy-Clip Chuck

- Pre-calibrated; 4 units of measure: PSI (0-150), kPa (0-1000), kg/cm² (0-10) + Bar (0-10)
- Steel inflation trigger with deflate button in case of overshoot tire pressure
- Clip directly to tire valve to adjust pressure for easy inflation with 1 hand
- Includes gauge, rubber boot, deflate button, 13" hose, easy-clip chuck (for standard/schrader valves), hang loop

MIL EX0500P

**\$28<sup>99</sup>** 



### Milton® Inflator Gauge

- Full swivel dual head chuck with 15" hose
- Range: 10—160 PSI

MIL S506

**\$84<sup>99</sup>** 



### Milton® EXELAIR™ Digital Pistol Grip Tire Inflator/Deflator Gauge

- Measures in kPa, kg/cm², and Bar; Meets ANSI/ASME B40.1 standard
- Auto-on when tire pressure is detected
- Clip directly to tire valve to adjust pressure for easy inflation
- Includes pistol grip gauge, boot, half-pull deflate, hose, easy-clip chuck and hang loop

MIL EX0500D

**\$48<sup>99</sup>** 



### Milton® Single Head Dial Gauge

- Range: 0—60 PSI
- Single head chuck
- Includes deflator valve

MIL S932

**\$39<sup>99</sup>** 



### Milton® EXELAIR™ Digital Tire Tread Depth Gauge

- Digital display is easy to read
- Zero setting in any position
- Measurement range of 0 to 1 inch (0 to 25 mm)
- Includes automatic shut off to preserve battery life

MIL EX448DIG

**\$16<sup>99</sup>** 



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TIRE SERVICE



**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

## CORGI WHEEL BALANCERS

**A Corghi EM9250-2D Wheel Balancer CompactLine**

- Automatic input of wheel diameter and distance
- LED illuminator and laser line for easy adhesive counterweight application
- FSP-Smart Arm/automated balancing mode selection

COR EM9250-2D

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10" - 28" External  
Max Wheel Width: 23.6"  
Max Tire Diameter: 44"

**B Corghi EM9550-3D Wheel Balancer LaserLine**

- Automatic input of wheel diameter, distance and width
- LED illuminator and laser line for easy adhesive counterweight application
- FSP-Smart Arm/automated balancing mode selection

COR EM9550-3D

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10" - 28" External  
Max Wheel Width: 23.6"  
Max Tire Diameter: 44"

**C Corghi EM9780C-Plus Wheel Balancer LaserLine**

- Radial and Lateral diagnostic modes
- Touchscreen interface
- Contactless detection of dimensions
- WiNut automatic clamping system

COR EM9780C-PLUS

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10" - 32" External  
Max Wheel Width: 23.6"  
Max Tire Diameter: 44"

**D Corghi EM9380EC Wheel Balancer SmartLine**

- Automatic input of wheel diameter, distance and width
- Weight Management Program
- Touchscreen interface
- Equipped with power clamp
- Power requirements 120V/1PH/60 HZ

COR EM9380EC-TOUCH

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10" - 28" External  
Max Wheel Width: 23.6"  
Max Tire Diameter: 44"

## CORGI TIRE CHANGERS

**E Corghi A9222TI-DV-SX1 Tire Changer with Swing Arm**

- 2 speed Inverter Motor
- Pneumatic bead presser to maintain bead in drop center
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Monoblock clamping jaws for best long term performance and durability

COR A9222TI-DV-SX1

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10"-22"  
Max Rim Width: 3.5"-12.5"  
Max Tire Diameter: 42"  
Air Pressure: 150 lbs.

**F Corghi A9824TI-DV-1000 Tire Changer with Swing Arm**

- 2 speed Inverter Motor
- Pneumatic bead presser to maintain bead in drop center
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Lateral adjustment of bead breaker pad
- Monoblock clamping jaws for best long term performance and durability

COR A9824TI-DV-1000

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10"-24"  
Max Rim Width: 3.5"-14"  
Max Tire Diameter: 47"  
Air Pressure: 150 lbs.

**G Corghi A222TI-DV-300 Tire Changer with Swing Arm**

- 2 speed Inverter Motor
- SP300 helper makes mounting and demounting operations quicker, more precise and safer
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- Monoblock clamping jaws for best long term performance and durability

COR A222TI-DV-300

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 10"-22"  
Max Rim Width: 3.5"-12.5"  
Max Tire Diameter: 39.5"  
Air Pressure: 145 lbs.



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TIRE SERVICE

**A MASTER 28 A**



**B AM5000**



**C MASTER FORCE**



**D ARTI500-BP**



**E A9830HPC-BPL**



## CORGI TIRE CHANGERS



**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

### A Corghi Artiglio Master 28A Contactless Tire Changer with Pneumatic Wheel Clamping

- Center-post Touchless Tire Changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- SMART Corghi System allows you to never touch the rim during any of the work phases.
- Integrated premium wheel lift
- Pneumatic automatic wheel clamping system

COR ARTIGLIO MASTER 28

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 12"-28"  
Max Rim Width: 16"  
Max Tire Diameter: 43"  
120V/1PH/60HZ

### B Corghi AM5000 Artiglio 5000 Contactless Tire Changer

- Center-post touchless tire changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- Machine designed for perfect ergonomics and versatility
- Integrated wheel lifter and pneumatic bead presser
- Power requirements 120V/1PH/60HZ

COR AM5000

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 13"-28"  
Max Rim Width: 15"  
Max Tire Diameter: 47"

### C Corghi Artiglio Master Force Contactless Tire Changer

- Smart Corghi System can eliminate the tension between tire and rim, even on the most demanding low profile, runflat, and UHP tires
- Combined use of hydraulic and pneumatic drives has optimized the work cycle for lower working time
- Bead breaking with automatic lubrication
- Dual-function operation ensures first the lifting and, in quick succession, the accurate positioning of the wheel, ready to be clamped
- Integrated wheel lift

COR MASTER FORCE

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 13" — 32" External  
Max Rim Width: 16"  
Max Tire Diameter: 47"  
120V/1PH/60HZ

### D Corghi Artiglio 500-BP Tire Changer Leverless

- Center-post Leverless Tire Changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- Machine designed for perfect ergonomics and versatility
- Integrated wheel lift

COR ARTI500-BP

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 12" — 32" External  
Max Wheel Width: 15"  
Max Tire Diameter: 47"

### E Corghi A9830HPC-BPL Center Post Tire Changer

- Center post Tire Changer designed for all vehicle applications
- 2 speed Inverter Motor
- Pneumatic bead presser to maintain bead in drop center
- Integrated wheel lift

COR A9830HPC-BPL

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 13"-30"  
Max Rim Width: 16"  
Max Tire Diameter: 43"  
120V/1PH/60HZ

### F EEWB543AW



### F John Bean® 9800 Heavy-Duty Wheel Balancer

- Designed to balance truck, bus, RV and automobile wheel and tire assemblies
- Pneumatic wheel lift aids in the proper wheel mounting and reduces related strains caused by lifting heavy tires
- Semi-automatic data entry inputs wheel diameter and distance utilizing the inner auto-assist data input arm, eliminating errors
- Operator can recalibrate the balancer in two easy steps, ensuring accuracy while saving costly service calls

JBN EEWB543AW  
\* Contact your local store for pricing and availability

**FINANCE IT**

**John Bean**

Max Rim Diameter: 8" — 30" External  
Max Rim Width: 26"  
Max Tire Diameter: 51"

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TIRE SERVICE



**G** EEWB556AS



**H** EEWB567AP230



**I** EEWB568AP



**J** EEWB569AP

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

## JOHN BEAN® WHEEL BALANCERS *JohnBean*

### **G** John Bean® B200S Semi-Automatic Monitor Wheel Balancer

- SMARTSONAR™ - Automatic rim width detection
- Quick Nut Wheel Clamp - Easy to use manual clamping device
- Hand-operated gauge arm with easyALU™ assisted rim data entry for diameter and distance

Max Rim Diameter: 8" – 32"  
Max Wheel Width: 15"  
Max Tire Diameter: 42"

JBN EEWB556AS

\* Contact your local store for pricing and availability

**FINANCE IT**

### **H** John Bean® B1200P Fully Automatic Wheel Balancer

- EasyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- Quickbal™ optimizes the number of revolutions according to each wheel's specifications while always operating at maximum speed and reducing cycle time
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- Laser scanner automatically detects the number and position of rim spokes for the system to indicate weight placement behind wheel spokes and allow for split weights

Max Rim Diameter:  
14" – 26" External  
Max Wheel Width: 20"  
Max Tire Diameter: 42"

JBN EEWB567AP230

\* Contact your local store for pricing and availability

**FINANCE IT**

### **I** John Bean® B600P General Service Wheel Balancer

- Touchscreen with advanced user interface for easy mode selection and built-in LED rim lighting system aids rim cleaning and weight positioning
- easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU™ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered

Max Rim Diameter:  
10" – 32" External  
Max Wheel Width: 23.6"  
Max Tire Diameter: 44"

JBN EEWB568AP

\* Contact your local store for pricing and availability

**FINANCE IT**

### **J** John Bean® B800P Wheel Balancer

- Intuitive Interface clearly marked with picture icons
- Torque-controlled Power Clamp device – fast and accurate clamping of the wheel
- Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to the correction position
- QuickBal™ for reduced measurement time
- Short start-stop cycle time: 4.5 seconds (15" rim)

Max Rim Diameter:  
8" – 32" External  
Max Wheel Width: 21"  
Max Tire Diameter: 42"

JBN EEWB569AP

\* Contact your local store for pricing and availability

**FINANCE IT**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

### **K** John Bean® B400L Wheel Balancer

- easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU™ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- QuickBal™ for reduced measurement time
- Short start-stop cycle time: 4.5 seconds (15" rim)

Max Rim Diameter:  
8" – 32" External  
Max Wheel Width: 21"  
Max Tire Diameter: 42"

JBN EEWB562AL

\* Contact your local store for pricing and availability

**FINANCE IT**

### **L** COATS® 885 Wheel Balancer **coats**

- Automatic 2D data entry on wheel diameter and offset measurement
- Direct Tape-A-Weight® placement with audible beep guides users to perfect placement
- Auto Start Hood starts balancing cycle when hood is lowered

Max Rim Diameter:  
10" – 30" External  
Max Rim Width: 2" – 16"  
Max Tire Diameter: 38"

COA 800885

\* Contact your local store for pricing and availability

**FINANCE IT**



**K** EEWB562AL



**L** 885

# TIRE SERVICE



## COATS® WHEEL BALANCERS

### A Coats® 1185 110V Wheel Balancer

- Laser line weight placement guidance - Easily visible laser line helps operators place weights right where they are needed
- Colour LCD Display - Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location
- Live position indexing guidance - Audio and graphics-based notifications alert operator when weight placement is needed
- 110V power, can be plugged in anywhere
- 130 Lbs max assembly weight
- Space saving design

COA 8001185

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10 - 30" External  
Max Rim Width: 2" - 16"  
Max Tire Diameter: 38"

### B 1300 Wheel Balancer with Direct Drive

- STATIC-ON-SCREEN® simultaneously displays both static and dynamic unbalance data
- 2D AUTOMATIC DATA ENTRY Offers automatic data entry of distance and diameter
- BEHIND-THE-SPOKE mode allows you to hide the Tape-A-Weight behind the spokes of a decorative wheel quickly and easily

COA 80013002D

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
8" - 30" External  
Max Rim Width: 2" - 20"  
Max Tire Diameter: 44"

### C 1500 Wheel Balancer with Direct Drive

- Powered by Direct Drive, the motor and spindle are combined into a single assembly that always stays calibrated to zero
- Laser Guided Operation calculates precise corrective weight amounts and placement locations
- Static-On-Screen® simultaneously displays both static and dynamic unbalance data
- Stop & Lock assembly locks in place at proper weight placement location
- 8 Balancing modes and automatic 3-D data entry

COA 80015003D

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
8" - 30" External  
Max Rim Width: 2" - 20"  
Max Tire Diameter: 44"

### D Coats® 9028E Tilt-Back Tire Changer

- Angled tilt-back for no interference on second bead removal
- Clamps Wheels Externally Up To 28"
- Power taper rollers, pneumatic drop center, and swing-in rollers handle approximately 90% of the effort
- Protect Rims with the Cam Bead Loosener

COA 8009028

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" - 28" External  
Max Rim Width: 14"  
Max Tire Diameter: 47"

## COATS® MAXX SERIES

- Dual nozzle, hi-flow bead sealing system
- Expanded capacity to 16" wheel width and up to 50" total diameter
- Advanced bead loosening option
- Steel and nylon duckhead included
- No-index table top for high efficiency use

Rim Diameter:  
16" - 24" External,  
Max Rim Width: 16"  
Max Tire Diameter: 50"

### 70X MAXX Tire Changers

E COA 800MAXX70 Electric (110v)

\* Contact your local store for pricing and availability

**FINANCE IT**

E COA 800MAXX70220

Electric (220v)

\* Contact your local store for pricing and availability

**FINANCE IT**

### 80X MAXX Tire Changers

- Dual control, hand or foot operated bead loosener system
- Included storage cabinet

F COA 800MAXX80 Electric (110v)

\* Contact your local store for pricing and availability

**FINANCE IT**

F COA 800MAXX80220 Electric (220v)

\* Contact your local store for pricing and availability

**FINANCE IT**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TIRE SERVICE

## G Coats® MAXX 50 Rim Clamp Tire Changer

- Tested up to 250,000 bead breaking cycles for ultimate durability in the harshest working environments.
- Dual Nozzle Bead Sealer
- No-Index Tabletop
- Polymer Duckhead Tool used for mounting and demounting tires without damaging the rim

COA 800MAXX50

\* Contact your local store for pricing and availability

**coats.**

**FINANCE IT**

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

Rim Diameter:  
16" - 24" External  
Max Rim Width: 16"  
Max Tire Diameter: 50"

## G MAXX 50



## H 90CEH220



## COATS® TIRE CHANGERS

### H Coats® 90C Leverless Tire Changer

- Center Clamp Design for quick, easy operation while minimizing risk of wheel damage
- Leverless Duckhead® mount/demount tool acts as a traditional helper device and eliminates traditional tire tools that can mar the surface due to application difficulty
- RoboRoller® provides additional power when mounting difficult tires by preventing the bead from rolling back over the mount tool

COA 80090CEH220

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
12" - 30" External  
Max Wheel Width: 15"  
Max Tire Diameter: 50"

### I Coats® APS 3000 Leverless Tire Changer

- Leverless Duckhead with Auto Offset prevents wheel damage
- Integrated wheel lift
- Robo-Arm assists in changing low profile or run flat tires
- Manual locking system for fast and easy wheel clamping.
- Individually operated power rollers helps in bead loosening, mounting and demounting lower bead without a tire tool

COA 800APS3000

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
12" - 34" External  
Max Rim Width: 16"  
Max Tire Diameter: 47"

## I APS 3000



## J 80CEH220



### J Coats® 80C Center Post Tire Changer Electric

- Brand-new center post design for ease of use and minimized metal-to-metal contact
- Available in rugged 220V, 2hp electric motor or air powered
- Redesigned RoboRoller® device for direct pressure on tough assemblies
- Standard auxiliary bead sealer system

COA 80080CEH220

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" - 30" External  
Max Wheel Width: 15"  
Max Tire Diameter: 50"

### Coats® RC Series

- Designed to work on a wide variety of applications, including virtually all OE fitments
- Available with air or electric tabletop motor
- Includes set-up and training by an Authorized Coats Service Centre

Max Rim Diameter:  
10" - 24" External,  
Max Rim Width: 10.5"  
Max Tire Diameter: 50"

### K RC-45E Rim Clamp® Tire Changer

Electric

COA 8560994901

\* Contact your local store for pricing and availability

**FINANCE IT**

### L RC-55 Rim Clamp® Tire Changer

with Robo-Arm, Electric

COA 8560995001

\* Contact your local store for pricing and availability

**FINANCE IT**

## K RC-45E



## L RC-55



## COATS® TIRE CHANGER & BALANCER ACCESSORIES

### Coats® Light Truck Cone Kit (40mm)

Improved Light Truck Front Cone Kit, 40mm I.D., Double Sided Cone & Metal Backing Plate, Range: 4.80"-6.80"

COA 8113277C

**\$875<sup>99</sup>**



**coats.**

### Coats® Nylon Duckhead® Mount/Demount Head Plastic

COA 8183061

**\$66<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TIRE SERVICE

## A EEWH574AUB



## B EEWH589AUA

Image shown with  
optional bead assist  
EAA0329G33BC



## C EEWH586AUC



## D EEWH589AUB

Image shown with  
optional bead assist  
EAA0329G33BC



## E EEWH590AUB



## F EEWH595AUA



## JOHN BEAN® TIRE CHANGERS *JohnBean*

### A John Bean® T7700 Leverless Tire Changer

- The pedal-operated pneumatic wheel lift assists in lifting heavy wheels to reduce technician fatigue and increase productivity
- The center-post clamp design has numerous benefits, most important is the drastically reduced risk of wheel damage and less clamping restriction than the turntable design
- The Pneumatic Bead Pusher assists in the mounting process of the upper bead. Its dual-purpose design offers a reverse-side hook to help lift heavy tires.
- This ergonomic hand-held nozzle injects a high-speed blast of air into the tire to raise the bead and seat the tire to the rim.

JBN EEWH574AUB

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter: 30"  
Max Wheel Width: 15"  
Max Tire Diameter: 47"

### B John Bean® System III Tire Changer with Swing Arm

- Integrated pressure limiter stops air flow once pressure has reached 55 PSI
- Adjustable four-jaw clamps grip securely and protect the wheel
- Twin cylinder clamping provides uniform clamping pressure and increased power
- Extra wheel protection to minimize wheel scratching

JBN EEWH589AUA

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" – 24"  
Max Wheel Width: 15"  
Max Tire Diameter: 50"

### C John Bean® T7800 Leverless All-In-One Tire Changer *JohnBean*

- POWERMONT™ leverless mounting and demounting tool synchronizes with the dynamic bead breaker location for optimum positioning
- QUICKLOK™ electromechanical device firmly clamps onto wheel without the need for wheel protection
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Lower bead camera provides a clear view on the control panel monitor for lower bead breaking

JBN EEWH586AUC

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" – 30" External  
Max Rim Width: 15"  
Max Tire Diameter: 40"

### D John Bean® T1545T Swing-Arm Tire Changer With PROspeed™ *JohnBean*

- Patented PROspeed™ technology optimizes the torque applied to the wheel and automatically sets the maximum rotation speed of the wheel
- Column Integrated Air Tank
- Adjustable four-jaw clamps
- Twin cylinder clamping

JBN EEWH589AUB

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" – 24" External  
Max Wheel Width: 15"  
Max Tire Diameter: 50"

### E John Bean® T2545T Swing Arm Tire Changer with PROspeed™

- Adjustable four-jaw clamping provided by self-centering nylon-covered clamps and twin-cylinder clamping power for uniform pressure around the rim
- Traditional on-floor bead breaker shovel with rim protector
- Pneumatic bead assist provides single-operator assistance in mounting/demounting process
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Integrated pressure limiter stops the air flow once tire pressure reaches 55 PSI to prevent accidental over-inflation

JBN EEWH590AUB

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
8" – 24" External  
Max Wheel Width: 15"  
Max Tire Diameter: 53"

### F John Bean® System II-E Swing-Arm Tire Changer

- Swing-arm, compact footprint
- Adjustable on-floor bead breaker shovel
- Self-centering, adjustable clamping jaws
- Twin cylinder clamping
- Integrated pressure limiter

JBN EEWH595AUA

\* Contact your local store for pricing and availability

**FINANCE IT**

Max Rim Diameter:  
10" – 24"  
Max Wheel Width: 12"  
Max Tire Diameter: 40"

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.




# TIRE SERVICE


## G EXACT LINEAR PLUS



## H EEWA545TBV3



## I EEWA552BV2



## WHEEL ALIGNMENT

### G Corgi Exact Linear Plus Camera Wheel Alignment System



- Corgi user friendly graphics with ergonomic worktop
- High-resolution light target
- Drive on assistant for safe maneuvering in the workshop without additional operator or mirror
- High resolution HI-Q last generation camera for machine vision with optimized monolithic optics, integrated LPF filter and light operational indications
- New integrated lift with wormgear and safety system

COR EXACTLINEARPLUS

\* Contact your local store for pricing and availability

**FINANCE IT**

### H John Bean® V2380 Imaging Wheel Aligner



- Streamline workflow with fast measurement compensation and an optimized alignment flow
- Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment procedural issues
- Quickly uncover extra service opportunities with alignment audit reports which includes measurement of track width, front and rear toe, camber, wheelbase, wheel diameter, and cross dimensions
- Automatic camera tracking eliminates the need to readjust the cameras after raising the lift, it retains ultimate accuracy while moving the vehicle

JBN EEWA545TBV3

\* Contact your local store for pricing and availability

**FINANCE IT**

### I John Bean® V3300 Diagnostic Wheel Alignment System



- Folding camera beam and integrated cabinet mobility allows flexibility to move around the shop
- Diagnostic alignment with "Compensate Warn Alert" intervention gets it right the first time
- Integrated drive-on camera that creates a visual record of the vehicle
- Automatic vehicle height tracking system
- Quickly uncover extra service opportunities with alignment audit reports

JBN EEWA552BV2

\* Contact your local store for pricing and availability

**FINANCE IT**

## Cheetah® Bead Seater 5-Gallon

- Can be used on tires from small 4" to 24.5"
- 1 1/2" tank opening allows use of optional Magnum I barrel
- ASME certified steel tank



TSI CH-5

**\$349<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

### J John Bean® V2180 Imaging Wheel Aligner



- Advanced notification system provides critical information without slowing down the alignment process, automatically detecting and compensating suspension stress issues or environmental errors, only notifying the technician when necessary to provide additional information for corrective action
- Video-speed cameras constantly monitor the alignment and provide critical information throughout the process; patented VODI™ (Vehicle Orientation Directional Indicator) guides measuring process and reduces trips from vehicle to aligner
- Streamlined rotating camera beam design for greater flexibility in smaller shops
- Enhance productivity and cut down on unnecessary steps with an intelligent, predictive alignment workflow that simplifies the alignment process

JBN EEWA542TH3

\* Contact your local store for pricing and availability

**FINANCE IT**

### K John Bean® V2280 Imaging Wheel Aligner



- Streamline workflow with fast measurement compensation and an optimized alignment flow
- Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment procedural issues
- Automatic camera tracking eliminates the need to readjust the cameras after raising the lift, it retains ultimate accuracy while moving the vehicle
- Eliminate manual data entry, speed up measuring, and increase accuracy using our specially designed, optional Ride Height Targets

JBN EEWA544TH3

\* Contact your local store for pricing and availability

**FINANCE IT**



**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

# LIFTING AND SUPPORT

## ENGINE LIFTS AND STANDS **DieHard**

### DieHard® 2-Ton Engine Crane

- Fully adjustable boom slides in or out for the correct lifting weight, includes chain and hook
- Folds in half for easy storage

EQP DH20025

**\$471<sup>99</sup>**



### STRONGARM® 1,250 LB U-Design Engine Stand

- Extra wide 4-point u type base
- Adjustable brackets allow maximum flexibility
- Convenient tray for holding tools and parts

Base width: 34"  
Stand height: 34"

JET 030353

**\$407<sup>99</sup>** **STRONGARM**



## CHAIN HOISTS

### JET® Lever VLP Series Chain Hoist **JET**

- Grade 80 load chain.
- Top and bottom safety hooks bend slowly to warn of overloads
- Load tested to 150% of rated capacity with certificate
- Meets ASME standards

Lever VLP Series  
3/4-Ton 5 ft. Lift

JET 110302 **\$305<sup>99</sup>**



## TRANSMISSION JACKS

### STRONGARM® High Lift Air / Hydraulic Transmission Jack

**STRONGARM**

- Telescopic two-stage hydraulics for greater lift range, precise load control and rapid lift
- Extendable height from 37" to 76-3/8"
- Convenient foot-operated pump
- Fully adjustable universal saddle with hand adjustable corner brackets and safety chain
- Wide base with four swivel caster wheels
- Safety overload system prevents jack from being used beyond the ASME/PASE load-limiting standard

1 Ton High Lift Air/Hydraulic Professional 2-Stage Transmission Jack  
JET 030538

\*Contact your local store for pricing and availability

**FINANCE IT**



1/2 Ton High Lift Transmission Jack  
JET 030535

**\$1669<sup>99</sup>**

1/2 Ton High Lift Air Transmission Jack  
JET 030536

**\$1849<sup>99</sup>**

## BOTTLE JACKS

### DieHard® Bottle Jacks

20-Ton EQP DH20029

**\$70<sup>99</sup>**

Min. height: 9-1/2"  
Max height: 17-3/4"

### DieHard

12-Ton EQP DH20028

**\$50<sup>99</sup>**

Min. height: 9-1/16"  
Max height: 18-1/4"

6-Ton EQP DH20027

**\$33<sup>99</sup>**

Min. height: 8-1/4"  
Max height: 16"

2-Ton EQP DH20026

**\$24<sup>99</sup>**

Min. height: 6-3/4"  
Max height: 13-1/2"



## JACK STANDS **DieHard**

### DieHard® Ratcheting Jack Stands

2-Ton EQP DH20011

**\$25<sup>49</sup>**

Min. height: 10.32"  
Max height: 16.22"

3-Ton EQP DH20005

**\$33<sup>99</sup>**

Min. height: 11.33"  
Max height: 16.65"

4-Ton EQP DH20014

**\$32<sup>99</sup>**

Min. height: 13.63"  
Max height: 20.38"

6-Ton EQP DH20006

**\$70<sup>99</sup>**

Min. height: 15.75"  
Max height: 24.4"



### STRONGARM® 6 Ton Ratcheting Jack Stands **STRONGARM**

6-Ton  
JET 032244

**\$147<sup>99</sup>**

Min. height: 15-1/2"  
Max height: 24"



## SERVICE JACKS

### DieHard® 3.5 Ton Low Profile Floor Jack **DieHard**

- Dual pump raises vehicle 5 times faster than standard jacks
- Low-profile design for maximum access, which fits easily and safely under vehicle
- Heavy-duty all steel construction
- Over pump bypass protection
- Full swivel rear casters for easy positioning

EQP DH20022

**\$299<sup>99</sup>**

Min. height: 3.88"  
Max height: 21.06"



### DieHard® 2.5 Ton Quick Start Low Profile Trolley Jack **DieHard**

- Quick Start for faster operation to contact point
- Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended

EQP DH20001

**\$96<sup>99</sup>**

Min. height: 3.37"  
Max height: 14.37"



### DieHard® 3 Ton SUV Trolley Jack **DieHard**

- 360 degree handle
- Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended

EQP DH20004

**\$126<sup>99</sup>**

Min. height: 7.56"  
Max height: 21"



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# LIFTING AND SUPPORT

## SERVICE JACKS

### DieHard® 2.5 Ton Aluminum/Steel Service Jack **DieHard**

- Built with high strength aircraft grade aluminum
- Hydraulic oil by-pass system protects ram from being over-extended
- Full 360 degree swivel saddle with rubber grip seat

EQP DH20020

**\$269<sup>99</sup>**

Min. height: 3.94"  
Max height: 18.31"



### DieHard® 2 Ton Hydraulic Trolley Jack **DieHard**

- Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being over-extended
- Swivel saddle & rear casters for easy jack positioning

EQP DH20008

**\$54<sup>99</sup>**

Min. height: 5.12"  
Max height: 13"



### DieHard® 3 Ton Low Profile Floor Jack **DieHard**

- Dual pump raises vehicle 5 times faster than standard jacks
- Low-profile design for maximum access, which fits easily and safely under vehicle
- Heavy-duty all steel construction
- Over pump bypass protection
- Full swivel rear casters for easy positioning

EQP DH20023

**\$231<sup>99</sup>**

Min. height: 3.75"  
Max height: 18.31"



### DieHard® 2-Ton Trolley Jack & 2 Jack Stands Combo **DieHard**

#### 2-Ton Trolley Jack

Min. height: 5.12"  
Max height: 13"

#### 2-Ton Jack Stands

Min. height: 10.32"  
Max height: 16.22"

EQP DH20007

**\$89<sup>99</sup>**



**A** SPO10 & SPOA10



## 2-POST SERVICE LIFTS

### **A** Rotary® SPO10 Symmetrical 10,000 lb.

- True symmetrical column design
- Standard 2-stage arms with flip-up FA adapters
- One-piece columns have a "Double S" design for max strength
- Available in Red or Blue

DOV SPO10

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78-1/8"  
Overall Height: 140-1/2"  
Overall Width: 137-1/2"  
Drive Through: 102-1/2"  
Front Arm Reach: 31"-54"  
Rear Arm Reach: 31"-54"



**B** SPO12-TA



Includes Screw-Up Stack Adapters



### **A** Rotary® SPOA10 Asymmetric 10,000 lb.

- True asymmetric design rotates the columns 30° allowing vehicle doors to open fully
- Standard 2-stage arms with flip-up FA adapters
- One-piece columns have a "Double S" design for max strength
- Available in Red or Blue

DOV SPOA10

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78-1/4"  
Overall Height: 140-1/2"  
Overall Width: 137-3/8"  
Drive Through: 95-1/4"  
Front Arm Reach: 24" - 40-3/4"  
Rear Arm Reach: 40-1/4"-61"



### **B** Rotary® Heavy Duty Symmetric 12,000 Lb. Lift

- Truck adapters with stackable inserts for added reach
- Front and rear 3-stage arms
- Available in alternate height configurations

DOV SPO12-TA

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 80"  
Overall Width: 137"  
Overall Height: 164"  
Drive Thru Clearance: 102"  
Arm Reach Min.-Max.:  
Front: 27"-59"  
Rear: 27"-59"



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

For more information, contact your local CarQuest representative.

# LIFTING AND SUPPORT

## 2-POST SERVICE LIFTS

### A John Bean® EELR532A 10,000 lb.

**JohnBean**

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

- Vehicles can be positioned and lifted symmetrically or asymmetrically
- Power column can be arranged on either the driver or the passenger side
- Vehicle protection with padded overhead shut off

JBN EELR532A

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 77-3/4"  
Overall Height: 147-1/2"  
Overall Width: 131-3/4"  
Drive Through: 98-3/8"  
Front Arm Reach: 21-3/4"-39-1/4"  
Rear Arm Reach: 38-1/4"-55-3/8"

### B John Bean® EELR537A 12,000 lb.

**JohnBean**

- Superior symmetric two post lifting
- Heavy-duty two stage front and rear lift arms
- Insert adjustable screw lifting pads with rubber contact surface for quick and easy vehicle setup
- Rubber door guards secure against door to column damage
- Single point safety lock release system
- Padded overhead safety shut off bar for improved vehicle clearance

JBN EELR537A

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78-1/8"  
Overall Height: 175"  
Overall Width: 139-3/4"  
Drive Through: 103"  
Arm Reach: 35-3/4"-54-1/2"

### C Coats® 12,000lb Two Post Symmetrical Lift

**coats**

- 3/8" Non Fatigue Cables with 3.5" Pulleys that are double the lifespan of plastic pulleys
- 2 Field Adjustable Height Settings
- Double Screw Universal pad with 4-1/8" rubber pad contact area & nickel plated to prevent corrosion

COA 4T212SSR1

\* Contact your local store for pricing and availability

**FINANCE IT**

Raised Height: 76"  
Overall Height: 158 7/8"  
Overall Width: 145-1/8"  
Drive Thru: 89 1/8"  
Arm Reach: 33" - 62"

### D Forward Lift® F10 10,000 lb. Lift

**FORWARDLIFT**

- Features 3-stage front arms for Symmetric and Asymmetric lifting
- 2-stage rear arms
- Low 3-5/8" adapter height
- Direct pull cylinders
- Closed loop hydraulic system
- Includes 3-1/2", and 5" adapter extensions
- Available in red and blue

DOV F10

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 76"  
Overall Height: 143"  
Overall Width: 131"  
Drive Through: 99"  
Arm Reach: 24-1/2" - 44-3/8"

### A EELR532A

**JohnBean**



### B EELR537A

**JohnBean**



### C 4T212SSR1



**coats**



### D F10



**FORWARDLIFT**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# LIFTING AND SUPPORT

## E 4TV21NSR1



coats



## 2-POST SERVICE LIFTS

### E Coats® 4TV21NSR1 2-in-1 **coats** 10,000 lb.

- Three piece, offset 2 in 1 Arms front and rear for asymmetric and symmetric loading
- Non Fatigue Cables and Pulleys
- Up to 20% heavier than many competitors for a stronger and more stable structure
- Steel components are wheel-a-brator shot blasted and acid washed before "double bake" powder coat finish is applied
- Rubber door bumpers are mounted on the face of both lifting carriages to reduce door damage
- Rubber mounting grommets reduce unit noise to less than 75 decibels

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

#### COA 4TV21NSR1

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 76"	Arm Reach Min. –
Overall Width: 135-1/2"	Max.:
Overall Height: 138"	Front: 19-3/4" - 42"
Drive Thru Clearance: 112-3/4"	Rear: 35" – 60"

## F BP9



FORWARD LIFT

### F Forward Lift® BP9 9,000 lb. Lift



- For facilities with low ceilings
- Dual hydraulic cylinders
- Carriage latch system - engages every 3"
- Adapter extensions included
- Secondary lock system includes a spring actuated slack chain locking device

#### DOV BP9

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 72"
With extensions: 80-1/2"
Overall Height: 111-1/4"
Overall Width: 138-1/2"
Drive Through: 97-1/4"
Arm Reach: 30" - 46-1/4"

## G EELR506APKG



JohnBean



## 4-POST SERVICE LIFTS

### G John Bean® 15K 4-Post Lift 15,000 lb. **JohnBean**

- Extended rear column drive-on clearance allows dual-wheel trucks to drive on without interference
- Ultra-low-profile allows "easy-on" approach angle for low-profile vehicles, lowered height just 8"
- Extra-long 100" rear slip plates for improved 4-wheel alignment capability for long and short wheelbase vehicles
- Open front cross beam allows easy access to service areas for hassle-free adjustments and repairs
- Ultra-wide ramps with anti-slip textured surface ramps
- Cartridge-based locking and cable brake system for ease of maintenance

#### JBN EELR506APKG

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78"
Overall Length: 277"
Overall Width: 142"
Drive-On Clearance: 120"
Runway Width: 26"

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# LIFTING AND SUPPORT

## A CR14

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*



FORWARD LIFT

## 4-POST SERVICE LIFTS

### A Forward Lift® 14,000 lb. 4-Post Lift CR14 General Service Runway Lift



- Features a single point latch release system, jack track, and multiple position latch points on each structural leg
- The new column design provides a higher rise height for better access
- New and improved heavy-duty, high-performance cable and sheaves system conveniently conceals under the runway for greater capacity and durability
- Self chocking approach ramps and wheel chocks are supplied standard
- Multi-position lock components allow the lift to be level at any lock position
- Easy access to air operated latch release and power unit controls
- Optional Bolt-on Alignment system sold separately

DOV CR14

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78-3/4"  
Overall Length: 250"  
Overall Width: 131-3/4"  
Drive Through: 116-1/4"  
Runway Width: 20"

## B AR18



Longer Slip Plates, (2) 9,000 LB Rolling Jacks and (2) Stainless Steel Turning Radius Gauges standard.



### B Rotary® AR18 Heavy Duty Drive-On Alignment Lift 4-Post 18,000 Lb.



- The AR18 lift comes standard with two carbon steel turning radius gauges - roll back bar allows the gauges to be placed in the front or back of the slot while keeping a flat runway surface
- Longer slip plate designed to accommodate a greater wheelbase range for two and four wheel alignments
- Comes standard with two 9,000 lbs. capacity rolling jacks.
- Single point lock release that releases all four columns at the same time.
- Multi-position lock components allow lift to be level at any lock position
- Cylinders are hidden under runway

DOV AR18

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 68"  
Overall Width: 138"  
Overall Length: 274"  
Runway Width: 22"  
Width Between  
Runways: 43" — 46"

## C ARO14L



### C Rotary® Open Front Alignment Rack 14,000 lb.



- Open-End Design
- Dual Function Sentinel Lock™ System
- Air Filter/Regulator/Lubricator
- Single Piece Non-Welded Runway With Tracks For Rolling Jacks
- Internal Airline
- (2) 7,000 lbs. Capacity Rolling Jacks
- Stainless Steel Radius Gauges
- Rear Slip Plates
- Compatible With The New Technology Alignment Systems On The Market Today

**Also Available:**  
AR14L  
closed beam version

DOV ARO14L

\* Contact your local store for pricing and availability

**FINANCE IT**

Rise: 78 3/4"  
Overall Length: 253"  
Overall Width: 140"  
Drive Through: 116 1/4"  
Runway Width: 20"

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# OIL/LUBE SERVICE

## MITYVAC® FLUID EXTRACTOR SYSTEMS

### 8.8 Litre Fluid Evacuator Plus

- Hand operated pump – 2-way valve allows for draining/refilling – no shop air or electricity required

LIN MV7201

**\$279<sup>99</sup>**

**mityvac®**



### 8.8 Litre Pneumatic Vac Evacuator

- Includes brake bleeding adapter kit and muffler for silent operation
- Operates on compressed air

LIN MV7300

**\$279<sup>99</sup>**

### 7.3 Litre Fluid Evacuator

- Hand operated pump. Includes 5' long flex hose and (2) dipstick hoses.

LIN MV7400

**\$199<sup>99</sup>**

## BARREL AND HAND PUMPS

### FILL-RITE® Piston Action Hand Pump

with Hose and Nozzle, 20 gallons per 100 strokes.

- Aluminum body with stainless steel liner
- Anti-siphon valve
- Pump can be set-up for reverse flow

TUT FR152

**\$439<sup>99</sup>**

**FILL-RITE**



### FILL-RITE® Rotary Vane Hand Pump

6 Gallons per 100 Revolutions.

- 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums
- Pumps medium-viscosity oils, diesel fuel, and non-corrosive fluids

TUT SD62

**\$149<sup>99</sup>**

**FILL-RITE**



### LINCOLN® Barrel Pump

- Removable, non-drip spout allows for threaded hose connection
- Telescoping pick-up tube for 16 to 55-gallon drums
- Three-tier, threaded bung fits standard 2" and 1.5" drums

LIN 1340

**\$119<sup>99</sup>**

**LINCOLN**



### Plews® Heavy-Duty Barrel Pump

- Includes standard bung adapter
- Two piece telescoping suction tube fits 30 to 55 gallon drums
- Dispenses approximately 10 oz. of fluid per stroke

CPM 55-123

**\$80<sup>99</sup>**

**PLEWS**  
**Ultimate**



### LINCOLN® Fluid Transfer Pump Kit

- Includes 2 intake/discharge hoses, 2 intake/discharge hose connectors, inline reducer, air pressure hose, and dipstick hose

LIN MV7241

**\$37<sup>99</sup>**

**LINCOLN**



## Plews® Manual Pail Pump

- For 5 gallon/35 lb. pail
- Self priming
- Delivers 3 oz. per stroke
- Complete with 4 ft. oil-resistant hose and drum pail cover
- Fits open head pails/drums

CPM 55-440

**\$117<sup>99</sup>**

**PLEWS**  
**Ultimate**



## GREASE GUNS

### Legacy® Workforce™ Grease Guns

- Workforce™ Grease Guns feature an automatic bleeder, 3-way loading; bulk filler, nipple, and cartridge with a 4-jaw coupler

#### Heavy-Duty Pistol Grip with Flexible Extension

LEG L1325

**\$36<sup>99</sup>**



#### Heavy-Duty 16 oz. Suction Gun

LEG L1700

**\$20<sup>99</sup>**



### Legacy® Heavy-Duty Lever Action with Rigid and Flexible Extensions

- Automatic bleeder, 3-way loading; bulk filler, nipple, and cartridge with a 4-jaw coupler
- Includes: Two 4-Jaw couplers for better grip and longer service life, 12 in. flexible grease hose and 6 in. angled extension

LEG L1355

**\$42<sup>99</sup>**



### LINCOLN® Grease Guns

#### Heavy-Duty Pistol Grip Gun

- With 18" whip hose
- Extra heavy follower spring ensures positive priming and uninterrupted pumping action

LIN 1133

**\$95<sup>99</sup>**

**LINCOLN**



#### Heavy-Duty Lever Action

- Flip-over-follower and 3-way loading

LIN 1142

**\$59<sup>99</sup>**

#### Heavy-Duty Pistol Grip

- Exclusive flip-over-follower spring and 3-way loading

LIN 1134

**\$104<sup>99</sup>**



## LINCOLN® Grease Pump 6917

**LINCOLN**

50:1 Ratio Grease Pump for 120lb. Drum (Drum not included)

- Air operated
- Includes a grease control valve and universal swivel to improve access to hard-to-reach fittings
- 4-wheel band dolly maneuvers easily around the shop
- A standard metal follower plate

LIN 6917

\* Contact your local store for pricing and availability

**FINANCE IT**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# OIL/LUBE SERVICE

## GREASE GUN ACCESSORIES

### LINCOLN® Heavy-Duty Whip Hoses

- For hand operated grease guns only
- 3,000 PSI working pressure

12" LIN 75912CL 18" LIN 75918CL 24" LIN 75924CL

**\$18<sup>99</sup>** **\$19<sup>99</sup>** **\$33<sup>99</sup>**

### Plews® Standard jaw-type Hydraulic Coupler

CPM 05-031 **\$2<sup>99</sup>**

### LINCOLN® Digital Oil Meter

- Includes a 13" flexible extension and nozzle
- 8 GPM, measures in pints, quarts, gallons, litres

LIN 982

**\$821<sup>99</sup>**

## BATTERY OPERATED GREASE GUNS

### LINCOLN® 20V Li-Ion PowerLuber™ Kit

- Built-in 3-point stand keeps the tool upright
- Built-in LED worklight
- Outputs grease in cold temperatures down to -12°C
- Dispenses up to 14 grease cartridges per charge

20V (2) Battery Kit

LIN 1884 **\$961<sup>99</sup>**

### Milwaukee® M18™ Cordless 2-Speed Grease Gun Kit

- 10,000 PSI max operating pressure
- Max flow-rate of up to 10 oz/min
- Air bleeder valve for quick priming
- Lock-on/lock-off trigger delivers added user convenience
- Includes M18™ Cordless 2-Speed Grease Gun, (2) M18™ REDLITHIUM™ Batteries, Multi-Volt Battery Charger and Hard Case
- Also Available as bare tool - 2646-20

MLK 2646-22CT **\$579<sup>99</sup>**

### Milwaukee® M12™ Cordless LITHIUM-ION Grease Gun Kit

- 8,000 PSI max operating pressure
- Dispenses up to 7 cartridges per charge
- Air bleeder valve for quick priming
- Includes M12™ Cordless LITHIUM-ION Grease Gun, (1) M12™ XC High Capacity REDLITHIUM™ Battery, (1) M12™ Lithium-ion Battery Charger and Carrying Case

MLK 2446-21XC **\$367<sup>99</sup>**

### Milwaukee® M18™ Cordless 2-Speed Grease Gun

- 10,000 PSI max operating pressure
- Max flow-rate of up to 10 oz/min
- Air bleeder valve for quick priming
- Lock-on/lock-off trigger delivers added user convenience

MLK 2646-20 **\$319<sup>99</sup>**

## LINCOLN® POWERLUBER™ ACCESSORIES

### LINCOLN® Hydraulic Coupler

1/8" NPT Female

LIN 5852

**\$11<sup>99</sup>**

### LINCOLN® Professional Air Operated Grease Gun

- Continuous operation when trigger is pulled
- 40:1 ratio motor design with low pressure operation
- Includes 18" whip hose

LIN 1162

**\$226<sup>99</sup>**

## OIL DRAINS

### LINCOLN® Pressurized Oil Drain

- Extra large 18" bowl adjusts from 44" to 72"
- Includes fixed air regulator, pressure relief valve and hose hanger

20-Gallon

LIN 3614

**\$1492<sup>99</sup>**

### LINCOLN® Pressurized Oil Drain

- Preset air regulator (up to 150 PSI)
- 14" bowl adjusts from 45" to 72"
- Reinforced dispensing hose doubles as a sight gauge to prevent over-filling

18-Gallon

LIN 3601

**\$679<sup>99</sup>**

### LINCOLN® 18 Gallon Oil Drain

- Adjusts from 40" to 77" to collect fluids without splashing
- Allows oil to drain quickly
- Integrated oil filter drain shelf eliminates the need for a secondary surface to drain the filter
- Added raised area acts as a splash guard

18-Gallon

LIN 3518

**\$462<sup>99</sup>**

### LINCOLN® Low Capacity Oil Drain

- Adjusts from 36" to 65" to collect fluids without splashing
- Allows oil to drain quickly
- Integrated oil filter drain shelf eliminates the need for a secondary surface to drain the filter
- Added raised area acts as a splash guard

8-Gallon

LIN 3508

**\$279<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TRANSFER PUMPS

## LINCOLN® Low-Profile Truck Drain

LINCOLN

- With 120V Electric Pump
- Overall height is only 7-3/4"
- The top of the reservoir features a large 20" x 29" recessed area for capturing fluid and a removable metal screen covers



17-Gallon  
LIN 3669

**\$1229<sup>99</sup>**

## TRANSFER PUMPS

### FILL-RITE® 115V AC Fuel Transfer Pump

- 20 GPM with 807c Gallon Meter
- Includes 3/4" manual nozzle
- 807C Mechanical Meter (Gallons), 3/4" X 12' UL Listed Hose with Static Ground Wire



TUT FR701V

**\$1614<sup>99</sup>** FILL-RITE

### FILL-RITE® 115V AC Direct Drive Heavy-Duty Transfer Pump

- 20 GPM With Manual Nozzle
- Heavy-duty switch and built-in check, bypass, and pressure-relief valves
- Thermal overload protector
- Includes UL Listed 3/4" x 12' hose and manual nozzle
- 1" female NPT on suction pipe/2" male NPT on bung inlet, 3/4" NPT outlet
- Tank adapter. Full 1/3-HP 115-Volt AC/60Hz motor
- 5.5-Amp, 1725 RPM




TUT FR700V

**\$1319<sup>99</sup>** FILL-RITE

### FILL-RITE® 115V AC Transfer Pump

FILL-RITE

- 15 GPM With Hose and Manual Nozzle
- Includes pump, 3/4" manual nozzle, 3/4" x 12' UL hose with static wire, 20" - 34-1/2" steel telescoping suction pipe, and elbow
- Built-in check valve and strainer
- Self-priming
- 2" threaded base for tank mounting
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT FR610H

**\$979<sup>99</sup>**

### FILL-RITE® 12V DC High Flow Transfer Pump

- 20 GPM With Hose and Manual Nozzle
- Includes pump, 1" manual nozzle, 1" x 12' hose with static ground wire, 18' battery cable and 20" - 34" telescoping suction pipe
- Built-in strainer
- 2" threaded base for tank mounting
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT FR4210H


**\$1019<sup>99</sup>** FILL-RITE

## TRANSFER PUMPS

### FILL-RITE® 12V DC Transfer Pump

FILL-RITE

- 15 GPM With Hose and Manual Nozzle
- Includes pump, 3/4" manual nozzle, 3/4" x 12' hose with static ground wire, 18' battery cable and 20" - 34" steel telescoping suction pipe
- Built-in strainer
- 2" threaded base for tank mounting
- 1/4 HP motor
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT FR1210H

**\$834<sup>99</sup>**

### FILL-RITE® 12V DC Transfer Pump

FILL-RITE

- 13 GPM With Hose and Automatic Nozzle
- Includes pump, 3/4" automatic nozzle, 3/4" x 10' hose with static wire, 15' 12-gauge 2-wire battery cable, 5' ground wire, 15-1/4" - 29-1/4" 2-piece polypropylene suction pipe and elbow
- Built-in strainer
- 2" threaded base for tank mounting
- 1/4 HP motor
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT SD1202H

**\$699<sup>99</sup>**

## FLOW METERS

### FILL-RITE® 807 Mechanical Flow Meter Kit 5 - 20 GPM

- 50 PSI, +/- 1% accuracy
- Gallon or Litre registration
- Includes 3/4" hardware fittings



TUT 807CLMK

**\$439<sup>99</sup>** FILL-RITE

### FILL-RITE® 901 4-Digit Mechanical Fuel Transfer Meter

- 6 - 40 GPM
- Flow ports can be positioned vertically or horizontally
- This meter has a 1 in. inlet and outlet package fittings to install in the 4200 Series pump
- UL/cUL listed



TUT 901CLMK4200

**\$679<sup>99</sup>** FILL-RITE

## TRANSFER PUMP HOSE

FILL-RITE

3/4" x 12 ft.

TUT FRH07512

**\$71.99**

3/4" x 14 ft.

TUT FRH07514

**\$84.99**

3/4" x 20 ft.

TUT FRH07520

**\$109.99**

1" x 20 ft.

TUT FRH10020

**\$134.99**



### FILL-RITE® Arctic Hose

FILL-RITE

1" x 20 ft.

TUT FRHA10020

**\$339<sup>99</sup>**



### FILL-RITE® Multi-Pane Swivels

FILL-RITE

- Full 360° spherical rotation

1" TUT S100H1315

**\$159<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TRANSFER PUMPS/TRAILER & TOWING

## FILL-RITE® FUEL NOZZLES FILL-RITE

1" Ultra High Flow Fuel Nozzles  
TUT N100DAU13Y

**\$399<sup>99</sup>**



3/4" Unleaded, Automatic  
TUT N075UAU10

**\$209<sup>99</sup>**



1" High Flow Fuel Nozzle, Automatic  
TUT N100DAU12G

**\$299<sup>99</sup>**



3/4" Diesel, Automatic (Green)  
TUT N075DAU10

**\$209<sup>99</sup>**



## Erickson Bag Assortment Bungy Kit

10-Pack  
• (2) 13" x 8mm, (2) 18" x 8mm, (2) 24" x 8mm,  
(2) 30" x 9mm, (2) 36" x 10mm

ERI 06619

**\$9<sup>99</sup>** **ERICKSON**



## Erickson Wire Flip Anchor Ring 5000 lb.

• Mounting Bracket: 3-1/2" x 1-1/8"  
• Inside Ring Dimensions: 1-5/8" x 1-1/2"  
• Mounting Holes: 2-1/4" Centre to Centre (7/16" Square Holes)

2-Pack ERI 09170

**\$749** **ERICKSON**



## ERICKSON TIE-DOWN STRAPS ERICKSON

**Erickson Deluxe Tie-Downs**  
2000 lb. with Web Clamp and Safety Snap Hooks - 2-Pack

• Web clamp was designed to address the problem of what to do with extra webbing  
• Simple and effective  
• Ideal for: motorcycles, ATV's, & PWC's  
• 1-1/4" x 12'

ERI 31353

**\$299<sup>99</sup>**



**Erickson Heavy Duty Tow Strap**  
4250 lb. (Maximum Vehicle Weight),  
8500 lb. (Breaking Strength)

• With forged hooks and blue polyester web  
• 2" x 15'

ERI 34405

**\$189<sup>99</sup>**



## ERICKSON TIE-DOWN STRAPS ERICKSON

**Erickson Ratcheting Tie-Downs**

2000 lb. - 4-Pack

• Wide handle ratchet / molded rubber handles  
• 1" x 15'

ERI 31416

**\$44<sup>99</sup>**



**Erickson Ratchet Tie-Downs**

1200 lb. - 4-Pack

• Patented molded rubber handles

• 1" x 15'

ERI 31415

**\$31<sup>99</sup>**



**Erickson Ratcheting Tie-Downs**

4000 lb. - 2-Pack

• Top-of-the-line ratchets with rubber handles

• 2" x 10'

ERI 34410

**\$36<sup>99</sup>**



**Erickson Ratcheting Tie-Downs**

2500 lb. - 2-Pack

• Long handle ratchet with molded rubber handles

• Allows ease in operation

• 1-1/4" x 12'

ERI 34412

**\$24<sup>99</sup>**



**Erickson Retractable Ratchet Strap**

1200 lb. - 2-Pack

• 1" x 10'

ERI 34415

**\$33<sup>99</sup>**



**Erickson Heavy Duty Ratcheting Tie-Downs**

5500 lb. - 2-Pack

• Features rubber handle ratchets

• 1-1/2" x 15'

ERI 32200

**\$44<sup>99</sup>**



**Erickson Double J-Hooks Ratchet Straps**

10,000 lb.

• Heavy-duty metal hook

• 2" x 27'

ERI 78627

**\$27<sup>99</sup>**



**Erickson Ratchet Strap**

5000 lb.

• 2" x 25'

ERI 02400

**\$31<sup>99</sup>**



**Erickson Heavy Duty Motorcycle Strap with Safety Snap Hooks** 1200 lb.

• Extra Long safety hook snaps over 1" diameter

• Polyester webbing is strong and durable

• 1" x 6'

ERI 05710

**\$14<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# TRAILER & TOWING

## Erickson Recovery Strap

9000 lb. (Maximum Vehicle Weight), 18,000 lb. (Breaking Strength)

- Built in Erickson Strap Wrap makes storage easy
- Handy storage bag included
- 2" x 20'

**ERICKSON**



ERI 59500

**\$37<sup>99</sup>**

## WARNING STROBES & SIGNAL LIGHTS *Grote*

### Strobe Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
6"	LED	Amber	Oval	LTG	77363	<b>\$75.99</b>
3.65"	Standard	Amber	Dome	LTG	77103	<b>\$84.99</b>
5"	LED	Amber	Dome	LTG	77473	<b>\$101.99</b>
4.5"	LED	Amber	Dome	LTG	77913	<b>\$62.99</b>
4"	LED	Amber	Round	LTG	77353	<b>\$71.99</b>
5.5"	Standard	Amber	Dome	LTG	77013	<b>\$108.99</b>
6.5"	LED	Amber	Dome	LTG	78853	<b>\$117.99</b>
3.75"	LED	Amber	Dome	LTG	77483	<b>\$135.99</b>



### Stop/Turn Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
6.25"	Standard	Red	Oval	LTG	52892	<b>\$9.99</b>
15"	LED	Red	Oval	LTG	53582	<b>\$53.99</b>
6"	LED	Red	Oval	LTG	53962	<b>\$36.99</b>
6"	LED	Red	Oval	LTG	54172	<b>\$23.99</b>
6"	LED	Red	Oval	LTG	G6002	<b>\$26.99</b>
4"	Standard	Red	Round	LTG	52772	<b>\$6.99</b>
4"	LED	Red	Round	LTG	53252	<b>\$23.99</b>
4"	LED	Red	Round	LTG	G4002	<b>\$26.99</b>
4"	LED	Red/Amber	Round	LTG	G5300	<b>\$85.99</b>
6"	LED	Amber	Oval	LTG	G6003	<b>\$28.99</b>



### Flashers

Pin	Shape	Line Code	Part Number	Price
2 Pin	Square	LTG	44710	<b>\$27.99</b>
2 Pin	Round	LTG	44810	<b>\$12.99</b>



### Double-Face Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
4"	Standard	Red/Amber	Round	LTG	53020	<b>\$35.99</b>
4"	Standard	Amber	Round	LTG	55223	<b>\$19.99</b>



### Specialized Functional Lighting

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
2"	Standard	Clear	Oval	LTG	60001	<b>\$5.99</b>
2.75"	Standard	Clear	Round	LTG	60151	<b>\$6.99</b>
4"	LED	Clear	Round	LTG	62691	<b>\$34.99</b>
6.5"	LED	Clear	Rectangular	LTG	62751	<b>\$35.99</b>



## WARNING STROBES & SIGNAL LIGHTS *Grote*

### Marker Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
4"	LED	Red	Rectangular	LTG	65202	<b>\$15.99</b>
2"	LED	Red	Round	LTG	47112	<b>\$9.99</b>
2"	LED	Amber	Round	LTG	47113	<b>\$9.99</b>
1"	LED	Red	Round	LTG	49332	<b>\$10.99</b>
2.5"	LED	Red	Round	LTG	G1032	<b>\$10.99</b>
2.5"	LED	Amber	Round	LTG	G1033	<b>\$10.99</b>
2"	LED	Red	Round	LTG	G3002	<b>\$10.99</b>
Kit	Standard	Red	Square	LTG	65380-5	<b>\$53.99</b>
2"	LED	Amber	Round	LTG	G3003	<b>\$10.99</b>
1"	LED	Amber	Round	LTG	49333	<b>\$10.99</b>
17"	Standard	Red	Rectangular	LTG	49172	<b>\$16.99</b>
4"	LED	Amber	Rectangular	LTG	65203	<b>\$15.99</b>
4"	LED	Red	Rectangular	LTG	G4602	<b>\$12.99</b>
1"	LED	Red	Round	LTG	49322	<b>\$8.99</b>



### Grote Submersible LED Trailer Lighting Kits *Grote*

- Replacement lighting kit for submersible LED trailer lights
- Popular square design
- 7-function submersible kit
- Kit includes lamps, trailer harness, license bracket and mounting hardware
- Ideal for boat trailers, utility trailers, and other light-duty, recreational trailers



LTG 65330-5

**\$156<sup>99</sup>**

### Grote 15" Thin-Line LED Light Bar *Grote*

- Sealed marker bar lamp that is shock and vibration resistant
- Rated to 100,000 hours of service life
- Impact resistant housing is sealed for moisture protection



LTG 49192

**\$41<sup>99</sup>**

## Grote® Triangle Warning Marker Kit *Grote*

- Reflective up to 1/2 mile
- Folds for easy storage in included carrying case



3-pack  
LTG 71422

**\$50<sup>99</sup>**

## Grote® Medium Duty 97dB Backup Alarm *Grote*

- Surface mount



LTG 73040

**\$30<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TRAILER & TOWING

## Grote® Horns

Color	Amperage	Line Code	Part Number	Price
Black	6A	LTG	72100-5	<b>\$18.99</b>
Black	6A	LTG	72110-5	<b>\$21.99</b>



## CABLE TIES

- Made of UV coated general purpose (PA66) Polyamide 6.6 nylon material

Size	Tensile Strength	Quantity	Line Code	Part Number	Price
15" Black UV	120 lb.	100	CPM	46-415UVB	<b>\$12.99</b>
8" Black	50 lb.	100	LTG	83-6019	<b>\$7.99</b>
11.10" Black	50 lb.	100	LTG	83-6021	<b>\$13.99</b>
14.10" Black	120 lb.	100	LTG	83-6029	<b>\$29.99</b>



## SHRINK TUBING

### Grote® Nylon Heat Shrinkable Butt Connectors

- Protects splices from water, corrosion, salt and moisture, provides strain relief
- Protects against added vibration in rugged environments
- Seamless butt connectors and brazed seam rings & spades prevent opening of connector barrel
- Colour-coded tubing with wire gauge imprint provides easy identification of the correct part for the job
- Completely insulates and protects electrical connections

Type	Colour	Quantity	Line Code	Part Number	Price
22-18 GA	Red	15	LTG	84-3150	<b>\$10.99</b>
16-14 GA	Blue	15	LTG	84-3350	<b>\$10.99</b>
12-10 GA	Yellow	15	LTG	84-3550	<b>\$14.99</b>



### Grote® Shrink Tube

Gauge/Length	Colour	Line Code	Part Number	Price
20-12 GA / 6"	Black	LTG	84-4005	<b>\$6.99</b>



### Grote® Split Flex Convuluted Tubing

Size/Length	Line Code	Part Number	Price
3/8" / 50'	LTG	83-8000	<b>\$13.99</b>
1/2" / 50'	LTG	83-8001	<b>\$17.99</b>
3/4" / 50'	LTG	83-8002	<b>\$24.99</b>



## Grote® Conspicuity Tape

- 5-year warranty
- Easy installation
- Exceeds DOT requirements
- Reflects light even in daytime
- Bright prismatic appearance
- Durable, impact- and solvent-resistant



LTG 41160

**\$128.99**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

## WIRING ACCESSORIES

Type	Line Code	Part Number	Price
7 Blade / 6'	HPK	1200202045	<b>\$34.99</b>
7 Blade and 4 Flat Wiring Kit	HPK	1200409055	<b>\$36.99</b>
7 Blade and 4 Flat Connector	HPK	1200409074	<b>\$41.99</b>
7 Blade to 4 Flat Adapter	HPK	1200473055	<b>\$7.99</b>
7 Blade Vehicle Side	HPK	1200484085	<b>\$7.99</b>
7 Blade Trailer Side	HPK	1200485005	<b>\$6.99</b>
LED compatible Taillight Converter	HPK	1200488095	<b>\$27.99</b>
4-Wire Flat Extension / 48"	HPK	1200471015	<b>\$11.99</b>
Engager™ Break-Away System	HPK	1200200099	<b>\$73.99</b>
Traditional Break-Away Kit	HPK	20001	<b>\$68.99</b>
Break-Away Switch	HPK	20005	<b>\$17.99</b>
HD 7 Round Vehicle Side	HPK	1200520016	<b>\$25.99</b>
HD 7 Side Connector	HPK	1200520027	<b>\$25.99</b>



## WIRING

### Grote® General Purpose Thermo Plastic Wire

- 100% copper
- Temperature rating -40°C to 80°C
- Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- Used for automotive, truck & marine applications

Gauge/Length	Colour	Line Code	Part Number	Price
10 GA / 25'	Red	LTG	89-5000	<b>\$23.99</b>
10 GA / 25'	Black	LTG	89-5002	<b>\$23.99</b>
12 GA / 25'	Red	LTG	89-6000	<b>\$14.99</b>
12 GA / 25'	Black	LTG	89-6002	<b>\$14.99</b>
12 GA / 100'	Red	LTG	87-6000	<b>\$55.99</b>
12 GA / 100'	Black	LTG	87-6002	<b>\$55.99</b>
14 GA / 25'	Red	LTG	89-7000	<b>\$10.99</b>
14 GA / 25'	Black	LTG	89-7002	<b>\$10.99</b>
14 GA / 100'	Red	LTG	87-7000	<b>\$34.99</b>
14 GA / 100'	Black	LTG	87-7002	<b>\$34.99</b>
14 GA / 100'	White	LTG	87-7007	<b>\$34.99</b>
16 GA / 100'	Black	LTG	87-8002	<b>\$24.99</b>
16 GA / 25'	Red	LTG	89-8000	<b>\$7.99</b>
16 GA / 25'	Black	LTG	89-8002	<b>\$7.99</b>
18 GA / 25'	Red	LTG	89-9000	<b>\$6.99</b>
18 GA / 25'	Black	LTG	89-9002	<b>\$6.99</b>



### Grote® Trailer Cable

Length	Line Code	Part Number	Price
14 GA / 100'	LTG	82-5904	<b>\$173.99</b>



### Hopkins® Brake-Force™ Brake Control

- Plug-In Simple® connection allows for quick installation and removal
- LED indicator shows braking intensity
- 4-brake capacity



HPK 1200472025

**\$54.99**





# TRAILER & TOWING

## BRAKE CONTROL

### Hopkins® Impulse™ Digital Brake Control

- Plug-In simple® connection allows for quick installation and removal
- Percentage of braking power shown in a digital LED display
- 6-brake capacity

HPK 1200472035

**\$73<sup>99</sup>**



### Hopkins® Agility™ Proportional Brake Control

- Plug-In simple® connection allows for quick installation and removal
- Percentage of braking power shown in a digital LED display
- 8-brake capacity

HPK 1200472094

**\$118<sup>99</sup>**



### Hopkins® Reliance™ Plug-In Simple!® Brake Control

- Time-based braking
- Percentage of braking power shown
- Plug In Simple Feature
- Controls up to 4 trailer brakes
- Limited Lifetime Warranty

HPK 1200472084

**\$73<sup>99</sup>**



## CURT™ TRAILER JACKS



### CURT™ Marine Jack with 6" Wheel

- Rated for 1,000 lbs. support capacity and 1,000 lbs. lift capacity
- Side-wind handle easily raises or lowers trailer coupler
- 6" wheel for convenient trailer mobility and coupling
- Swivel bracket allows jack to fully swing up and out of the way for travel
- Heavy-duty pull-pin keeps jack securely locked in place
- 10" of vertical travel to accommodate multiple ball heights
- Protected by a durable zinc-plated finish
- Bolt-on hardware included for secure mounting

TOW 28101

**\$67<sup>99</sup>**



### CURT™ A-Frame Jack with Side Handle

- Designed to be mounted on an A-frame trailer tongue
- Rated for 3,000 lbs. support capacity and 2,000 lbs. lift capacity
- Side-wind handle easily raises or lowers trailer coupler
- 14-1/2" of vertical travel to accommodate multiple ball heights
- Can be bolted or welded on (hardware not included)

TOW 28204

**\$72<sup>99</sup>**



## CURT™ RECEIVER TUBES



### CURT™ Reducer Sleeves

Reduces 2-1/2" to 2" Opening, 5-1/2" Length

TOW 45405

**\$13<sup>99</sup>**



## CURT™ HITCH PINS



### CURT™ Zinc Hitch Pins

- Fits 2" x 2" receiver tubes

5/8"

Pin Diameter Weight 0.88

TOW 21501 **\$3<sup>99</sup>**

5/8"

Pin Diameter Weight 0.5

TOW 21581 **\$4<sup>99</sup>**



### CURT™ Safety Pin

- Secures coupler latches, jack legs, pintle hooks and more
- Square retainer wire clip provides a quick latch and added clearance
- Constructed from high-strength carbon steel
- Protected by a durable zinc-plated finish

1/4" Pin Diameter, 2-3/4" Pin Length

TOW 25081 **\$2<sup>99</sup>**



## CURT™ COUPLERS



### Straight-Tongue Coupler with Posi-Lock 3,500 Lbs.

- Passes SAE-684 performance testing as a class 2 coupler
- Spring and nut posi-lock mechanism allows for easy adjustment
- Constructed from die-cut, punched out steel



Fits 1-7/8" wide straight trailer tongues  
TOW 25128

**\$29<sup>99</sup>**

Fits 3" wide straight trailer tongues  
TOW 25138

**\$26<sup>99</sup>**

Fits 2" wide straight trailer tongues  
TOW 25153

**\$21<sup>99</sup>**

## CURT™ BALL MOUNTS



### CURT™ Multi-Ball Trailer Hitch Ball Mount,

1-7/8 in., 2 in. 2-5/16 in. Balls, Fits 2-Inch Receiver, 10,000 Lbs

- Features 3 welded trailer balls on a hollow shank
- Allows for quick switching between trailer ball sizes
- Mounts on trailer hitches with a 2 in. x 2 in. receiver tube opening
- Fits 1-7/8 in., 2 in. or 2-5/16 in. couplers

TOW 45652

**\$44<sup>99</sup>**



### CURT™ Commercial Duty Forged Ball Mount 20,000 Lbs.

2-1/2" Shank, 4" Drop

TOW 45458

**\$66<sup>99</sup>**



### CURT™ Adjustable Ball Mount 5,000 Lbs.

Max drop: 7-1/2", Max rise: 6-1/4"

Shank length: 12-1/2", Fits 2" receivers, 1" ball hole

TOW 45812

**\$48<sup>99</sup>**



### CURT™ Class 3 Ball Mounts

7,500 Lbs.

2" Shank, 6" Drop,  
9-1/4" Long

TOW 45870

**\$31<sup>99</sup>**

7,500 Lbs.

2" Shank, 4" Drop,  
8-1/2" Long

TOW 45850

**\$21<sup>99</sup>**

7,500 Lbs.

2" Shank, 2" Drop,  
7-1/2" Long

TOW 45830

**\$21<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# TRAILER & TOWING

## CURT™ BALL MOUNTS

### CURT™ Multi-Ball Mount with Hook

2" Solid Shank, 1-7/8", 2" & 2-5/16" Chrome Balls

- Allows for quick switching between trailer ball sizes
- Tow hook perfect for vehicle recovery towing applications
- Mounts on trailer hitches with a 2" x 2" receiver tube opening
- Tow hook limited to trailer hitch capacity
- Shank constructed from solid steel for optimum strength



TOW 45675

**\$84<sup>99</sup>**

### CURT™ Forged Ball Mounts 17,000 Lbs.

2" Shank, 2" Drop,  
8-1/2" Long

TOW 45340

**\$54<sup>99</sup>**



### CURT™ Fusion Ball Mounts Includes hitch pin and clip

- Permanently attached trailer ball cannot be loosened or stolen
- Fits 2" receiver



2" Ball, 2" Drop

TOW 45134

**\$36<sup>99</sup>**

## CURT™ CHROME FINISH TOW/TRAILER BALLS

Ball Size	Shank Diameter x Length	Capacity	Line Code	Part Number	Price
1-7/8"	3/4" x 1-5/8"	2,000lbs.	TOW	40161	<b>\$11.99</b>
1-7/8"	1" x 2-1/8"	3,500lbs.	TOW	40162	<b>\$16.99</b>
2"	3/4" x 1-3/4"	3,500lbs.	TOW	40164	<b>\$15.99</b>
2"	1" x 2-1/8"	6,000lbs.	TOW	40166	<b>\$13.99</b>
2-5/16"	1" x 2-1/8"	7,500lbs.	TOW	40167	<b>\$16.99</b>
2-5/16"	1-1/2" x 2-5/8"	10,000lbs.	TOW	40168	<b>\$20.99</b>



## CURT™ TRAILER HITCHES

### Class 3 Trailer Hitch, 2" Receiver, Fits Select Chrysler, Dodge, Volkswagen, RAM Minivans

- Rated to 4,000 lbs. gross trailer weight and 400 lbs. tongue weight
- Compatible with weight distribution hitch (5,000 lbs. WD / 500 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating, inside and out



TOW 13364

**\$263<sup>99</sup>**

## CURT™ TRAILER HITCHES

### CURT™ Commercial Duty Class 5 Trailer Hitch with 2-1/2" Receiver

- Rated to 20,000 lbs. gross trailer weight and 2,700 lbs. tongue weight
- Compatible with weight distribution hitch (20,000 lbs. WD / 2,700 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating



TOW 15800

**\$548<sup>99</sup>**

### Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500, 2500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating



TOW 13322

**\$314<sup>99</sup>**

### Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating



TOW 13301

**\$311<sup>99</sup>**

### Class 3 Trailer Hitch, 2" Receiver, Fits Select Chevrolet Express, GMC Savana

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 600 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating



TOW 13040

**\$297<sup>99</sup>**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# JOBSITE SAFETY

## EYE PROTECTION

### Sellstrom® Advantage Goggles

- Application: cutting, industrial, splash
- Lens Coating: anti-fog
- Protection: cutting, dust, flying debris, grinding, splash
- Vent Type: indirect

JET S81210

**\$949**



**NEW**

### Sellstrom® Advantage Goggles

- Application: cutting, industrial, splash
- Lens Coating: anti-fog
- Protection: cutting, dust, flying debris, grinding, splash
- Vent Type: non-vented

JET S81220

**\$829**



### Sellstrom® Visitor Safety Glasses

- Lens Coating: uncoated

JET S79302

**\$379**



## KNEE PROTECTION

### Sellstrom® KneePro Ultra Flex III Gel Knee Pads

- Pro Protection: Designed for extreme applications; have a hard outer shell that's strong, durable and made for kneeling, crawling or squatting
- Super Soft Padding: Gel pack secured inside a triple layer 3/4" thick closed cell foam protector compartment with leak-free assurance
- Flexible and Adjustable: Metal rivet hinge offers ease when walking or kneeling

JET S96211

**\$6999**



**NEW**

## VISIBILITY

### Pioneer® Hi-Vis Poly Mesh Safety Vest

- 5-point break-away style tears easily if garment is caught on machinery
- Includes radiophone clip strap and 4 storage pockets
- Includes D-ring access slot for easy use with fall protection

JET V1020810-O/S

**\$1799**



**NEW**

## FACE PROTECTION

### Jackson® Safety Rebel™ Welding/Goggle Mask

Variable ADF – Digital – 4.25" x 2" – Black

- Designed to reduce neck strain and fatigue
- Includes True Color Technology and an exclusive modern digital ADF control system. One-piece design provides complete protection from UV and IR leakage and sparks and spatter. Fire-resistant hood and a wrap-around face shield provides added protection. Battery life that lasts up to 1300 hours (replaceable battery)
- Designed to fit over most prescription glasses and under most hard hats including Jackson's Charger Sentry III SC-6 Advantage Series and Blockhead models without the need for adaptor brackets making it extremely versatile

JET 46200

**\$32999**



**NEW**

### Jackson® Safety Maxview™ Face Shield

370 Speed Dial Ratcheting Suspension – Chin and Side Guard

- Extra-large polycarbonate window for superior optics and industry-leading panoramic views
- Extended top-of-head coverage protects against hazards from above
- Built-in side and chin guard protects against splash and flying debris
- Lightweight and balanced construction for all-day comfort
- Up and down detents lock securely in place until manually adjusted

JET 14201

**\$7799**



## FOOT PROTECTION

### K1 Series® Mid-Sole Ice Cleat

Original Profile - Black Strap

- Strategically placed ice-penetrating tungsten carbide spikes provide maximum traction on ice and snow
- Easy-to-use design rotates to the top of the foot to allow driving, climbing, and indoor use
- Adjustable strap delivers a perfect fit regardless of shoe size

JET V9770470-O/S

**\$3999**



**NEW**

### MEGAComfort® Personal Anti-Fatigue Mat Insole

For use with Industrial – Safety and Steel-Toe Footwear

- Made of patented 100% dual layer memory foam
- Soft contoured arch support provides balance, comfort and cushioning
- Silver ion anti-microbial technology in top cloth offering anti-bacterial, anti-perspiration and anti-odor protection

Men size: 8-9,  
Women size: 10-11  
JET PAM-M89/W1011

Men size: 10-11,  
Women size: 12-13  
JET PAM12-M10/W12

Men size: 11-12,  
Women size: 13-14  
JET PAM12-M11/W13

Men size: 12-13  
JET PAM12-M12

Men size: 13-14  
JET PAM12-M13

YOUR CHOICE

**\$3499** PAIR



**NEW**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# JOBSITE SAFETY/WELDING

## HAND PROTECTION

### Astro-Grip Nitrile Disposable Glove

7 mil. 100 per box

- Powder and latex free
- Dual-sided scale textured surface for superior grip
- High-visibility orange colour



Large	SRM 66473	YOUR CHOICE
XLarge	SRM 66474	<b>\$29.99</b>
XXLarge	SRM 66475	EACH

## Forney® Face Shield with Ratchet-Type Headgear

- Lightweight design for maximum comfort
- Includes tough, non-warping polyethylene visor
- Not for cutting or brazing



FN Y 58605  
**\$37.99**

## FORNEY® PARTS BRUSHES

### Plastic Handle

.006" Stainless Steel Wire, 7-1/4"

FN Y 70488 **\$5.49**

.006" Stainless Steel Wire, 8-5/8"

FN Y 70503 **\$7.99**

.006" Brass Wire, 7-1/4"

FN Y 70489 **\$5.49**



### Parts Cleaning Brush

10-1/2"

Polypropylene Handle

FN Y 70508 **\$12.49**



### Wood Shoe Handle

.014" Carbon Steel Wire, 10-1/4"

FN Y 70512 **\$9.99**

.012" Stainless Steel Wire, 10-1/4"

FN Y 70520 **\$12.99**



### Wood Long Curved Handle

.014" Stainless Steel Wire, 13-11/16"

FN Y 70511 **\$8.99**

.014" Stainless Steel Wire, 13-3/4"

FN Y 70521 **\$12.49**



## CUTTING TIPS & WELDING NOZZLE

### Forney® Miller Style Welding Nozzle

Size	Shell	Line Code	Part Number	Price
.035"	Medium duty	FN Y	60166	<b>\$18.99</b>



### Forney® MIG Tips

Size	Shell	Line Code	Part Number	Price
.030"	Medium duty	FN Y	60171	<b>\$13.49</b>
.035"	Medium duty	FN Y	60172	<b>\$16.99</b>




### Forney® Acetylene Cutting Tip

Size	Shell	Line Code	Part Number	Price
#0	Medium duty	FN Y	60447	<b>\$37.99</b>



## FORNEY® WELDING WIRE



### E71T-GS Flux Core Mild Steel MIG Welding Wire

.035" - 2 lb. Spool  
FN Y 42302

**\$52.99**

.030" - 2 lb. Spool  
FN Y 42300

**\$41.99**

.030" - 10 lb. Spool  
FN Y 42301

**\$158.99**



### ER70S-6 Mild Steel MIG Welding Wire

.024" - 2 lb. Spool  
FN Y 42290

**\$37.99**

.024" - 10 lb. Spool  
FN Y 42285

**\$96.99**

.030" - 2 lb. Spool  
FN Y 42291

**\$37.99**

.035" - 33 lb. Spool  
FN Y 42281

**\$220.99**

.030" - 10 lb. Spool  
FN Y 42286

**\$121.99**

.035" - 10 lb. Spool  
FN Y 42287

**\$121.99**

.035" - 2 lb. Spool  
FN Y 42292

**\$37.99**

### Electrical Repair Rosin Core Solder

1/16" - 1/4 lb. Roll  
FN Y 61535

**\$28.99**

1/16" - 1/4 lb. Spool  
FN Y 61534

**\$23.99**

1/32" - 1/4 lb. Roll  
FN Y 61479

**\$41.99**

1/16" - 1/4 lb. Roll  
FN Y 38073

**\$26.99**



### General Purpose Repair Acid Core Solder

1/8" - 1/4 lb. Spool  
FN Y 61536

**\$21.99**

Strength: 6900PSI  
Melting Temp: 190°C

### ER5356 Aluminum Alloy MIG Welding Wire

.035" - 1 lb. Spool  
FN Y 42294

**\$43.99**

### ER4043 Aluminum Alloy MIG Welding Wire

.035" - 1 lb. Spool  
FN Y 42296

**\$43.99**



## FORNEY® STICK ELECTRODES

### Low Hydrogen 1/8" E7018

AC, 10 lbs.  
FN Y 30686

**\$72.99**


10 lbs.  
FN Y 30810

**\$87.99**

### Mild Steel Stick Electrodes E7018

3/32" 5 lbs.  
FN Y 30705

**\$45.99**



### High Disposition Mild Steel E7014

1/8" 10 lbs.  
FN Y 32110

**\$77.99**

1/8" 5 lbs.  
FN Y 32105

**\$39.99**

3/32" 5 lbs.  
FN Y 32005

**\$39.99**



### Mild Steel Super Sixty E6011 Deep Penetration

1/8" 5 lbs.  
FN Y 31205


**\$39.99**

1/8" 10 lbs.  
FN Y 31210

**\$70.99**

3/32" 5 lbs.  
FN Y 31105

**\$39.99**



### Steel E6013

1/8" 5 lbs.  
FN Y 30405

**\$38.99**

3/32" 5 lbs.  
FN Y 30305

**\$37.99**



### Bronze Brazing Rod

Flux Core - 10 Rods

3/32" x 18"

FN Y 48490 **\$29.99**



## Forney® Electrode Holder, Screw-Type

400 AMP

FN Y 56205

**\$49.99**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# WELDING

## FORNEY® ABRASIVES

### Forney® Wire Cup Brushes

5/8"-11 Arbour

Knotted,  
2-3/4" x .012"  
FNY 72757

Crimped,  
2-3/4" x .012"  
FNY 72755

Crimped,  
4" x .020"  
FNY 72753

.012" x 1/4" Hex Shank  
Crimped, 1"  
FNY 72737

Crimped, 3"  
FNY 72731

**\$13.99**

**\$12.99**

**\$31.99**

**\$6.99**

**\$8.99**

### Forney® Wire Wheel Knotted

4" x .020" x 5/8"-11 Arbour

FNY 72759 **\$24.99**

### Forney® Wire Wheel Crimped

3" x .012" x 1/4"  
Hex Shank

4" x .012" x 5/8"-11  
Arbour

2-1/2" x .012 x 1/4"  
Hex Shank

FNY 72735 **\$7.49**

FNY 72788 **\$22.99**

FNY 72733 **\$8.49**

### Forney® Emery Cloth Rolls

1" x 10 Yards

• For hand sanding and cleaning of metal, wood and pipe ends

80 Grit  
FNY 71803

120 Grit  
FNY 71804

320 Grit  
FNY 71806

**\$16.99**

**\$16.99**

**\$16.99**

### Forney® Flap Disc

Type 29 4-1/2" x 7/8"

ZA40

FNY 71985

**\$12.99**

ZA60

FNY 71986

**\$12.99**

### Forney® Mounted Flap Wheels

1/4" Shank

• Ideal for mounting on power drills or other chuck driven machine

• Durable, high-grade aluminum oxide coating

1" x 1", 60 Grit  
FNY 60190

1" x 1", 80 Grit  
FNY 60191

**\$10.99**

**\$10.99**

## TUNGSTEN CARBIDE BURRS

### Forney® Tungsten Carbide Burr

3/8" Cylindrical

FNY 60121

**\$44.99**

3/8" Tree Radius

FNY 60125

**\$35.99**

3/8" Tree Pointed

FNY 60127

**\$37.99**

## FORNEY® WELDING ACCESSORIES

### Forney® Replacement Flints

5 pack

FNY 86122

**\$4.99**

### Forney® Single-Flint Striker

FNY 86102

**\$6.99**

### Forney® Tip Cleaner Kit

Extra-Long

FNY 86119

**\$14.99**

Standard Length

FNY 86120

**\$12.99**

### Forney® Straight Head Chipping Hammer

• Tempered chisel on one end and point on the other

• Shock proof handle with loop for belt hook

FNY 70600

**\$15.99**

## FORNEY® ACETYLENE OXY/FUEL OUTFITS

### Forney® Tote A Torch

#### Oxy-Acetylene Welding Kit

- Victor style light-duty gas welding and cutting outfit - welds up to 1/2" and cuts up to 4"
- Provided with built-in check valves for safety
- T-hose provides flexibility in gas choice without needing a new hose
- Includes reusable cylinder tote for portability and one each of an oxygen size "R" and Acetylene size "MC" gas cylinders (empty)

FNY 1753

**\$779.99**

### Forney® Medium Duty Acetylene OXY/FUEL Outfit

Victor® Compatible

- Welds up to 3/8" and cuts up to 6"

11 piece set

FNY 1705

**\$329.99**

### Forney® Acetylene/OXY Hose

1/4" x 25'

FNY 86145

**\$67.99**

## TORCH KITS

### UltraCool Pro Torch 14.1oz Modern Substitute for MAPP Cylinder

- High quality MAPP gas substitute with propylene, propane and dimethyl mixtures
- Ideal for professional or heavy welding as well as cutting iron and steel
- 15% more fuel
- 14% higher BTU heating output
- Burns 30% longer

CCM UF-4941

**\$13.99**

### UltraCool Pro Torch 14.1oz Propane Cylinder

- High quality propane with purity >95% (m/m)
- Net weight 14.1oz
- Ideal for professional welding and metal cutting

CCM UF-4944

**\$9.99**

### Ultracool Ultra Platinum Butane - 165g

- Refined 7 times
- 99.9% pure premium butane
- Includes a variety of multi tips

CCM UF-4985

**\$5.49**

### UltraCool Pro Torch Self Igniting Torch Kit

- Auto ignition
- Adjustable Flame
- Anti-Flare feature
- Stainless steel burner tube
- Portable, lightweight and easy to use
- Includes 14.1oz propane cylinder

CCM UF-4923

**\$37.99**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# WELDING

## TORCH KITS

Note: MAPP and Propane cylinders available separately

### Ultracool Pro Torch Heavy Duty Metal Handle Torch

For use with propane, MAPP or MAPP substitutes

- Ergonomic Metal handle
- Trigger start ignition
- Safety lock to prevent accidental ignition
- Ignition button lock for continuous use
- Swirl flame

CCM UF-4933

**\$52<sup>99</sup>**



### UltraCool Pro Torch Self Igniting Swivel Torch

- For use with propane, MAPP or MAPP substitutes
- Auto ignition
- 360 degree angled swivel tube
- Adjustable Flame

CCM UF-4932

**\$39<sup>99</sup>**



### Forney® Self-Igniting Trigger Torch

Forney

- Adjustable flame control knob
- Ideal for soldering copper pipes, brazing, heat treating and light welding

FNY 61545

**\$92<sup>99</sup>**



### Forney® Pencil Flame Torch

Forney

- Propane torch, adjustable flame knob for control and economy

FNY 61539

**\$36<sup>99</sup>**



### NuFlame Mini Torch

- Roll dial for Adjustable Flame Control
- Precise pin point flame
- Continuous flame once lit
- Electronic Trigger ignition
- Detachable base
- Refillable Butane Torch

CCM UF-4970

**\$25<sup>99</sup>**



## WELDING GLOVES

### Forney® Signature Large Welding Gloves

Forney's Number 1 Selling Welding Glove

- Premium full grain palm and back with reinforced patches for added protection
- 5" Split leather reinforced safety cuffs
- Kevlar® stitching and self welted seams for extra durability

FNY 53410 **\$59<sup>99</sup>**

Forney



### Forney® Heavy Duty Gloves with Reinforced Thumb, Blue, Large

- Premium side-split leather palm and back
- Fortified with heat resistant Kevlar thread
- Cotton foam lining for moisture absorption and heat protection

FNY 53422 **\$32<sup>99</sup>**

Forney



## WELDING HELMETS

### Forney® Auto Darkening Welding Helmets

- 5.97 sq. inch viewing area
- High definition optical clarity with true colour technology
- Two optical arc sensors for extra protection against arc flash

Black Matte  
FNY 55857

**\$122<sup>99</sup>**

Forney



### Forney® Portable Welding Cart

- 3 level cart increases portability for many Forney Welders
- Max recommended weight capacity: 90 lbs.
- 11-1/2" wide x 27-1/2" tall

FNY 332

**\$257<sup>99</sup>**

Forney



## MIG WELDERS

### Lincoln Electric® Easy MIG 140 Welder

- Runs on 120 V input power
- Durable cast aluminum gear box delivers added drive torque and quiet operation
- Brass-to-brass gun connection enhances conductivity
- Wide 30-140 Amp output power to weld from 24 gauge to 5/16" material

LEC K2697-1

**\$897<sup>99</sup>**

LINCOLN  
ELECTRIC



### Lincoln Electric® MIG-PAK® 180

- Heavy Duty Wire Drive - Fully adjustable drive system reduces the chance of wire tangling and crushing.
- Brass-to-brass gun connection enhances conductivity.
- Durable cast aluminum gear box delivers added drive torque and quiet operation.
- Capable Performance- Forgiving arc makes dialing in your application easy.
- Smooth arc starts with minimal spatter.

LEC K2659-1

**\$1074<sup>99</sup>**

LINCOLN  
ELECTRIC



### Forney® Easy Weld™ 140 FC-I Flux Core Wire Welder

- Gasless/flux-core welding only
- 120V input/140A output
- Welds 24-gauge up to 1/4"
- Handles .030" wire

FNY 261

**\$279<sup>99</sup>**

Forney



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# WELDING

## FORNEY® MIG WELDERS

### Forney® 270FI MiG Wire Welder 230V, 270A

- Accepts 4", 8", & 12" spools and wire up to .045" in diameter
- Spool gun ready
- 12" MIG gun/torch with a 15' power cord ready for 230V outlet
- 5-3-1 Limited Warranty

FNY 319

\* Contact your local store for pricing and availability

**FINANCE IT**



### Forney® 327 242 Dual MIG Welder 230V 240A

- Welds aluminum and steel with the flip of a switch
- Upgraded cast aluminum wire drive system
- Larger cabinet for 4" (1-2 lbs.), 8" (10-11 lbs.), or 12" (25-44 lbs.) spools
- Slope and burn back controls
- Dual geared idler and drive roll with de-spooler
- Ability to weld spray transfer with .035" wire
- 15' ground clamp, 15' MIG gun, gas hose and regulator
- Wire diameter range: up to .045"
- Rated output: 155 @ 60% duty cycle
- Plate thickness range: 24 gauge up to 3/8"

FNY 327

\* Contact your local store for pricing and availability

**FINANCE IT**



### Forney® 210FI MiG Wire Welder 230V, 210A

- Accepts 4" & 8" spools and wire up to .035" in diameter
- Welds up to 3/8" of material thickness
- 12" MIG gun/torch and a 15' power cord ready for 230V outlet
- Robust metallic drive system, spool gun ready

FNY 311

**\$1663<sup>99</sup>**



### Forney® 190 MIG Welders 230V, 190A

- Can be used for mild steel, stainless steel, aluminum and cast iron applications
- Large cabinet for easy access to 4" and 8" spools
- Forney 5-3-1 Limited Warranty
- Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- Welding Range: Up to 190A with 230V input
- Welds up to 3/8" of material thickness

FNY 318

**\$1276<sup>99</sup>**



### Forney® 140 MIG Welders 230V, 140A

- Can be used for mild steel, stainless steel and cast iron applications
- Large cabinet for easy access to 4" and 8" spools
- Forney 5-3-1 Limited Warranty
- Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- Welding Range: Up to 140A with 120V input
- Welds up to 1/4" of material thickness

FNY 309

**\$916<sup>99</sup>**



## FORNEY® PLASMA CUTTERS

### Forney® 45 P PRO Plasma Cutter

- Dual-Voltage: Provides the operator flexibility for where their machine can be used
- Built Tough: Constructed with an all-metal case, built tough to take on the day to day
- CSA Certified: Reduces environmental impact and ensures quality and safety

FNY 445

\* Contact your local store for pricing and availability

**FINANCE IT**



### Forney® Easy Weld™ 20P Plasma Cutter

- 20A Plasma Cutter
- Cuts up to 1/4" of mild steel
- 120V input power

FNY 251

**\$449<sup>99</sup>**



## FORNEY® STICK ARC WELDERS

### Forney® AC/DC Arc Welder

235FI 230V 230A

- Amperage Range: 45-235A
- AC/DC CC welding from 24 gauge to .5 inch thickness at 45 to 235 amps
- Dinse style connection provides easy polarity change and cable repairs
- Illuminated on/off switch and fan cooling system
- For use with 1/16 in - 5/32 in electrodes
- CSA-Approved

FNY 314

**\$1096<sup>99</sup>**



### Forney® Easy Weld™ 140MP Welder

- Multi-process welder: MIG/DC TIG/Stick welder (TIG torch not included)
- Welds up to 5/16", uses gases wire .030"/.035", solid wire .024"/.030"
- Up to 1/8" stick electrode
- 120V input power
- Gases & gas hose not included

FNY 271

**\$449<sup>99</sup>**



### Forney® 298 Stick Arc EASY WELD™ 100ST 120V 90A

- Inverter power system with 120V input, 90A output
- TIG capable (sold separately)
- Flip a switch and change between Stick and TIG
- Integrated consumable/storage area
- Handles up to 1/8" electrode
- Welds 16 gauge up to 5/16"

FNY 298

**\$249<sup>99</sup>**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

# INVENTORY REDUCTION SALE

ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

## Specialty & Hand Tools

POWERBUILT® 161 Pc.  
Technicians 1/4", 3/8" & 1/2" Drive  
SAE/Metric Socket, Hex Keys, Wrench  
& Screwdriver with Hex Bits Tool Set  
TLS 640745

**\$199.98**



POWERBUILT® 61 Pc.  
Technicians 1/4" & 3/8" Drive  
SAE/Metric Socket, Hex Keys,  
Wrench & Screwdriver with Hex  
Bits Tool Set  
TLS 640743

**\$69.98**



Powerbuilt® 11-Piece  
Combo Wrench Sets



TLS 642459

**\$41.98**

POWERBUILT® 7 Pc. SAE  
Long Pattern Combination  
Wrench Set  
TLS 640436

**\$28.98**



POWERBUILT® 7 Pc.  
Metric Stubby  
Wrench Combo Set  
TLS 640204

**\$18.98**



Lisle® 11-Piece Ratcheting  
Serpentine Kit

LST 59650

**\$98.98**



Powerbuilt® Serpentine  
Belt Tool Kit  
TLS 648451

**\$33.98**



Lisle® Straight Hog Ring Pliers

LST 61400

**\$20.98**



POWERBUILT® 10Pc 3/8"  
Dr. Mm 12Pt Socket Set  
TLS 940177

**\$14.98**



POWERBUILT® 9 Pc. SAE Ball End Hex  
Key Set  
TLS 940953

**\$9.98**



Powerbuilt® Hammers  
32 oz. Ball Pein Hammer  
TLS 648331

**\$26.98**



## Specialty & Hand Tools

Lisle® Spill-Free Funnel  
LST 24680

**\$27.98**



Heli-Coil® Metric Spark Plug  
Thread Repair Kits

M11 x 1.5 (12)  
HC 5546-11

**\$31.98**

M7 x 1 (12)  
HC 5546-7

**\$36.98**



Heli-Coil® SAE Spark Plug  
Thread Repair Kits

1/4"-20 (12)  
HC 5521-4

**\$16.98**

10"-32 x .285" (12)  
HC 5528-3

**\$39.98**

1/4"-28 (12)  
HC 5528-4

**\$39.98**



Heli-Coil® Thread Insert  
Assortment

M10 x 1.25 x 15mm  
HC R4649-10

**\$8.98**



Heli-Coil® Coarse Stainless Steel  
Free Running Helical Inserts

M5 x 0.8 (12)  
HC R1084-5

**\$5.98**

M9 x 1.25 (12)  
HC R1084-9

**\$9.98**



Heli-Coil® Helical Inserts

1/2"-13 (12)  
HC R1185-8

**\$6.98**

5/8"-11 (12)  
HC R1185-10

**\$15.98**



Heli-Coil® Helical Inserts  
Standard Fine

#10-32 (12)  
HC R1191-3

**\$5.98**

5/16"-24 (12)  
HC R1191-5

**\$7.98**

3/8"-24 (12)  
HC R1191-6

**\$9.98**

7/16"-20 (12)  
HC R1191-7

**\$5.98**



## Specialty & Hand Tools

POP® Set Heavy Duty Lever  
Rivet Tool  
HC PS45

**\$130.98**



POP® Plastic Rivet Tool  
HC 60930

**\$31.98**



Heli-Coil® Steel Rivets  
1/4" - 1/2" (100)  
HC 59465

**\$10.98**



Heli-Coil® Aluminum Rivets  
5/16" - 3/8" (100)  
HC 59480

**\$4.98**

Heli-Coil® Steel Pop Rivets  
1/4" - 3/8" (100)  
HC 59456

**\$6.98**



Heli-Coil® Plate Steel Rivets  
3/16" X 3/8" (500)  
HC 60457

**\$5.98**

## Battery Service

Schumacher® 1000 Peak Amp  
Jump Starter and USB Power Source  
CBC SL1397

**\$124.98**



Schumacher® 6V/12V 2-Bank 2A  
Battery Charger/Maintainer

CBC SC1410

**\$73.98**



Schumacher® 15A 12V 3-Bank On-Board  
Marine Sequential Battery Charger  
CBC SC1389

**\$184.98**



Schumacher® 15A 6/12V Fully Automatic  
Battery Charger/Engine Starter  
CBC SC1323

**\$77.98**



Schumacher®  
On-Board Diagnostic II  
Memory Saver Detector  
CBC OBD-L

**\$56.98**



Schumacher® 12V 1200A  
Lithium Jump Starter  
CBC SL1439

**\$189.98**



\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



# INVENTORY REDUCTION SALE

ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

## Lighting

Bayco® 60 LED Worklight  
with Magnetic Hook

6', 18/2 SJT cord  
BAY BA-2116

**\$57.98**

Bayco® Nightstick Rechargeable  
Work Light

BAY NSR-2168BL

**\$67.98**

Bayco® 13W On Reel  
with Spotlight

BAY SL-825

**\$79.98**

Bayco® 13W Professional  
Fluorescent Worklight

BAY SL-520

**\$29.98**

Bayco® 26W Double-Brite  
Professional Worklight

BAY SL-976

**\$35.98**

Bayco® 950 Lumen LED Single Fixture  
Work Light w/Magnetic Base

BAY SL-1504

**\$60.98**

Bayco® Incandescent Work  
Light with Metal Guard

25' BAY SL-425

**\$24.98**

50' BAY SL-426

**\$39.98**

Bayco® 13W Worklight on  
Polymer Reel

20' 18/2 SVT Cord

BAY SL-651

**\$13.98**

## Diagnostic

Autel® MaxiDiag MD808 PRO  
Professional Scan Tool

AIT MD808P

**\$304.98**

LAUNCH® USA BST880D  
Battery Testing & Vehicle  
Diagnosis Tool

LCH 301050669

**\$415.98**

Autel® Tesla Diagnostic  
Adapter Cables

AIT TESKIT

**\$137.98**

## Tire Service

Cheetah® Bead Seater 10-Gallon

TSI CH-10

**\$409.98**

## Air Tools

ProValue™ Heavy-Duty  
Air Hammer

EQP 2375-PV

**\$17.98**

Flexzilla® Pro  
Reactionless 3/8"

Mini Air Ratchet Kit

LEG AT8535FZ

**\$169.98**

## Air Hoses & Reels

Tru-Flate Hybrid Air Hose  
Reel

CPM 587HR-TF

**\$75.98**

Legacy Workforce® Blue PVC Air Hose

3/8" x 25', 1/4" NPT

LEG HWF3825BL2 **\$24.98**

3/8" x 50', 1/4" NPT

LEG HWF3850BL2 **\$22.98**

## Air Compressors

SDI - Standard Duty Industrial Air  
Compressor

5 HP, 80 Gal

DVR IS5-10080H-03

\*Contact your local store for  
pricing and availability

## Lifting & Support

OTC® Air/Hydraulic  
Service Jack

6-Ton OTC 5106

\*Contact your local store for  
pricing and availability

DieHard® Professional 2.5 Ton  
Hydraulic Service Jack

EQP 1225DHP

**\$107.98**

DieHard® 3 Ton Garage Jack

EQP DH20021

**\$125.98**

TEQ CORRECT Professional Series  
Bottle Jack

12-Ton EQP 3112

**\$76.98**

DieHard® Correct Scissor  
Jack 1-1/2-Ton

EQP DH20012

**\$21.98**

DieHard® 2.5 Ton Hydraulic  
Trolley Jack

EQP DH20013

**\$55.98**

## Trailer & Towing

Erickson 06946 Flat Bungee Cord,  
Hook End

ERI 06946 **\$17.98**

Erickson Industrial EPDM  
Rubber Tarp Strap

(5" rubber to rubber)

ERI 06755 **\$1.29**

Erickson Low Profile 4" Sliding Winch

ERI 52806

**\$27.98**

## Oil & Lube

LINCOLN® 12V Li-Ion  
PowerLuber™ Kit

Includes battery

LIN 1264 **\$399.98**

LINCOLN® Lever Action  
Mini Grease Gun

LIN G103

**\$22.98**

## Generators

FIRMAN® 4550/3650 Watt  
Electric Start Gas or Propane  
Dual Fuel Portable Generator

FRM H03651

**\$719.98**

## Welding

Forney® 100ST  
Welder Starter Kit

FNY 29801 **\$428.98**

Forney® 220 ST ARC EASY WELD™

120/230V

FNY 326 **\$1199.98**

Lincoln Electric® K2185-1  
Handy MIG Welder Kit

LEC K2185-1

**\$628.98**

## Tool Storage

41" 9 Drawer Roller Cabinet

41" W x 24-1/2" D x 39" H,  
Storage Capacity: 18,010 cu. in.

HMK RD04041092

**\$1599.98**

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

For more information, contact your local CarQuest representative.

# SHOP HEATERS

For Outdoor Use Only

## KEROSENE OUTDOOR FORCED AIR HEATERS

**Mr Heater® MH210KTR Forced Air Heater** 210,000 BTU/Hr.

- Heats up to 5,250 sq.-ft.
- Run Time - Approx. 9.5 hrs.
- 13.4 gallon fuel tank

MRH MH210KTR

**\$719<sup>99</sup>**

**Mr Heater® F210185 Forced Air Heater** 185,000 BTU/Hr.

- Heats up to 4,625 sq.-ft.
- Run Time - Approx. 10 hrs.
- 13.4 gallon fuel tank

MRH F210185

**\$529<sup>99</sup>**

**Mr Heater® F210140 Forced Air Heater** 140,000 BTU/Hr.

- Heats up to 3,500 sq.-ft.
- Run Time - Approx. 9.5 hrs.
- 8.5 gallon fuel tank

MRH F210140

**\$489<sup>99</sup>**

**Mr Heater® F210180 Forced Air Heater** 80,000 BTU/Hr.

- Heats up to 1,875 sq.-ft.
- Run Time - Approx. 11 hrs.
- 6 gallon fuel tank

MRH F210180

**\$349<sup>99</sup>**

Equipped with a high limit safety switch and a photo CAD cell to shut the unit off in unsafe conditions, safety features every shop needs

## PROPANE OUTDOOR FORCED AIR HEATER

**Mr Heater® MH60QFAV Forced Air Heater** 60,000 BTU/Hr.

- Heats approximately 1500 sq.-ft.
- Operates up to 14 hours on a 20-lb. tank (low setting)
- 10' hose and regulator included

MRH MH60QFAV

**\$269<sup>99</sup>**

**Mr Heater® MH38QFA Forced Air Heater** 38,000 BTU/Hr.

- Heats approximately 950 sq.-ft.
- Operates up to 12 hours on a 20-lb. tank (low setting)
- 10' hose and regulator included

MRH MH38QFA

**\$214<sup>99</sup>**

Featuring QBT Technology 50% Quieter than a standard propane heater

## GET THE EQUIPMENT YOU NEED

### WITH THE FINANCING THAT FITS

Select your equipment and reach out. We'll take care of the rest!

- Earn Carquest Dollars
- Flexible Payment Terms
- Variety of Leasing Options
- Instant Approvals\*\*

Call **1-855-209-0999** or visit [grouperfa.com/carquest](http://grouperfa.com/carquest) to apply today

**BUY NOW  
PAY LATER**  
LEASE TO OWN AND  
DON'T PAY FOR 90 DAYS\*

\*\*On approved credit. Minimum total equipment cost of \$2000 plus applicable taxes. Please note, finance payments vary with every transaction, based on size, prevailing rates, credit history and other factors. Terms may vary. All programs subject to final approval by Affiliated Financial Services. See our ad on page 2 for more details. E.A.O.E.

\* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

## PROPANE OUTDOOR HEATERS

**MH15T Tank Top Heater** 10,000 – 15,000 BTU/Hr.

- Outdoor use only
- For use with propane gas
- Runs on 20 lb. propane tank (not included)

MRH MH15T

**\$72<sup>99</sup>**





## 500,000 BTU Hand Held Propane Torch

- 36" total length with HD shaft
- Needle valve adjustment
- Excess flow P.O.L. fitting
- 10 ft hose and striker included

MRH MH500LPT

**\$89<sup>99</sup>**





## PORTABLE OUTDOOR HEATERS

**Mr Heater® MH9BX Buddy® Heater** 4,000 – 9,000 BTU/Hr.

- Heats up to 225 sq.-ft.
- Accidental tip-over and low oxygen safety shut-off
- Connects to (1) 1 lb. propane cylinder (not included)

MRH MH9BX

**\$159<sup>99</sup>**





**Mr Heater® MH4B Little Buddy®** 3,800 BTU/Hr.

- Heats up to 95 sq.-ft.
- One button ignition on function
- Accidental tip-over and low oxygen safety shut-off
- Run time: 5.6 hours on 1 lb. propane cylinder

MRH MH4B

**\$119<sup>99</sup>**



**CARQUEST** FINANCING  
Powered by AFS

